

November 21, 2007

TAC Report Summary
Commercial Landings and Target Quota Utilization
(May – August 2007)

Species & Stock Area	2007 FY Commercial Landings	Percent of TAC	Target TAC
	(metric tons)	%	(metric tons)
Cod			
GOM	1,379	N/A*	10,020*
GB	1,584	19%	8,416
Haddock			
GOM	94	8%	1,254
GB	1,195	1%	90,599
Yellowtail			
CC/GOM	149	N/A*	1,078*
GB	287	N/A*	900*
SNE/MA	31	N/A*	213*
Pollock	2,634	N/A*	12,005*
Redfish - 500s	280	13%	2,075
White Hake	643	38%**	1,676**
American Plaice	378	N/A*	3,243*
Winter Flounder			
GOM	94	N/A	N/A
GB	509	32%	1,604
SNE/MA	674	N/A*	3,016*
Witch Flounder	420	8%	5,075
Windowpane			
North	41	10%	389
South	21	13%	166
Ocean Pout	0	0%	38
Monkfish			
Northern Area	1,627	33%	5,000
Southern Area	2,686	53%	5,100

Landings statistics for species without target TACs including scallops, silver hake, and red hake are available in the attachment.
**TAC includes commercial landings, and discards, recreational landings, or Canadian landings. Only commercial landings are available for monitoring.*

***TAC only includes lengths greater than 60 cm. Landings data include all lengths.*

Monkfish quotas were revised on October 22, 2007 and the new quota figures are presented above.

Attachment

Northeast Preliminary Fisheries Statistics

Multispecies (May – August 2007) & Scallop (March – August 2007)

Fishery Statistics Office
Northeast Regional Office
National Marine Fisheries Service
Gloucester, MA 01930

November 2007

The preliminary fisheries statistics indicating stock areas and gears in this report were derived by prorating available dealer electronic and vessel log data. These preliminary statistics, therefore, represent the currently available information, but are subject to revisions in the future.

- Note:**
- 1) **Data of selected species are reported in detail (see table of contents).**
 - 2) **This report will become available on the NMFS website:**
<http://www.nero.noaa.gov/ro/fso/mul.htm>.

TABLE OF CONTENTS

	<u>Page</u>
COD	
Tables 1.A - Preliminary Landings by Stock Area.....	1
1.B - Preliminary Landings by Major Ports and States	2
HADDOCK	
Tables 2.A - Preliminary Landings by Stock Area.....	3
2.B - Preliminary Landings by Major Ports and States	4
YELLOWTIAL FLOUNDER	
Tables 3.A - Preliminary Landings by Stock Area.....	5
3.B - Preliminary Landings by Major Ports and States	6
ATLANTIC POLLOCK	
Tables 4.A - Preliminary Landings by Stock Area.....	7
4.B - Preliminary Landings by Major Ports and States	8
REDFISH	
Tables 5.A - Preliminary Landings by Stock Area.....	9
5.B - Preliminary Landings by Major Ports and States	10
WHITE HAKE	
Tables 6.A - Preliminary Landings by Stock Area.....	11
6.B - Preliminary Landings by Major Ports and States	12
AMERICAN PLAICE	
Tables 7.A - Preliminary Landings by Stock Area.....	13
7.B - Preliminary Landings by Major Ports and States	14
WINTER FLOUNDER	
Tables 8.A - Preliminary Landings by Stock Area.....	15
8.B - Preliminary Landings by Major Ports and States	16
WITCH FLOUNDER	
Tables 9.A - Preliminary Landings by Stock Area.....	17
9.B - Preliminary Landings by Major Ports and States	18
WINDOWPANE FLOUNDER	
Tables 10.A - Preliminary Landings by Stock Area.....	19
10.B - Preliminary Landings by Major Ports and States	20
SILVER HAKE	
Tables 11.A - Preliminary Landings by Year and Month	21
11.B - Preliminary Landings by Major Ports and States	22
RED HAKE	
Tables 12.A - Preliminary Landings by Year and Month	23
12.B - Preliminary Landings by Major Ports and States	24
MONKFISH	
Tables 13.A - Preliminary Landings by Year and Month	25
13.B - Preliminary Landings by Major Ports and States	26

SCALLOP

Tables 14.A - Preliminary Landings by Year and Month 27
14.B - Preliminary Landings by Major Ports and States 28

STATISTICAL AREAS

A chart for the 3 Digit Statistical Areas 29

Table 1.A. - Preliminary Commercial Cod Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing
							May-Aug07 as a % of Target TAC	Target TAC ⁺	May-Aug06 as a % of Target TAC	Target TAC ⁺	Year* Landings
								Metric Tons		Metric Tons	Metric Tons
GULF OF MAINE	12	479	595	293	1,379	47%	N/A	10,020**	N/A	5,146**	
OTTER TRAWL	8	210	236	84	538	18%					
GILLNET	2	263	357	207	829	28%					
HOOK	1	0	1	1	3	0%					
OTHER GEARS	0	5	2	1	9	0%					
GEORGES BANK	263	566	425	330	1,584	53%	19%	8,416	14%	6,132	
OTTER TRAWL	216	508	279	177	1,181	40%	14%		12%		
GILLNET	3	48	143	151	344	12%	4%		2%		
HOOK	43	7	2	1	53	2%	1%		0%		
OTHER GEARS	1	3	1	1	6	0%	0%		0%		
ALL AREAS	274	1,045	1,020	624	2,963	100%					
OTTER TRAWL	224	718	515	261	1,719	58%					
GILLNET	5	311	500	358	1,173	40%					
HOOK	44	7	2	3	56	2%					
OTHER GEARS	1	8	4	2	15	1%					
LANDINGS - ALL AREAS											
Fishing Year 2007	274	1,045	1,020	624	2,963						
Fishing Year 2006	207	692	591	440	1,930						6,163
Fishing Year 2005	327	881	829	521	2,557						5,699
Fishing Year 2004	375	726	828	443	2,373						6,667
Fishing Year 2003	567	1,373	875	830	3,645						9,110
Fishing Year 2002	913	1,343	1,114	821	4,191						11,488

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards, and recreational landings.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 9,822 metric tons (21,653 thousand lbs.)

Table 1.B. - Preliminary Commercial Cod Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	241	180	75%	60	25%	148	62%	91	38%	2	1%	0	0%
Gloucester, MA	836	738	88%	98	12%	387	46%	441	53%	1	0%	7	1%
Boston, MA	108	7	7%	100	93%	108	100%	0	0%	0	0%	0	0%
New Bedford, MA	821	4	0%	817	100%	821	100%	0	0%	0	0%	0	0%
Point Judith, RI	60	0	0%	60	100%	58	97%	0	0%	0	0%	2	3%
MAINE	343	283	82%	60	18%	182	53%	159	46%	2	1%	0	0%
NEW HAMPSHIRE	248	248	100%	1	0%	61	24%	186	75%	0	0%	2	1%
MASSACHUSETTS	2,280	849	37%	1,431	63%	1,390	61%	825	36%	54	2%	10	0%
RHODE ISLAND	89	0	0%	89	100%	84	94%	3	3%	0	0%	2	3%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	3	0	0%	3	99%	3	81%	0	0%	0	0%	1	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,963	1,379	47%	1,584	53%	1,719	58%	1,173	40%	56	2%	15	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Commercial Haddock Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing Year* Landings
							May-Aug07 as a % of Target TAC	Target TAC ⁺	May-Aug06 as a % of Target TAC	Target TAC ⁺	Metric Tons
							Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area
GULF OF MAINE	4	47	24	19	94	7%	8%	1,254	9%	1,279	
OTTER TRAWL	3	44	19	15	85	7%	7%		8%		
GILLNET	0	3	4	2	7	1%	1%		1%		
HOOK	0	0	1	3	16	1%	1%		0%		
OTHER GEARS	0	0	0	0	2	0%	0%		0%		
GEORGES BANK	470	392	167	167	1,195	93%	1%	90,599	3%	35,309	
OTTER TRAWL	455	386	166	165	1,173	91%	1%		3%		
GILLNET	0	2	0	0	3	0%	0%		0%		
HOOK	14	3	1	1	19	1%	0%		0%		
OTHER GEARS	0	1	0	0	1	0%	0%		0%		
SNE/ MID-ATLANTIC	0	1	0	0	1	0%					
OTTER TRAWL	0	1	0	0	1	0%					
GILLNET	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
ALL AREAS	473	440	191	186	1,291	100%					
OTTER TRAWL	459	431	185	180	1,255	97%					
GILLNET	0	5	4	2	12	1%					
HOOK	15	3	2	4	23	2%					
OTHER GEARS	0	1	0	0	1	0%					
LANDINGS - ALL AREAS											
Fishing Year 2007	473	440	191	186	1,291						
Fishing Year 2006	424	400	95	171	1,090						2,858
Fishing Year 2005	675	1,367	422	340	2,804						5,969
Fishing Year 2004	464	1,126	673	459	2,723						7,826
Fishing Year 2003	803	783	346	257	2,189						7,065
Fishing Year 2002	718	817	731	435	2,702						7,347

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.
- + US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 103,329 metric tons (227,795 thousand lbs.)

Table 2.B. - Preliminary Commercial Haddock Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	172	10	6%	162	94%	0	0%	168	98%	0	0%	4	2%	0	0%
Gloucester, MA	141	52	37%	89	63%	0	0%	135	96%	5	4%	0	0%	0	0%
Boston, MA	58	5	9%	53	91%	0	0%	58	100%	0	0%	0	0%	0	0%
New Bedford, MA	802	2	0%	799	100%	1	0%	802	100%	0	0%	0	0%	0	0%
Point Judith, RI	48	0	0%	48	100%	0	0%	47	98%	0	0%	0	0%	1	0%
MAINE	178	17	9%	162	91%	0	0%	173	97%	1	1%	4	2%	0	0%
NEW HAMPSHIRE	5	5	100%	0	0%	0	0%	3	62%	2	37%	0	0%	0	0%
MASSACHUSETTS	1,039	72	7%	967	93%	1	0%	1,012	97%	9	1%	19	2%	0	0%
RHODE ISLAND	68	0	0%	67	100%	0	0%	67	99%	0	0%	0	0%	1	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,291	94	7%	1,195	93%	1	0%	1,255	97%	12	1%	23	2%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Commercial Yellowtail Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing Year*
							May-Aug07 as a % of Target TAC	Target TAC ⁺	May-Aug06 as a % of Target TAC	Target TAC ⁺	Metric Tons
								Metric Tons		Metric Tons	
	Metric Tons	Percent of Area					Metric Tons				
GULF OF MAINE	0	2	2	2	6	1%					
OTTER TRAWL	0	2	2	2	6	1%					
GILLNET	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
CAPE COD	8	57	43	36	143	31%					
OTTER TRAWL	5	35	35	34	109	23%					
GILLNET	2	22	8	2	34	7%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
GULF OF MAINE & CAPE COD	8	59	45	38	149	32%	N/A	1,078**	N/A	650**	
GEORGES BANK	147	84	32	24	287	61%	N/A	900**	N/A	2,070**	
OTTER TRAWL	147	84	32	23	286	61%					
GILLNET	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	1	2	0%					
SNE/ MID-ATLANTIC	5	2	7	17	31	7%	N/A	213**	N/A	146**	
OTTER TRAWL	5	2	7	17	31	7%					
GILLNET	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
ALL AREAS	160	146	84	79	468	100%					
OTTER TRAWL	157	123	76	76	432	92%					
GILLNET	2	22	8	2	34	7%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	1	2	0%					
LANDINGS - ALL AREAS											
Fishing Year 2007	160	146	84	79	468						1,960
Fishing Year 2006	235	211	176	130	751						4,021
Fishing Year 2005	442	542	628	435	2,047						6,522
Fishing Year 2004	700	1,455	1,573	1,299	5,027						4,846
Fishing Year 2003	591	422	311	245	1,569						5,341
Fishing Year 2002	616	525	262	220	1,623						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 1,250 metric tons (2,756 thousand lbs.)

Table 3.B. - Preliminary Commercial Yellowtail Flounder Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	5	0	0%	0	0%	4	86%	0	0%	5	100%	0	0%	0	0%	0	0%
Gloucester, MA	82	3	4%	60	73%	19	23%	0	0%	61	75%	21	25%	0	0%	0	0%
Boston, MA	8	0	0%	4	43%	5	57%	0	0%	8	100%	0	0%	0	0%	0	0%
New Bedford, MA	246	0	0%	18	7%	225	92%	3	1%	245	100%	0	0%	0	0%	0	0%
Point Judith, RI	46	0	0%	0	0%	29	64%	17	36%	45	97%	0	0%	0	0%	1	3%
MAINE	5	0	0%	0	0%	4	86%	0	0%	5	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	3	2	67%	1	33%	0	0%	0	0%	3	99%	0	0%	0	0%	0	0%
MASSACHUSETTS	398	4	1%	142	36%	249	62%	4	1%	363	91%	34	9%	0	0%	0	0%
RHODE ISLAND	54	0	0%	0	0%	35	65%	19	35%	52	97%	0	0%	0	0%	1	3%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	9	0	0%	0	0%	0	0%	9	100%	9	99%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	468	6	1%	143	31%	287	61%	31	7%	432	92%	34	7%	0	0%	2	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Commercial Atlantic Pollock Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing Year*
							May-Aug07 as a % of Target TAC	Target TAC	May-Aug06 as a % of Target TAC	Target TAC	Landings
								Metric Tons		Metric Tons	Metric Tons
	Metric Tons	Percent of Area									
400's & 500's	616	674	829	508	2,626	100%					
OTTER TRAWL	566	500	526	316	1,908	72%					
GILLNET	50	172	304	191	717	27%					
HOOK	0	0	0	1	1	0%					
OTHER GEAR	0	1	0	0	1	0%					
600's	0	0	7	0	7	0%					
OTTER TRAWL	0	0	0	0	0	0%					
GILLNET	0	0	7	0	7	0%					
HOOK	0	0	0	0	0	0%					
OTHER GEAR	0	0	0	0	0	0%					
ALL AREAS	616	674	837	508	2,634	100%	N/A	12,005**	N/A	12005**	
OTTER TRAWL	566	500	526	316	1,908	72%					
GILLNET	50	172	311	191	724	27%					
HOOK	0	0	0	1	1	0%					
OTHER GEAR	0	1	0	0	1	0%					
LANDINGS - ALL AREAS											
Fishing Year 2007	616	674	837	508	2,634						6,480
Fishing Year 2006	160	443	515	456	1,575						6,327
Fishing Year 2005	337	460	787	515	2,098						5,456
Fishing Year 2004	309	465	405	371	1,550						4,480
Fishing Year 2003	209	413	209	413	1,243						3,914
Fishing Year 2002	194	432	286	432	1,344						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes US and Canadian landings.

Table 4.B. - Preliminary Commercial Pollock Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS				GEAR TYPES							
		400's & 500's		600's		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	554	554	100%	0	0%	256	46%	297	54%	1	0%	0	0%
Gloucester, MA	957	950	99%	7	1%	815	85%	143	15%	0	0%	0	0%
Boston, MA	654	654	100%	0	0%	654	100%	0	0%	0	0%	0	0%
New Bedford, MA	125	125	100%	0	0%	125	100%	0	0%	0	0%	0	0%
Point Judith, RI	9	9	100%	0	0%	8	88%	0	0%	0	0%	1	12%
MAINE	694	694	100%	0	0%	286	41%	408	59%	1	0%	0	0%
NEW HAMPSHIRE	117	117	100%	0	0%	2	2%	115	98%	0	0%	0	0%
MASSACHUSETTS	1,796	1,789	100%	7	0%	1,601	89%	195	11%	0	0%	0	0%
RHODE ISLAND	26	26	100%	0	0%	19	73%	6	23%	0	0%	1	4%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,634	2,626	100%	7	0%	1,908	72%	724	27%	1	0%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Commercial Redfish Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing Year*
							May-Aug07 as a % of Target TAC	Target TAC	May-Aug06 as a % of Target TAC	Target TAC	Landings
							Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons
400's	0	0	0	0	0	0%					
OTTER TRAWL	0	0	0	0	0	0%					
GILLNET	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0%					
OTHER GEAR	0	0	0	0	0	0%					
500's	84	96	55	45	280	100%	13%	2,075	5%	1,946	
OTTER TRAWL	81	89	46	39	255	91%	12%		5%		
GILLNET	3	7	9	6	25	9%	1%		1%		
HOOK	0	0	0	0	0	0%	0%		0%		
OTHER GEAR	0	0	0	0	0	0%	0%		0%		
600's	0	0	1	0	1	0%					
OTTER TRAWL	0	0	0	0	0	0%					
GILLNET	0	0	1	0	1	0%					
HOOK	0	0	0	0	0	0%					
OTHER GEAR	0	0	0	0	0	0%					
ALL AREAS	84	96	56	45	281	100%					
OTTER TRAWL	81	89	46	39	255	91%					
GILLNET	3	7	9	6	25	9%					
HOOK	0	0	0	0	0	0%					
OTHER GEAR	0	0	0	0	1	0%					
LANDINGS - ALL AREAS											
Fishing Year 2007	84	96	56	45	281						513
Fishing Year 2006	11	31	27	34	103						582
Fishing Year 2005	32	44	32	38	147						485
Fishing Year 2004	15	19	25	33	92						415
Fishing Year 2003	28	29	22	21	100						307
Fishing Year 2002	28	28	14	17	87						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary Commercial Redfish Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS						GEAR TYPES							
		400s		500s		600s		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	42	0	0%	42	100%	0	0%	27	63%	15	36%	0	0%	0	0%
Gloucester, MA	80	0	0%	80	99%	1	0%	74	93%	6	7%	0	0%	0	0%
Boston, MA	124	0	0%	124	100%	0	0%	124	100%	0	0%	0	0%	0	0%
New Bedford, MA	25	0	0%	25	100%	0	0%	25	100%	0	0%	0	0%	0	0%
Point Judith, RI	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MAINE	47	0	0%	47	100%	0	0%	29	62%	18	37%	0	0%	0	0%
NEW HAMPSHIRE	2	0	0%	2	100%	0	0%	1	0%	1	70%	0	0%	0	0%
MASSACHUSETTS	231	0	0%	230	100%	1	0%	224	97%	6	3%	0	0%	0	0%
RHODE ISLAND	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	281	0	0%	280	100%	1	0%	255	91%	25	9%	0	0%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Commercial White Hake Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing Year*
							May-Aug07 as a % of Target TAC	Target TAC	May-Aug06 as a % of Target TAC	Target TAC	Landings
								Metric Tons		Metric Tons	Metric Tons
	Metric Tons	Percent of Area									
SNE/ NORTH	92	181	184	174	631	98%					
OTTER TRAWL	82	120	52	87	343	53%					
GILLNET	9	61	132	86	288	45%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
MID-ATLANTIC	5	1	6	0	12	2%					
OTTER TRAWL	5	1	0	0	6	1%					
GILLNET	0	0	6	0	6	1%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
ALL AREAS	97	182	191	174	643	100%	38%	1,676**	24%	2,056	
OTTER TRAWL	88	121	52	87	349	54%			14%		
GILLNET	9	61	138	86	294	46%			10%		
HOOK	0	0	0	0	0	0%			0%		
OTHER GEARS	0	0	0	0	0	0%			0%		
LANDINGS - ALL AREAS											
Fishing Year 2007	97	182	191	174	643						
Fishing Year 2006	65	113	167	150	495						1,381
Fishing Year 2005	192	283	240	297	1,012						2,417
Fishing Year 2004	229	337	365	393	1,324						3,163
Fishing Year 2003	465	379	470	457	1,771						4,272
Fishing Year 2002	173	228	311	320	1,032						3,486

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC only includes lengths greater than 60 cm. Landings data include all lengths.

Table 6.B. - Preliminary Commercial White Hake Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	236	236	100%	0	0%	96	41%	140	59%	0	0%	0	0%
Gloucester, MA	234	227	97%	6	3%	152	65%	81	35%	0	0%	0	0%
Boston, MA	69	69	100%	0	0%	69	100%	0	0%	0	0%	0	0%
New Bedford, MA	11	11	100%	0	0%	11	100%	0	0%	0	0%	0	0%
Point Judith, RI	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
MAINE	282	282	100%	0	0%	105	37%	177	63%	0	0%	0	0%
NEW HAMPSHIRE	33	33	100%	0	0%	0	0%	33	100%	0	0%	0	0%
MASSACHUSETTS	318	312	98%	6	2%	233	73%	85	27%	0	0%	0	0%
RHODE ISLAND	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%
NEW YORK	7	2	22%	5	78%	7	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	643	631	98%	12	2%	349	54%	294	46%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Commercial American Plaice Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing Year* Landings
							May-Aug07 as a % of Target TAC	Target TAC	May-Aug06 as a % of Target TAC	Target TAC	Metric Tons
								Metric Tons		Metric Tons	
	Metric Tons	Percent of Area									
GULF OF MAINE/ GB	54	121	103	96	373	99%					
OTTER TRAWL	54	119	102	95	370	98%					
GILLNET	0	1	1	0	3	1%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
SNE / MID-ATLANTIC	0	5	0	0	5	1%					
OTTER TRAWL	0	5	0	0	5	1%					
GILLNET	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
ALL AREAS	54	125	103	96	378	100%	N/A	3,243**	N/A	3,666**	
OTTER TRAWL	54	124	102	95	375	99%					
GILLNET	0	1	1	0	3	1%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
LANDINGS - ALL AREAS											
Fishing Year 2007	54	125	103	96	378						
Fishing Year 2006	40	157	80	94	371						1,005
Fishing Year 2005	86	171	115	127	500						1,275
Fishing Year 2004	59	205	179	221	664						1,656
Fishing Year 2003	125	359	240	276	1,000						2,220
Fishing Year 2002	214	302	343	309	1,168						2,829

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards.

Table 7.B. - Preliminary Commercial American Plaice Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	72	72	100%	0	0%	72	100%	0	0%	0	0%	0	0%
Gloucester, MA	108	106	99%	2	1%	107	99%	1	1%	0	0%	0	0%
Boston, MA	41	41	100%	0	0%	41	100%	0	0%	0	0%	0	0%
New Bedford, MA	107	104	98%	2	2%	107	100%	0	0%	0	0%	0	0%
Point Judith, RI	16	16	99%	0	0%	16	98%	0	0%	0	0%	0	0%
MAINE	80	80	100%	0	0%	80	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	3	3	100%	0	0%	2	82%	0	0%	0	0%	0	0%
MASSACHUSETTS	270	266	98%	4	2%	268	99%	2	1%	0	0%	0	0%
RHODE ISLAND	25	24	99%	0	0%	24	99%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	378	373	99%	5	1%	375	99%	3	1%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Commercial Winter Flounder Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing Year* Landings Metric Tons
							May-Aug07 as a % of Target TAC	Target TAC	May-Aug06 as a % of Target TAC	Target TAC	
							Metric Tons	Metric Tons	Metric Tons	Metric Tons	
GULF OF MAINE	18	21	31	24	94	7%	N/A	**	N/A	***	
OTTER TRAWL	18	13	23	17	71	6%					
GILLNET	0	7	8	7	22	2%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
GEORGES BANK	97	210	114	88	509	40%	32%	1,604	43%	1,424	
OTTER TRAWL	96	208	113	87	504	39%	31%		43%		
GILLNET	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	2	1	1	4	0%	0%		0%		
SNE/ MID-ATLANTIC	214	105	139	216	674	53%	N/A	3,016***	N/A	2,481***	
OTTER TRAWL	209	100	137	213	659	52%					
GILLNET	5	5	1	3	14	1%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	1	1	0%					
ALL AREAS	329	335	283	329	1,277	100%					
OTTER TRAWL	323	321	273	318	1,235	97%					
GILLNET	5	12	9	10	36	3%					
HOOK	0	0	0	0	1	0%					
OTHER GEARS	1	2	1	1	6	0%					
LANDINGS - ALL AREAS											
Fishing Year 2007	329	335	283	329	1,277						
Fishing Year 2006	308	334	326	245	1,214						3,728
Fishing Year 2005	335	903	647	397	2,281						4,481
Fishing Year 2004	675	668	620	525	2,488						5,781
Fishing Year 2003	871	899	901	498	3,168						5,417
Fishing Year 2002	741	835	572	391	2,538						6,977

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** GARM II did not develop a TAC for GOM winter flounder because of uncertainties in the assessment.

*** TAC includes commercial landings and discards, and recreational landings.

Table 8.B. - Preliminary Commercial Winter Flounder Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - Aug 07	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	12	3	22%	7	57%	2	21%	12	100%	0	0%	0	0%	0	0%
Gloucester, MA	40	23	57%	16	40%	1	3%	26	66%	14	34%	0	0%	0	0%
Boston, MA	16	0	0%	5	30%	11	67%	16	100%	0	0%	0	0%	0	0%
New Bedford, MA	650	0	0%	439	67%	211	32%	648	100%	0	0%	0	0%	2	0%
Point Judith, RI	223	0	0%	26	12%	196	88%	220	99%	0	0%	0	0%	2	1%
MAINE	12	3	22%	7	57%	2	21%	12	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	806	90	11%	463	57%	252	31%	773	96%	30	4%	1	0%	2	0%
RHODE ISLAND	247	0	0%	39	16%	207	84%	238	96%	6	2%	0	0%	3	1%
CONNECTICUT	33	0	0%	0	0%	33	100%	33	100%	0	0%	0	0%	0	0%
NEW YORK	88	0	0%	0	0%	88	100%	88	100%	0	0%	0	0%	0	0%
NEW JERSEY	91	0	0%	0	0%	91	100%	91	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,277	94	7%	509	40%	674	53%	1,235	97%	36	3%	1	0%	6	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 9.A. - Preliminary Commercial Witch Flounder Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing Year*
							May-Aug07 as a % of Target TAC	Target TAC	May-Aug06 as a % of Target TAC	Target TAC	Metric Tons
								Metric Tons		Metric Tons	
	Metric Tons	Percent of Area					Metric Tons				
GULF OF MAINE/ GB	65	147	126	67	405	96%					
OTTER TRAWL	64	143	122	66	395	94%					
GILLNET	0	4	4	1	9	2%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	1	0%					
SNE/ MID-ATLANTIC	0	3	4	7	15	4%					
OTTER TRAWL	0	3	3	7	14	3%					
GILLNET	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
ALL AREAS	65	151	130	74	420	100%	8%	5,075	11%	5,511	
OTTER TRAWL	65	146	125	73	410	98%	8%		11%		
GILLNET	0	4	4	1	9	2%	0%		0%		
HOOK	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	1	0	1	0%	0%		0%		
LANDINGS - ALL AREAS											
Fishing Year 2007	65	151	130	74	420						
Fishing Year 2006	105	203	198	110	617						1,370
Fishing Year 2005	188	316	314	243	1,061						2,591
Fishing Year 2004	129	337	335	264	1,065						2,888
Fishing Year 2003	211	434	464	286	1,395						3,202
Fishing Year 2002	164	321	427	310	1,222						2,798

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 9.B. - Preliminary Commercial Witch Flounder Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	85	85	100%	0	0%	85	100%	0	0%	0	0%	0	0%
Gloucester, MA	83	82	99%	1	1%	79	94%	5	6%	0	0%	0	0%
Boston, MA	27	27	100%	0	0%	27	100%	0	0%	0	0%	0	0%
New Bedford, MA	117	117	100%	0	0%	116	99%	0	0%	0	0%	1	0%
Point Judith, RI	20	16	77%	5	23%	20	99%	0	0%	0	0%	0	0%
MAINE	100	100	100%	0	0%	99	99%	1	0%	0	0%	0	0%
NEW HAMPSHIRE	7	7	100%	0	0%	6	92%	1	0%	0	0%	0	0%
MASSACHUSETTS	278	276	99%	2	1%	270	97%	7	3%	0	0%	1	0%
RHODE ISLAND	28	22	81%	5	19%	27	98%	0	0%	0	0%	1	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	2	0	0%	2	100%	2	100%	0	0%	0	0%	0	0%
NEW JERSEY	5	0	0%	5	100%	5	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	420	405	96%	15	4%	410	98%	9	2%	0	0%	1	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 10.A. - Preliminary Commercial Windowpane Flounder Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing Year*
							May-Aug07 as a % of Target TAC	Target TAC	May-Aug06 as a % of Target TAC	Target TAC	Landings
							Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons
GULF OF MAINE/ GB	30	7	3	1	41	66%	10%	389	6%	389	
OTTER TRAWL	30	7	3	1	40	64%	10%		6%		
GILLNET	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	0	0	0	0%	0%		0%		
SNE/ MID-ATLANTIC	10	2	1	8	21	34%	13%	166	12%	173	
OTTER TRAWL	10	2	1	8	21	34%	13%		12%		
GILLNET	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	0	0	0	0%	0%		0%		
ALL AREAS	40	9	4	9	62	100%					
OTTER TRAWL	40	9	3	9	61	99%					
GILLNET	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0%					
LANDINGS - ALL AREAS											
Fishing Year 2007	40	9	4	9	62						
Fishing Year 2006	28	3	6	9	45						183
Fishing Year 2005	12	3	2	4	21						67
Fishing Year 2004	6	2	4	2	14						78
Fishing Year 2003	10	3	2	3	17						83
Fishing Year 2002	8	3	1	1	14						61

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Commercial Windowpane Flounder Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	2	2	100%	0	0%	2	90%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	34	34	99%	0	0%	34	100%	0	0%	0	0%	0	0%
Point Judith, RI	6	4	71%	2	29%	5	93%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	37	37	99%	0	0%	37	99%	0	0%	0	0%	0	0%
RHODE ISLAND	6	4	72%	2	28%	5	93%	0	0%	0	0%	0	0%
CONNECTICUT	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	11	0	0%	11	100%	11	100%	0	0%	0	0%	0	0%
NEW JERSEY	7	0	0%	7	100%	7	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	62	41	66%	21	34%	61	99%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Commercial Silver Hake Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		Fishing Year* Landings
	Metric Tons	Percent of Area	Metric Tons				
GULF OF MAINE	0	2	114	255	371	15%	
OTTER TRAWL	0	1	114	255	370	15%	
GILLNET	0	0	0	0	1	0%	
HOOK	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0%	
SNE/ MID-ATLANTIC	569	545	363	584	2,061	85%	
OTTER TRAWL	569	545	363	584	2,061	85%	
GILLNET	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0%	
ALL AREAS	569	547	477	840	2,432	100%	
OTTER TRAWL	569	547	477	839	2,431	100%	
GILLNET	0	0	0	0	1	0%	
HOOK	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0%	
LANDINGS - ALL AREAS							
Fishing Year 2007	569	547	477	840	2,432		
Fishing Year 2006	547	499	531	632	2,210		5,015
Fishing Year 2005	691	873	830	973	3,367		6,811
Fishing Year 2004	600	716	754	856	2,927		6,776
Fishing Year 2003	580	326	895	544	2,345		7,828
Fishing Year 2002	814	616	767	764	2,962		7,140

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562

Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Commercial Silver Hake Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY- AUG 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	175	165	94%	10	6%	175	100%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	578	79	14%	499	86%	578	100%	0	0%	0	0%	0	0%
Point Judith, RI	718	20	3%	698	97%	718	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	78	78	100%	0	0%	77	100%	0	0%	0	0%	0	0%
MASSACHUSETTS	783	273	35%	509	65%	782	100%	1	0%	0	0%	0	0%
RHODE ISLAND	739	20	3%	719	97%	739	100%	0	0%	0	0%	0	0%
CONNECTICUT	131	0	0%	131	100%	131	100%	0	0%	0	0%	0	0%
NEW YORK	355	0	0%	355	100%	355	100%	0	0%	0	0%	0	0%
NEW JERSEY	347	0	0%	347	100%	347	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,432	371	15%	2,061	85%	2,431	100%	1	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
 Southern New England: 525-552, 562, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Commercial Red Hake Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		Fishing Year* Landings
	Metric Tons	Percent of Area	Metric Tons				
GULF OF MAINE	0	0	8	15	23	12%	
OTTER TRAWL	0	0	8	15	23	12%	
GILLNET	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0%	
SNE/ MID-ATLANTIC	52	30	41	50	173	88%	
OTTER TRAWL	52	29	41	49	171	87%	
GILLNET	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0%	
OTHER GEARS	1	0	1	0	2	1%	
ALL AREAS	52	30	49	65	196	100%	
OTTER TRAWL	52	29	48	64	194	99%	
GILLNET	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0%	
OTHER GEARS	1	0	1	0	2	1%	
LANDINGS - ALL AREAS							
Fishing Year 2007	52	30	49	65	196		
Fishing Year 2006	35	34	62	76	207		408
Fishing Year 2005	28	40	51	72	191		379
Fishing Year 2004	77	38	62	92	270		572
Fishing Year 2003	61	54	80	69	264		783
Fishing Year 2002	56	105	103	81	345		888

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Red Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562
 Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 12.B. - Preliminary Commercial Red Hake Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	20	17	87%	3	13%	20	98%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	37	6	15%	31	85%	37	100%	0	0%	0	0%	0	0%
Point Judith, RI	64	0	0%	64	99%	64	99%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	57	23	40%	34	60%	56	99%	0	0%	0	0%	0	0%
RHODE ISLAND	65	0	0%	64	99%	64	99%	0	0%	0	0%	0	0%
CONNECTICUT	21	0	0%	21	100%	21	100%	0	0%	0	0%	0	0%
NEW YORK	26	0	0%	26	100%	26	99%	0	0%	0	0%	0	0%
NEW JERSEY	28	0	0%	28	100%	27	96%	0	0%	0	0%	1	4%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	196	23	12%	173	88%	194	99%	0	0%	0	0%	2	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
 Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

Table 13.A. - Preliminary Commercial Monkfish Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MAY - AUGUST 07		2007*		2006*		Fishing Year*
							May-Aug07 as a % of Target TAC	Target TAC	May-Aug06 as a % of Target TAC	Target TAC	Landings
							Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area
NORTHERN	231	404	522	471	1,627	38%	33%	5,000	29%	7,737	
OTTER TRAWL	217	263	239	227	946	22%	19%		14%		
GILLNET	12	140	264	186	602	14%	12%		14%		
HOOK	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	1	1	18	58	79	2%	2%		0%		
SOUTHERN	1,183	802	396	306	2,686	62%	53%	5,100	73%	3,667	
OTTER TRAWL	133	111	123	133	500	12%	10%		16%		
GILLNET	908	577	195	63	1,743	40%	34%		46%		
HOOK	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	142	115	77	109	443	10%	9%		11%		
ALL AREAS	1,413	1,206	917	776	4,313	100%					
OTTER TRAWL	350	374	363	360	1,446	34%					
GILLNET	920	716	460	249	2,345	54%					
HOOK	0	0	0	0	0	0%					
OTHER GEARS	143	116	95	168	522	12%					
LANDINGS - ALL AREAS											
Fishing Year 2007	1,413	1,206	917	776	4,313						12,586
Fishing Year 2006	1,314	1,490	1,181	909	4,894						19,189
Fishing Year 2005	2,040	3,040	1,862	1,487	8,430						17,927
Fishing Year 2004	1,806	1,979	1,581	1,380	6,746						26,273
Fishing Year 2003	2,681	3,199	1,913	1,746	9,539						21,807
Fishing Year 2002	1,574	2,093	1,489	1,382	6,538						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- 4. Monkfish quotas for FY2007 were revised to be 5,000 mt for Northern Area and 5,100 mt for Southern Area as of October 22, 2007.
- * Fishing Year is May 1 through April 30.

Table 13.B. - Preliminary Monkfish Landings by Major Ports and States, May - August 2007

PORT/ STATE	MAY - AUG 07	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent						
Portland, ME	226	221	98%	6	2%	196	87%	30	13%	0	0%	0	0%
Gloucester, MA	528	510	97%	18	3%	267	50%	262	50%	0	0%	0	0%
Boston, MA	165	165	100%	0	0%	165	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,116	365	33%	751	67%	469	42%	330	30%	0	0%	316	28%
Point Judith, RI	423	23	5%	400	95%	175	41%	236	56%	0	0%	11	3%
MAINE	260	254	98%	6	2%	219	84%	41	16%	0	0%	0	0%
NEW HAMPSHIRE	85	83	98%	1	2%	5	6%	80	94%	0	0%	0	0%
MASSACHUSETTS	2,115	1,243	59%	872	41%	924	44%	873	41%	0	0%	318	15%
RHODE ISLAND	665	41	6%	625	94%	198	30%	417	63%	0	0%	51	8%
CONNECTICUT	34	0	0%	34	100%	3	8%	29	85%	0	0%	2	7%
NEW YORK	469	2	0%	467	100%	38	8%	426	91%	0	0%	5	1%
NEW JERSEY	479	4	1%	476	99%	58	12%	300	63%	0	0%	122	25%
OTHER NORTHEAST	206	0	0%	206	100%	2	1%	181	88%	0	0%	24	11%
TOTAL	4,313	1,627	38%	2,686	62%	1,446	34%	2,345	54%	0	0%	522	12%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562

Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

4. Monkfish quotas for FY2007 were revised to be 5,000 mt for Northern Area and 5,100 mt for Southern Area as of October 22, 2007.

Table 14.A. - Preliminary Commercial Sea Scallop Landings by Stock Area

	MAR - 2007	APR - 2007	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	MARCH - AUGUST 2007		Fishing Year* Landings
	Metric Tons	Percent	Metric Tons						
GULF OF MAINE	16	14	16	11	20	3	81	0%	
OTTER TRAWL	0	0	0	0	0	0	1	0%	
DREDGE	16	14	16	10	20	3	80	0%	
OTHER GEARS	0	0	0	0	0	0	0	0%	
SOUTH CHANNEL	118	119	147	1,988	1,662	842	4,877	24%	
OTTER TRAWL	0	0	0	1	1	1	3	0%	
DREDGE	118	110	147	1,718	1,565	748	4,405	22%	
OTHER GEARS	0	9	0	270	96	94	468	2%	
GEORGES BANK NORTH	42	39	224	81	57	179	624	3%	
OTTER TRAWL	0	0	0	1	0	0	1	0%	
DREDGE	42	39	203	81	57	145	567	3%	
OTHER GEARS	0	0	22	0	0	34	56	0%	
GEORGES BANK SOUTH	38	80	111	554	660	480	1,923	10%	
OTTER TRAWL	0	2	2	1	1	1	7	0%	
DREDGE	38	78	69	508	616	424	1,733	9%	
OTHER GEARS	0	0	40	45	43	56	184	1%	
S. NEW ENGLAND	3	3	18	132	76	31	264	1%	
OTTER TRAWL	0	0	0	0	1	1	2	0%	
DREDGE	3	3	18	131	75	31	262	1%	
OTHER GEARS	0	0	0	0	0	0	1	0%	
NEW YORK BIGHT	529	822	1,674	1,122	587	718	5,453	27%	
OTTER TRAWL	7	18	54	47	45	68	239	1%	
DREDGE	521	796	1,530	974	496	588	4,905	24%	
OTHER GEARS	1	8	90	102	46	63	309	2%	
DE / MD / VA	2,523	1,784	1,054	654	285	550	6,850	34%	
OTTER TRAWL	9	0	7	31	11	10	67	0%	
DREDGE	2,496	1,783	988	533	202	514	6,516	32%	
OTHER GEARS	18	0	59	91	72	26	267	1%	
VA / NC	62	7	1	0	8	0	78	0%	
OTTER TRAWL	0	0	0	0	0	0	0	0%	
DREDGE	62	7	0	0	8	0	77	0%	
OTHER GEARS	0	0	0	0	0	0	0	0%	
ALL AREAS	3,332	2,869	3,246	4,543	3,355	2,805	20,150	100%	
OTTER TRAWL	15	21	64	80	59	81	320	2%	
DREDGE	3,297	2,832	2,971	3,955	3,039	2,452	18,546	92%	
OTHER GEARS	19	17	211	508	257	272	1,284	6%	
LANDINGS - ALL AREAS									
Fishing Year 2007	3,332	2,869	3,246	4,543	3,355	2,805	20,150		25,614
Fishing Year 2006	1,729	2,638	2,726	4,262	4,258	4,053	19,665		24,966
Fishing Year 2005	1,742	2,570	3,481	3,300	3,493	2,940	17,527		28,910
Fishing Year 2004	2,227	2,868	3,854	3,791	2,907	2,695	18,342		25,497
Fishing Year 2003	1,777	2,153	3,315	3,413	3,229	2,646	16,532		23,466
Fishing Year 2002	1,536	2,450	2,800	3,061	2,772	2,857	15,475		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.
 3. Gear data are based on vessel trip reports.
 * Fishing Year is March 1 through February 29.

Table 14.B. - Preliminary Commercial Scallop Landings by Major Ports and States, March - August 2007

PORT/ STATE	MAR -AUG 07	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
New Bedford, MA	10,827	14	0%	3,824	35%	588	5%	1,565	14%	133	1%	1,994	18%	2,668	25%	42	0%
Cape May, NJ	2,304	0	0%	157	7%	5	0%	43	2%	60	3%	688	30%	1,352	59%	0	0%
Norfolk, VA	3,516	0	0%	238	7%	10	0%	156	4%	3	0%	1,210	34%	1,872	53%	26	1%
MAINE	15	14	92%	0	0%	0	0%	0	0%	0	0%	1	7%	0	0%	0	0%
NEW HAMPSHIRE	1	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	11,111	67	1%	4,035	36%	588	5%	1,580	14%	135	1%	1,994	18%	2,670	24%	42	0%
RHODE ISLAND	483	0	0%	222	46%	21	4%	93	19%	31	6%	94	20%	22	5%	0	0%
CONNECTICUT	410	0	0%	103	25%	0	0%	26	6%	1	0%	136	33%	143	35%	0	0%
NEW JERSEY	4,064	0	0%	270	7%	5	0%	68	2%	62	2%	1,790	44%	1,859	46%	10	0%
VIRGINIA	3,587	0	0%	238	7%	10	0%	156	4%	3	0%	1,232	34%	1,922	54%	26	1%
OTHER NORTHEAST	479	0	0%	8	2%	0	0%	0	0%	31	7%	206	43%	233	49%	0	0%
TOTAL	20,150	81	0%	4,877	24%	624	3%	1,923	10%	264	1%	5,453	27%	6,850	34%	78	0%

PORT/ STATE	MAR -AUG 07	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
New Bedford, MA	10,827	86	1%	9,578	88%	1,163	11%
Cape May, NJ	2,304	60	3%	2,208	96%	36	2%
Norfolk, VA	3,516	7	0%	3,509	100%	0	0%
MAINE	15	0	0%	15	100%	0	0%
NEW HAMPSHIRE	1	0	0%	1	0%	0	0%
MASSACHUSETTS	11,111	87	1%	9,860	89%	1,164	10%
RHODE ISLAND	483	3	1%	454	94%	25	5%
CONNECTICUT	410	0	0%	409	100%	1	0%
NEW JERSEY	4,064	129	3%	3,842	95%	94	2%
VIRGINIA	3,587	29	1%	3,559	99%	0	0%
OTHER NORTHEAST	479	72	15%	407	85%	0	0%
TOTAL	20,150	320	2%	18,546	92%	1,284	6%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

- 2. Landings in meat weight.
- 3. Gear data are based on vessel trip reports.

