

Table 1.A. - Preliminary Cod Landings by Stock Area

	OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		2003/2004*		2002/2003*		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03-Dec03 as a % of Target TAC	Target TAC	May02-Dec02 as a % of Target TAC	Target TAC	
									1000 Lbs	1000 Lbs			
GULF OF MAINE	661	50%	841	59%	1,247	62%	5,451	43%	92%	5,899	128%	4,229	
OTTER TRAWL	326	25%	485	34%	775	38%	3,063	24%	52%		67%		
GILLNET	318	24%	337	23%	377	19%	2,194	17%	37%		56%		
HOOK	8	1%	5	0%	54	3%	90	1%	2%		2%		
OTHER GEARS	9	1%	14	1%	40	2%	105	1%	2%		4%		
GEORGES BANK	661	50%	595	41%	769	38%	7,171	57%	126%	5,694	245%	10,803	
OTTER TRAWL	585	44%	451	31%	534	26%	5,418	43%	95%		177%		
GILLNET	51	4%	69	5%	164	8%	1,322	10%	23%		47%		
HOOK	13	1%	24	2%	38	2%	181	1%	3%		12%		
OTHER GEARS	14	1%	52	4%	33	2%	249	2%	4%		9%		
ALL AREAS	1,323	100%	1,436	100%	2,016	100%	12,622	100%	109%	11,593	373%	15,032	
OTTER TRAWL	911	69%	936	65%	1,309	65%	8,482	67%	73%		244%		
GILLNET	369	28%	406	28%	542	27%	3,516	28%	30%		102%		
HOOK	20	2%	29	2%	92	5%	271	2%	2%		14%		
OTHER GEARS	22	2%	65	5%	73	4%	354	3%	3%		13%		
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	1,323		1,436		2,016		12,622						-
Fishing Year 2002/2003	1,229		1,486		2,481		15,768						25,327
Fishing Year 2001/2002	2,000		2,562		2,961		22,337						35,510
Fishing Year 2000/2001	1,530		1,823		1,911		17,083						27,945
Fishing Year 1999/2000	853		786		1,231		13,348						21,323
Fishing Year 1998/1999	1,102		1,296		2,088		15,604						23,702

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. Landings in live weight.
3. State landings for 2002 have been updated and are complete.
4. State landings for CT are estimated for the MAY 2003 - DEC 2003 period.
5. Gear data are based on vessel trip reports.

Table 1.B. - Preliminary Cod Landings by Major Ports and States, May - Dec 2003

PORT/ STATE	MAY - DEC 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	893	647	72%	246	28%	531	59%	350	39%	13	1%	0	0%
Gloucester, MA	2,903	2,146	74%	757	26%	1,812	62%	1,004	35%	41	1%	46	2%
Boston, MA	281	60	21%	221	79%	277	99%	0	0%	1	0%	2	1%
New Bedford, MA	4,011	126	3%	3,886	97%	4,005	100%	3	0%	0	0%	4	0%
Point Judith, RI	34	1	4%	32	96%	30	89%	1	0%	0	0%	3	9%
MAINE	1,282	1,035	81%	247	19%	745	58%	519	40%	13	1%	5	0%
NEW HAMPSHIRE	1,074	1,072	100%	1	0%	485	45%	580	54%	0	0%	8	1%
MASSACHUSETTS	10,111	3,343	33%	6,768	67%	7,148	71%	2,410	24%	259	3%	295	3%
RHODE ISLAND	147	1	1%	145	99%	98	67%	7	5%	0	0%	42	29%
CONNECTICUT	6	0	0%	6	100%	6	99%	0	0%	0	0%	0	0%
NEW YORK	3	0	0%	3	97%	0	0%	0	0%	0	0%	3	87%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	12,622	5,451	43%	7,171	57%	8,482	67%	3,516	28%	271	2%	354	3%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-637

2. State landings for CT are estimated for the May 2003 - Dec. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Haddock Landings by Stock Area

	OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		2003/2004*		2002/2003*		Fishing
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	MAY03-DEC03 as % of Target TAC	Target TAC	MAY02-DEC02 as % of Target TAC	Target TAC	Year* Landings
GULF OF MAINE	143	15%	192	20%	251	25%	1,326	16%					
OTTER TRAWL	120	13%	182	19%	231	23%	1,159	14%					
GILLNET	17	2%	4	0%	4	0%	112	1%					
HOOK	6	1%	6	1%	16	2%	50	1%					
OTHER GEARS	0	0%	0	0%	0	0%	4	0%					
GEORGES BANK	805	85%	749	80%	749	75%	6,809	84%	27%	25,586	34%	25,751	
OTTER TRAWL	683	72%	659	70%	696	70%	6,385	78%	25%		32%		
GILLNET	1	0%	2	0%	2	0%	73	1%	0%		1%		
HOOK	121	13%	87	9%	35	4%	305	4%	1%		0%		
OTHER GEARS	0	0%	1	0%	15	2%	46	1%	0%		0%		
SNE/ MID-ATLANTIC	0	0%	0	0%	0	0%	1	0%					
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
ALL AREAS	949	100%	941	100%	1,000	100%	8,136	100%					
OTTER TRAWL	802	85%	841	89%	928	93%	7,545	93%					
GILLNET	19	2%	6	1%	6	1%	186	2%					
HOOK	127	13%	93	10%	51	5%	356	4%					
OTHER GEARS	0	0%	1	0%	15	2%	50	1%					
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	949		941		1,000		8,136						-
Fishing Year 2002/2003	1,317		547		607		9,576						16,198
Fishing Year 2001/2002	1,151		654		898		7,294						14,341
Fishing Year 2000/2001	874		371		752		4,952						10,501
Fishing Year 1999/2000	628		333		745		5,128						8,999
Fishing Year 1998/1999	561		378		558		4,218						6,009

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.
3. State landings for 2002 have been updated and are complete.
4. State landings for CT are estimated for the MAY 2003 - DEC 2003 period.
5. Gear data are based on vessel trip reports.

Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May - Dec 2003

PORT/ STATE	MAY - DEC 03	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	657	328	50%	328	50%	0	0%	599	91%	42	6%	16	2%	0	0%
Gloucester, MA	1,947	533	27%	1,414	73%	1	0%	1,869	96%	41	2%	21	1%	17	1%
Boston, MA	245	81	33%	164	67%	0	0%	245	100%	0	0%	0	0%	0	0%
New Bedford, MA	4,214	93	2%	4,121	98%	0	0%	4,214	100%	0	0%	0	0%	0	0%
Point Judith, RI	83	0	0%	83	100%	0	0%	83	100%	0	0%	0	0%	0	0%
MAINE	715	386	54%	328	46%	0	0%	654	91%	45	6%	16	2%	0	0%
NEW HAMPSHIRE	74	74	100%	0	0%	0	0%	45	62%	28	38%	0	0%	0	0%
MASSACHUSETTS	7,106	866	12%	6,239	88%	1	0%	6,633	93%	113	2%	340	5%	20	0%
RHODE ISLAND	230	0	0%	230	100%	0	0%	201	87%	0	0%	0	0%	30	13%
CONNECTICUT	12	0	0%	12	100%	0	0%	12	100%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	8,136	1,326	16%	6,809	84%	1	0%	7,545	93%	186	2%	356	4%	50	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. State landings for CT are estimated for the May 2003 - Dec 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Yellowtail Landings by Stock Area

	OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		2003/2004*		2002/2003*		Fishing Year* Landings 1000 Lbs
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	MAY03-DEC03 as % of Target TAC	Target TAC 1000 Lbs	MAY02-DEC02 as % of Target TAC	Target TAC 1000 Lbs	
GULF OF MAINE	5	1%	5	0%	80	5%	153	2%					
OTTER TRAWL	5	1%	5	0%	80	5%	153	2%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
CAPE COD	324	64%	170	13%	615	36%	2,189	31%					
OTTER TRAWL	324	64%	169	13%	614	36%	2,157	31%					
GILLNET	0	0%	1	0%	0	0%	30	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	1	0%	2	0%					
GEORGES BANK	158	31%	1,104	86%	969	57%	4,525	64%	26%	17,288	18%	15,003	
OTTER TRAWL	158	31%	1,104	86%	969	57%	4,521	64%	26%	17,288	18%	15,003	
GILLNET	0	0%	0	0%	0	0%	2	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	2	0%	0%		0%		
SNE/ MID-ATLANTIC	22	4%	12	1%	22	1%	181	3%	46%	393	4%	2,092	
OTTER TRAWL	22	4%	12	1%	22	1%	179	3%	46%	393	4%	2,092	
GILLNET	0	0%	0	0%	0	0%	0	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	1	0%	0%		0%		
ALL AREAS	509	100%	1,291	100%	1,685	100%	7,048	100%					
OTTER TRAWL	509	100%	1,290	100%	1,684	100%	7,009	99%					
GILLNET	0	0%	1	0%	0	0%	34	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	1	0%	5	0%					
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	509		1,291		1,685		7,048						-
Fishing Year 2002/2003	710		365		1,448		6,781						11,774
Fishing Year 2001/2002	913		951		1,618		9,580						14,604
Fishing Year 2000/2001	542		1,701		2,256		9,501						15,990
Fishing Year 1999/2000	328		522		2,185		5,846						11,601
Fishing Year 1998/1999	1,184		553		1,346		5,649						9,571

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.
 3. State landings for 2002 have been updated and are complete.
 4. State landings for CT are estimated for the MAY 2003 - DEC 2003 period.
 5. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May - Dec 2003

PORT/ STATE	MAY - DEC 03	STOCK AREAS								GEAR TYPES								
		GULF OF MAINE			CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	36	8	21%	3	9%	25	70%	0	0%	36	100%	0	0%	0	0%	0	0%	
Gloucester, MA	614	37	6%	493	80%	81	13%	3	0%	601	98%	13	2%	0	0%	0	0%	
Boston, MA	98	2	2%	87	88%	10	10%	0	0%	98	100%	0	0%	0	0%	0	0%	
New Bedford, MA	5,048	48	1%	974	19%	3,965	79%	61	1%	5,046	100%	0	0%	0	0%	2	0%	
Point Judith, RI	229	18	8%	5	2%	143	62%	63	28%	229	100%	0	0%	0	0%	0	0%	
MAINE	37	8	23%	3	9%	25	69%	0	0%	37	100%	0	0%	0	0%	0	0%	
NEW HAMPSHIRE	52	36	68%	16	32%	0	0%	0	0%	52	99%	0	0%	0	0%	0	0%	
MASSACHUSETTS	6,417	92	1%	2,155	34%	4,102	64%	68	1%	6,381	99%	33	1%	0	0%	3	0%	
RHODE ISLAND	510	18	3%	14	3%	393	77%	85	17%	509	100%	0	0%	0	0%	1	0%	
CONNECTICUT	7	0	0%	0	0%	4	63%	3	37%	7	95%	0	0%	0	0%	0	0%	
NEW YORK	22	0	0%	0	0%	0	0%	22	100%	22	100%	0	0%	0	0%	0	0%	
NEW JERSEY	2	0	0%	0	0%	0	0%	2	100%	2	94%	0	0%	0	0%	0	0%	
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
TOTAL	7,048	153	2%	2,189	31%	4,525	64%	181	3%	7,009	99%	34	0%	0	0%	5	0%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. State landings for CT are estimated for the May 2003 - Dec. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Prorated White Hake Landings

	OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
SNE/ NORTH	789	100%	686	100%	546	100%	5,850	100%	
OTTER TRAWL	511	65%	466	68%	433	79%	3,464	59%	
GILLNET	276	35%	217	32%	106	19%	2,319	40%	
HOOK	2	0%	3	0%	4	1%	58	1%	
OTHER GEARS	0	0%	0	0%	3	1%	9	0%	
MID-ATLANTIC	0	0%	0	0%	0	0%	2	0%	
OTTER TRAWL	0	0%	0	0%	0	0%	1	0%	
GILLNET	0	0%	0	0%	0	0%	1	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	789	100%	686	100%	546	100%	5,852	100%	
OTTER TRAWL	511	65%	466	68%	433	79%	3,465	59%	
GILLNET	276	35%	217	32%	106	19%	2,320	40%	
HOOK	2	0%	3	0%	4	1%	58	1%	
OTHER GEARS	0	0%	0	0%	4	1%	9	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	789		686		546		5,852		-
Fishing Year 2002/2003	600		531		578		4,650		7,686
Fishing Year 2001/2002	768		661		630		5,815		8,344
Fishing Year 2000/2001	758		489		376		5,089		6,932
Fishing Year 1999/2000	459		383		274		4,449		5,928
Fishing Year 1998/1999	607		460		419		4,360		5,655

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562

Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May, 2003 - Dec. 2003 period.
- 5. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May - Dec 2003

PORT/ STATE	MAY - DEC 03	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	3,191	3,191	100%	1	0%	2,120	66%	1,041	33%	30	1%	0	0%
Gloucester, MA	1,291	1,291	100%	0	0%	598	46%	683	53%	7	1%	3	0%
Boston, MA	253	253	100%	0	0%	253	100%	0	0%	0	0%	0	0%
New Bedford, MA	131	131	100%	0	0%	131	100%	0	0%	0	0%	0	0%
Point Judith, RI	3	3	100%	0	0%	3	100%	0	0%	0	0%	0	0%
MAINE	3,622	3,621	100%	1	0%	2,369	65%	1,221	34%	30	1%	1	0%
NEW HAMPSHIRE	433	433	100%	0	0%	57	13%	376	87%	0	0%	0	0%
MASSACHUSETTS	1,762	1,762	100%	0	0%	1,006	57%	722	41%	28	2%	6	0%
RHODE ISLAND	33	33	100%	0	0%	32	96%	0	0%	0	0%	1	4%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	100%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	5,852	5,850	100%	2	0%	3,465	59%	2,320	40%	58	1%	9	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. State landings for CT are estimated for the May 2003 - Dec. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Prorated American Plaice Landings

	OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	438	100%	396	100%	325	100%	3,554	100%	
OTTER TRAWL	438	100%	396	100%	325	100%	3,533	99%	
GILLNET	0	0%	0	0%	0	0%	12	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	9	0%	
SNE / MID-ATLANTIC	0	0%	0	0%	0	0%	18	0%	
OTTER TRAWL	0	0%	0	0%	0	0%	18	0%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	438	100%	396	100%	325	100%	3,572	100%	
OTTER TRAWL	438	100%	396	100%	325	100%	3,551	99%	
GILLNET	0	0%	0	0%	0	0%	12	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	9	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	438		396		325		3,572		-
Fishing Year 2002/2003	555		470		481		4,790		6,236
Fishing Year 2001/2002	682		647		690		7,236		9,978
Fishing Year 2000/2001	901		737		648		7,431		9,949
Fishing Year 1999/2000	364		482		570		5,149		7,003
Fishing Year 1998/1999	525		396		491		6,028		7,787

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. State landings for CT are estimated for the May. 2003 - Dec. 2003 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May - Dec 2003

PORT/ STATE	MAY - DEC 03	STOCK AREAS				GEAR TYPES								
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS		
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	
Portland, ME	1,121	100%	1,120	100%	1	0%	1,118	100%	3	0%	0	0%	0	0%
Gloucester, MA	457	100%	457	100%	0	0%	455	100%	2	0%	0	0%	0	0%
Boston, MA	201	100%	201	100%	0	0%	201	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,005	99%	990	99%	15	1%	1,005	100%	0	0%	0	0%	0	0%
Point Judith, RI	33	100%	33	100%	0	0%	33	100%	0	0%	0	0%	0	0%
MAINE	1,604	100%	1,603	100%	1	0%	1,597	100%	4	0%	0	0%	3	0%
NEW HAMPSHIRE	35	100%	35	100%	0	0%	30	85%	5	15%	0	0%	0	0%
MASSACHUSETTS	1,855	99%	1,840	99%	15	1%	1,852	100%	3	0%	0	0%	0	0%
RHODE ISLAND	77	98%	76	98%	2	2%	71	92%	0	0%	0	0%	6	8%
CONNECTICUT	1	0%	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	3,572	100%	3,554	100%	18	0%	3,551	99%	12	0%	0	0%	9	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. State landings for CT are estimated for the May 2003 - Dec. 2003 period.
- 3. Landings in live weight.
- 4. Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Prorated Winter Flounder Landings

	OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	37	3%	62	5%	327	38%	1,093	10%	
OTTER TRAWL	32	3%	59	5%	327	37%	1,010	10%	
GILLNET	5	0%	3	0%	1	0%	81	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	3	0%	
GEORGES BANK	169	16%	468	38%	378	43%	5,862	56%	
OTTER TRAWL	169	16%	468	38%	377	43%	5,854	56%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	8	0%	
SNE/ MID-ATLANTIC	870	81%	690	57%	168	19%	3,573	34%	
OTTER TRAWL	870	81%	684	56%	166	19%	3,524	33%	
GILLNET	0	0%	6	0%	1	0%	44	0%	
HOOK	0	0%	0	0%	0	0%	1	0%	
OTHER GEARS	0	0%	1	0%	1	0%	5	0%	
ALL AREAS	1,076	100%	1,221	100%	873	100%	10,529	100%	
OTTER TRAWL	1,070	100%	1,212	99%	870	100%	10,387	99%	
GILLNET	5	0%	8	1%	1	0%	125	1%	
HOOK	0	0%	0	0%	0	0%	1	0%	
OTHER GEARS	0	0%	1	0%	1	0%	16	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	1,076		1,221		873		10,529		-
Fishing Year 2002/2003	1,130		1,004		1,111		10,147		11,941
Fishing Year 2001/2002	1,766		1,469		1,274		12,546		15,383
Fishing Year 2000/2001	1,517		1,489		980		11,064		13,796
Fishing Year 1999/2000	981		1,265		850		8,604		10,366
Fishing Year 1998/1999	1,299		913		881		9,626		11,283

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. State landings for CT are estimated for the May. 2003 - Dec. 2003 period.

4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May - Dec 2003

PORT/ STATE	MAY - DEC 03	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	85	12	14%	60	70%	14	16%	85	100%	0	0%	0	0%	0	0%
Gloucester, MA	499	310	62%	144	29%	45	9%	459	92%	40	8%	0	0%	0	0%
Boston, MA	87	52	60%	26	30%	9	10%	87	100%	0	0%	0	0%	0	0%
New Bedford, MA	8,042	170	2%	5,550	69%	2,322	29%	8,039	100%	0	0%	0	0%	3	0%
Point Judith, RI	413	1	0%	41	10%	371	90%	413	100%	0	0%	0	0%	0	0%
MAINE	86	12	14%	60	70%	14	16%	86	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	16	16	100%	0	0%	0	0%	11	71%	5	29%	0	0%	0	0%
MASSACHUSETTS	9,281	1,065	11%	5,722	62%	2,494	27%	9,153	99%	120	1%	1	0%	7	0%
RHODE ISLAND	564	1	0%	79	14%	485	86%	557	99%	0	0%	0	0%	6	1%
CONNECTICUT	44	0	0%	2	5%	42	95%	44	100%	0	0%	0	0%	0	0%
NEW YORK	178	0	0%	0	0%	178	100%	177	99%	0	0%	0	0%	2	1%
NEW JERSEY	360	0	0%	0	0%	360	100%	360	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	10,529	1,093	10%	5,862	56%	3,573	34%	10,387	99%	125	1%	1	0%	16	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. State landings for CT are estimated for the May 2003 - Dec. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Prorated Witch Flounder Landings

	OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	494	98%	446	100%	338	99%	4,646	98%	
OTTER TRAWL	493	98%	445	100%	338	99%	4,602	97%	
GILLNET	0	0%	1	0%	0	0%	37	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	1	0%	0	0%	7	0%	
SNE/ MID-ATLANTIC	8	2%	0	0%	3	1%	80	2%	
OTTER TRAWL	8	2%	0	0%	3	1%	79	2%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	2	0%	
ALL AREAS	502	100%	446	100%	342	100%	4,726	100%	
OTTER TRAWL	501	100%	445	100%	342	100%	4,680	99%	
GILLNET	0	0%	1	0%	0	0%	37	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	1	0%	0	0%	9	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	502		446		342		4,726		-
Fishing Year 2002/2003	359		334		310		4,258		6,168
Fishing Year 2001/2002	381		373		503		4,479		7,246
Fishing Year 2000/2001	456		351		331		3,762		5,941
Fishing Year 1999/2000	272		280		348		3,283		4,896
Fishing Year 1998/1999	240		164		214		2,653		4,048

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. State landings for CT are estimated for the May. 2003 - Dec. 2003 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May - Dec 2003

PORT/ STATE	MAY - DEC 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	643	642	100%	1	0%	642	100%	1	0%	0	0%	0	0%
Gloucester, MA	1,345	1,344	100%	1	0%	1,322	98%	23	2%	0	0%	0	0%
Boston, MA	325	325	100%	0	0%	325	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,147	1,130	98%	17	2%	1,145	100%	0	0%	0	0%	2	0%
Point Judith, RI	52	35	68%	16	32%	52	100%	0	0%	0	0%	0	0%
MAINE	946	945	100%	1	0%	944	100%	1	0%	0	0%	1	0%
NEW HAMPSHIRE	115	115	100%	0	0%	113	98%	2	2%	0	0%	0	0%
MASSACHUSETTS	3,500	3,480	99%	20	1%	3,462	99%	33	1%	0	0%	4	0%
RHODE ISLAND	121	102	84%	20	16%	117	97%	0	0%	0	0%	4	3%
CONNECTICUT	6	4	73%	2	27%	6	100%	0	0%	0	0%	0	0%
NEW YORK	2	0	0%	2	100%	2	100%	0	0%	0	0%	0	0%
NEW JERSEY	36	0	0%	36	100%	36	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	4,726	4,646	98%	80	2%	4,680	99%	37	1%	0	0%	9	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. State landings for CT are estimated for the May 2003 - Dec. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Prorated Windowpane Flounder Landings

	OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE/ GB	0	0%	0	0%	5	42%	8	19%	
OTTER TRAWL	0	0%	0	0%	5	42%	8	19%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
SNE/ MID-ATLANTIC	2	99%	3	95%	7	58%	35	81%	
OTTER TRAWL	2	98%	3	95%	7	58%	35	80%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	3	100%	3	100%	12	100%	43	100%	
OTTER TRAWL	2	98%	3	100%	12	100%	43	99%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	3		3		12		43		-
Fishing Year 2002/2003	2		4		19		58		135
Fishing Year 2001/2002	6		16		25		105		261
Fishing Year 2000/2001	7		23		18		153		431
Fishing Year 1999/2000	7		38		28		163		600
Fishing Year 1998/1999	28		37		59		413		613

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.
3. State landings for CT are estimated for the May. 2003 - Dec. 2003 period.
4. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May - Dec 2003

PORT/ STATE	MAY - DEC 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
Gloucester, MA	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
Boston, MA	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
New Bedford, MA	6	99%	0	0%	6	100%	0	0%	0	0%	0	0%	
Point Judith, RI	7	0%	6	86%	7	100%	0	0%	0	0%	0	0%	
MAINE	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
NEW HAMPSHIRE	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
MASSACHUSETTS	7	99%	0	0%	7	99%	0	0%	0	0%	0	0%	
RHODE ISLAND	8	0%	7	88%	8	100%	0	0%	0	0%	0	0%	
CONNECTICUT	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
NEW YORK	19	0%	19	100%	18	99%	0	0%	0	0%	0	0%	
NEW JERSEY	9	0%	9	100%	9	100%	0	0%	0	0%	0	0%	
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
TOTAL	43	19%	35	81%	43	99%	0	0%	0	0%	0	0%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. State landings for CT are estimated for the May 2003 - Dec. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 9 - Preliminary Multispecies Landings**

		OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		2003/2004*		2002/2003*		Fishing Year*
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03-Dec03 as a % of Target TAC	Target	May02-Dec02 as a % of Target TAC	Target	Landings
											TAC		TAC	
										1000 Lbs	1000 Lbs	1000 Lbs		
ATLANTIC POLLOCK	2003/2004	768	21%	1,039	27%	1,087	34%	6,003	19%	10%				
	2002/2003	425	14%	610	20%	815	24%	4,440	15%			8%		
	2001/ 2002	782	18%	913	22%	1,094	25%	6,478	17%					
	2000/ 2001	700	16%	641	17%	714	23%	5,922	17%					
	1999/ 2000	522	20%	902	27%	922	30%	5,842	21%					
REDFISH	2003/2004	85	2%	59	2%	37	1%	617	2%	1%				
	2002/2003	40	1%	38	1%	43	1%	360	1%			1%		
	2001/ 2002	49	1%	69	2%	107	2%	582	2%					
	2000/ 2001	81	2%	54	1%	45	1%	513	2%					
	1999/ 2000	65	2%	52	2%	59	2%	491	2%					
WHITE HAKE	2003/2004	789	22%	686	18%	546	17%	5,852	19%	10%				
	2002/2003	600	19%	531	18%	578	17%	4,650	16%			8%		
	2001/ 2002	768	17%	661	16%	630	15%	5,815	16%					
	2000/ 2001	758	17%	489	13%	376	12%	5,089	15%					
	1999/ 2000	459	17%	383	11%	274	9%	4,449	16%					
AMERICAN PLAICE	2003/2004	438	12%	396	10%	325	10%	3,572	11%	6%				
	2002/2003	555	18%	470	16%	481	14%	4,790	17%			9%		
	2001/ 2002	682	15%	647	16%	690	16%	7,236	19%					
	2000/ 2001	901	20%	737	19%	648	21%	7,431	22%					
	1999/ 2000	364	14%	482	14%	570	19%	5,149	18%					
WINTER FLOUNDER	2003/2004	1,076	29%	1,221	32%	873	27%	10,529	34%	17%				
	2002/2003	1,130	36%	1,004	34%	1,111	33%	10,147	35%			18%		
	2001/ 2002	1,766	40%	1,469	35%	1,274	29%	12,546	34%					
	2000/ 2001	1,517	34%	1,489	39%	980	31%	11,064	33%					
	1999/ 2000	981	37%	1,265	37%	850	28%	8,604	31%					
WITCH FLOUNDER	2003/2004	502	14%	446	12%	342	11%	4,726	15%	8%				
	2002/2003	359	12%	334	11%	310	9%	4,258	15%			8%		
	2001/ 2002	381	9%	373	9%	503	12%	4,479	12%					
	2000/ 2001	456	10%	351	9%	331	11%	3,762	11%					
	1999/ 2000	272	10%	280	8%	348	11%	3,283	12%					
WINDOWPANE FLDR	2003/2004	3	0%	3	0%	12	0%	43	0%	0%				
	2002/2003	2	0%	4	0%	19	1%	58	0%			0%		
	2001/ 2002	6	0%	16	0%	25	1%	105	0%					
	2000/ 2001	7	0%	23	1%	18	1%	153	0%					
	1999/ 2000	7	0%	38	1%	28	1%	163	1%					
ALL 7 SPECIES - TOTAL	2003/ 2004	3,661	100%	3,850	100%	3,222	100%	31,342	100%	51%	61,329			-
	2002/ 2003	3,110	100%	2,991	100%	3,356	100%	28,704	100%			51%	56,200	41,057
	2001/ 2002	4,434	100%	4,148	100%	4,323	100%	37,241	100%					52,175
	2000/ 2001	4,420	100%	3,785	100%	3,112	100%	33,935	100%					46,273
	1999/ 2000	2,671	100%	3,403	100%	3,050	100%	27,980	100%					38,302

1. Landings in live weight.

2. Gear data are based on vessel trip reports.

3. State landings for CT are estimated for the May 2003 - Dec. 2003 period.

* Fishing Year is May 1 through April 30.

** For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

Table 10.A. - Preliminary Silver Hake Landings by Stock Area

	OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	411	24%	299	23%	92	6%	3,182	26%	
OTTER TRAWL	403	24%	243	19%	85	6%	3,092	25%	
GILLNET	8	0%	12	1%	0	0%	27	0%	
HOOK	0	0%	0	0%	0	0%	9	0%	
OTHER GEARS	0	0%	45	3%	7	0%	53	0%	
							0		
SNE/ MID-ATLANTIC	1,295	76%	1,012	77%	1,449	94%	9,186	74%	
OTTER TRAWL	1,294	76%	1,012	77%	1,447	94%	9,132	74%	
GILLNET	0	0%	0	0%	2	0%	54	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
							0		
ALL AREAS	1,705	100%	1,311	100%	1,542	100%	12,368	100%	
OTTER TRAWL	1,697	99%	1,255	96%	1,532	99%	12,224	99%	
GILLNET	9	1%	12	1%	3	0%	81	1%	
HOOK	0	0%	0	0%	0	0%	10	0%	
OTHER GEARS	0	0%	45	3%	7	0%	53	0%	
LANDINGS - ALL AREAS							0		
Fishing Year 2003/2002	1,705		1,311		1,542		12,368		-
Fishing Year 2002/2003	1,420		1,146		921		11,837		15,741
Fishing Year 2001/2002	2,066		1,685		1,161		18,804		24,585
Fishing Year 2000/2001	2,251		1,606		1,340		17,685		27,359
Fishing Year 1999/2000	2,394		2,093		1,534		19,886		29,045
Fishing Year 1998/1999	2,580		2,574		1,920		22,198		33,308

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 - Dec. 2003 period.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 2003 - Dec 2003

PORT/ STATE	MAY - DEC 03	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	488	488	100%	0	0%	457	94%	22	4%	9	2%	0	0%
Boston, MA	16	8	50%	8	50%	16	100%	0	0%	0	0%	0	0%
New Bedford, MA	4,601	1,697	37%	2,903	63%	4,601	100%	0	0%	0	0%	0	0%
Point Judith, RI	3,368	383	11%	2,985	89%	3,367	100%	0	0%	0	0%	0	0%
MAINE	1	1	0%	0	0%	1	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	90	90	100%	0	0%	87	97%	3	3%	0	0%	0	0%
MASSACHUSETTS	5,421	2,506	46%	2,915	54%	5,334	98%	25	0%	10	0%	53	1%
RHODE ISLAND	3,725	385	10%	3,341	90%	3,674	99%	51	1%	0	0%	0	0%
CONNECTICUT	1,361	0	0%	1,361	100%	1,361	100%	0	0%	0	0%	0	0%
NEW YORK	1,720	200	12%	1,520	88%	1,720	100%	0	0%	0	0%	0	0%
NEW JERSEY	47	0	0%	47	100%	47	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	3	0	0%	2	91%	0	0%	2	91%	0	0%	0	0%
TOTAL	12,368	3,182	26%	9,186	74%	12,224	99%	81	1%	10	0%	53	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
 Southern New England: 525-552, 611-639

2. State landings for CT are estimated for the May 2003 - Dec 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Monkfish Landings by Stock Area

	OCT - 2003		NOV - 2003		DEC - 2003		MAY 03 - DEC 03		2003/2004*		2002/2003*		Fishing Year*
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May03-Dec03	Target TAC	May02-Dec02	Target TAC	1000 Lbs
									as a % of Target TAC	1000 Lbs	as a % of Target TAC	1000 Lbs	
NORTHERN	3,267	66%	2,894	47%	2,078	50%	18,997	53%	49%	39,039	75%	25,737	
OTTER TRAWL	2,589	53%	2,239	36%	1,789	43%	13,105	37%	34%		49%		
GILLNET	654	13%	612	10%	269	6%	5,160	15%	13%		25%		
HOOK	0	0%	0	0%	0	0%	1	0%	0%		0%		
OTHER GEARS	23	0%	42	1%	20	0%	731	2%	2%		1%		
SOUTHERN	1,648	34%	3,297	53%	2,084	50%	16,546	47%	74%	22,511	65%	17,463	
OTTER TRAWL	251	5%	318	5%	189	5%	1,994	6%	9%		8%		
GILLNET	1,100	22%	2,650	43%	1,710	41%	12,350	35%	55%		47%		
HOOK	0	0%	0	0%	0	0%	1	0%	0%		0%		
OTHER GEARS	297	6%	328	5%	185	4%	2,201	6%	10%		10%		
ALL AREAS	4,915	100%	6,191	100%	4,163	100%	35,543	100%	58%	61,551	71%	43,200	
OTTER TRAWL	2,841	58%	2,558	41%	1,978	48%	15,099	42%	25%		32%		
GILLNET	1,754	36%	3,262	53%	1,980	48%	17,511	49%	28%		34%		
HOOK	0	0%	0	0%	1	0%	2	0%	0%		0%		
OTHER GEARS	320	7%	370	6%	205	5%	2,932	8%	5%		4%		
LANDINGS - ALL AREAS													
Fishing Year 2003/2004	4,915		6,191		4,163		35,543						-
Fishing Year 2002/2003	3,623		4,270		4,858		30,525						48,077
Fishing Year 2001/2002	4,467		5,853		6,580		37,154						57,148
Fishing Year 2000/2001	4,084		5,206		4,076		29,497						43,694
Fishing Year 1999/2000	4,495		4,923		4,438		36,478						52,979
Fishing Year 1998/1999	4,486		6,366		5,201		40,387						59,487

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. State landings for CT are estimated for the May 2003 - Dec. 2003 period.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May - Dec 2003

PORT/ STATE	MAY - DEC 03	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent						
Portland, ME	4,631	4,585	99%	46	1%	4,067	88%	564	12%	1	0%	0	0%
Gloucester, MA	4,174	4,102	98%	72	2%	1,712	41%	2,456	59%	0	0%	6	0%
Boston, MA	1,335	1,334	100%	1	0%	1,335	100%	0	0%	0	0%	0	0%
New Bedford, MA	8,084	4,156	51%	3,928	49%	4,113	51%	1,712	21%	0	0%	2,259	28%
Point Judith, RI	2,020	110	5%	1,909	95%	810	40%	1,121	55%	0	0%	89	4%
MAINE	6,002	5,949	99%	54	1%	5,312	89%	683	11%	1	0%	6	0%
NEW HAMPSHIRE	1,116	1,115	100%	0	0%	90	8%	1,017	91%	0	0%	8	1%
MASSACHUSETTS	16,350	11,107	68%	5,243	32%	7,751	47%	6,306	39%	0	0%	2,293	14%
RHODE ISLAND	4,239	803	19%	3,436	81%	1,592	38%	2,511	59%	0	0%	136	3%
CONNECTICUT	416	10	2%	406	98%	57	14%	264	63%	0	0%	95	23%
NEW YORK	861	0	0%	860	100%	100	12%	757	88%	1	0%	3	0%
NEW JERSEY	5,523	12	0%	5,512	100%	111	2%	5,147	93%	0	0%	265	5%
OTHER NORTHEAST	1,036	1	0%	1,035	100%	86	8%	825	80%	0	0%	125	12%
TOTAL	35,543	18,997	53%	16,546	47%	15,099	42%	17,511	49%	2	0%	2,932	8%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. State landings for CT are estimated for the May 2003 - Dec. 2003 period.
3. Landings in live weight.
4. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Sea Scallop Landings by Stock Area

	OCT - 2003		NOV - 2003		DEC - 2003		MAR - DEC 03		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
GULF OF MAINE	18	0%	16	0%	10	0%	426	1%	
OTTER TRAWL	0	0%	1	0%	1	0%	4	0%	
DREDGE	17	0%	15	0%	10	0%	420	1%	
OTHER GEARS	1	0%	0	0%	0	0%	2	0%	
SOUTH CHANNEL	238	4%	293	8%	537	24%	5,793	11%	
OTTER TRAWL	1	0%	2	0%	0	0%	31	0%	
DREDGE	237	4%	291	8%	537	24%	5,762	11%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK NORTH	8	0%	15	0%	24	1%	2,489	5%	
OTTER TRAWL	0	0%	2	0%	0	0%	2	0%	
DREDGE	8	0%	13	0%	24	1%	2,487	5%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
GEORGES BANK SOUTH	108	2%	48	1%	43	2%	1,400	3%	
OTTER TRAWL	0	0%	0	0%	0	0%	1	0%	
DREDGE	108	2%	47	1%	43	2%	1,398	3%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
S. NEW ENGLAND	1	0%	26	1%	10	0%	141	0%	
OTTER TRAWL	1	0%	0	0%	0	0%	6	0%	
DREDGE	0	0%	26	1%	10	0%	135	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
NEW YORK BIGHT	2,358	43%	1,455	38%	679	30%	18,606	36%	
OTTER TRAWL	2	0%	8	0%	3	0%	183	0%	
DREDGE	2,356	43%	1,447	38%	676	30%	18,422	36%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
DE / MD / VA	2,778	50%	1,898	50%	953	42%	22,587	44%	
OTTER TRAWL	278	5%	159	4%	34	1%	2,652	5%	
DREDGE	2,500	45%	1,739	46%	919	41%	19,935	38%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
VA / NC	28	1%	50	1%	0	0%	430	1%	
OTTER TRAWL	3	0%	2	0%	0	0%	26	0%	
DREDGE	25	0%	47	1%	0	0%	405	1%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
ALL AREAS	5,537	100%	3,800	100%	2,257	100%	51,871	100%	
OTTER TRAWL	285	5%	174	5%	38	2%	2,905	6%	
DREDGE	5,251	95%	3,626	95%	2,218	98%	48,964	94%	
OTHER GEARS	1	0%	0	0%	0	0%	2	0%	
LANDINGS - ALL AREAS									
Fishing Year 2003/2004	5,537		3,800		2,257		51,871		-
Fishing Year 2002/2003	3,714		3,119		2,567		48,216		51,734
Fishing Year 2001/2002	3,906		2,810		2,599		43,027		47,506
Fishing Year 2000/2001	2,845		1,609		1,848		30,640		34,309
Fishing Year 1999/2000	2,193		1,399		1,191		20,974		22,563

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526
 Georges Bank North: 561-562; Georges Bank South: 525
 Southern New England: 537-539; New York Bight: 611-616
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

- 2. Landings in meat weight.
- 3. State landings for CT are estimated for the Mar. 2003 - Dec 2003 period.
- 4. Gear data are based on vessel trip reports.
- * Fishing Year is March 1 through February 29.

Table 12.B. - Preliminary Scallop Landings by Major Ports and States, March - Dec 2003

PORT/ STATE	MAR - DEC 03	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	22,688	16	0%	5,311	23%	2,448	11%	1,400	6%	125	1%	10,876	48%	2,476	11%	36	0%
Cape May, NJ	6,702	3	0%	0	0%	0	0%	0	0%	0	0%	2,697	40%	3,975	59%	26	0%
Norfolk, VA	16,039	0	0%	21	0%	0	0%	0	0%	10	0%	985	6%	14,685	92%	338	2%
MAINE	73	23	31%	50	69%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	100	12	12%	87	88%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	23,447	388	2%	5,633	24%	2,461	10%	1,400	6%	130	1%	10,917	47%	2,484	11%	36	0%
RHODE ISLAND	48	0	0%	1	0%	0	0%	0	0%	0	0%	46	97%	0	0%	0	0%
CONNECTICUT	1,515	0	0%	0	0%	28	2%	0	0%	0	0%	1,435	95%	53	3%	0	0%
NEW JERSEY	9,967	3	0%	1	0%	0	0%	0	0%	0	0%	5,175	52%	4,761	48%	26	0%
VIRGINIA	16,513	0	0%	21	0%	0	0%	0	0%	10	0%	1,005	6%	15,111	92%	365	2%
OTHER NORTHEAST	207	0	0%	0	0%	0	0%	0	0%	0	0%	27	13%	177	86%	2	1%
TOTAL	51,871	426	1%	5,793	11%	2,489	5%	1,400	3%	141	0%	18,606	36%	22,587	44%	430	1%

PORT/ STATE	MAR - DEC 03	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	22,688	7	0%	22,681	100%	0	0%
Cape May, NJ	6,702	848	13%	5,854	87%	0	0%
Norfolk, VA	16,039	1,610	10%	14,429	90%	0	0%
MAINE	73	0	0%	71	98%	2	2%
NEW HAMPSHIRE	100	0	0%	99	100%	0	0%
MASSACHUSETTS	23,447	21	0%	23,426	100%	0	0%
RHODE ISLAND	48	1	3%	46	97%	0	0%
CONNECTICUT	1,515	1	0%	1,514	100%	0	0%
NEW JERSEY	9,967	919	9%	9,047	91%	0	0%
VIRGINIA	16,513	1,889	11%	14,624	89%	0	0%
OTHER NORTHEAST	207	73	35%	135	65%	0	0%
TOTAL	51,871	2,905	6%	48,964	94%	2	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. State landings for CT are estimated for the Mar. - Dec. 2003 period.

3. Landings in meat weight.

4. Gear data are based on vessel trip reports.