

January 15, 2008

**TAC Report Summary**  
**Commercial Landings and Target Quota Utilization**  
**(May – October 2007)**

Species & Stock Area	2007 FY Commercial Landings	Percent of TAC	Target TAC
	(metric tons)	%	(metric tons)
<b>Cod</b>			
GOM	1,917	N/A*	10,020*
GB	2,244	27%	8,416
<b>Haddock</b>			
GOM	154	12%	1,254
GB	1,791	2%	90,599
<b>Yellowtail</b>			
CC/GOM	228	N/A*	1,078*
GB	326	N/A*	900*
SNE/MA	54	N/A*	213*
<b>Pollock</b>	4,045	N/A*	12,005*
<b>Redfish - 500s</b>	432	21%	2,075
<b>White Hake</b>	923	55%**	1,676**
<b>American Plaice</b>	599	N/A*	3,243*
<b>Winter Flounder</b>			
GOM	133	N/A	N/A
GB	612	38%	1,604
SNE/MA	1,084	N/A*	3,016*
<b>Witch Flounder</b>	561	11%	5,075
<b>Windowpane</b>			
North	44	11%	389
South	27	16%	166
<b>Ocean Pout</b>	0	0%	38
<b>Monkfish</b>			
Northern Area	2,591	52%	5,000
Southern Area	3,351	66%	5,100

Landings statistics for species without target TACs including scallops, silver hake, and red hake are available in the attachment.  
*\*TAC includes commercial landings, and discards, recreational landings, or Canadian landings. Only commercial landings are available for monitoring.*

*\*\*TAC only includes lengths greater than 60 cm. Landings data include all lengths.*

Monkfish quotas were revised on October 22, 2007 and the new quota figures are presented above.

Attachment

# Northeast Preliminary Fisheries Statistics

Multispecies (May – October 2007) & Scallop (March – October 2007)

Fishery Statistics Office  
Northeast Regional Office  
National Marine Fisheries Service  
Gloucester, MA 01930

January 2008

The preliminary fisheries statistics indicating stock areas and gears in this report were derived by prorating available dealer electronic and vessel log data. These preliminary statistics, therefore, represent the currently available information, but are subject to revisions in the future.

- Note:** 1) **Data of selected species are reported in detail (see table of contents).**  
2) **This report will become available on the NMFS website:**  
<http://www.nero.noaa.gov/ro/fso/mul.htm>.

# TABLE OF CONTENTS

	<u>Page</u>
<b>COD</b>	
Tables 1.A - Preliminary Landings by Stock Area.....	1
1.B - Preliminary Landings by Major Ports and States .....	2
<b>HADDOCK</b>	
Tables 2.A - Preliminary Landings by Stock Area.....	3
2.B - Preliminary Landings by Major Ports and States .....	4
<b>YELLOWTIAL FLOUNDER</b>	
Tables 3.A - Preliminary Landings by Stock Area.....	5
3.B - Preliminary Landings by Major Ports and States .....	6
<b>ATLANTIC POLLOCK</b>	
Tables 4.A - Preliminary Landings by Stock Area.....	7
4.B - Preliminary Landings by Major Ports and States .....	8
<b>REDFISH</b>	
Tables 5.A - Preliminary Landings by Stock Area.....	9
5.B - Preliminary Landings by Major Ports and States .....	10
<b>WHITE HAKE</b>	
Tables 6.A - Preliminary Landings by Stock Area.....	11
6.B - Preliminary Landings by Major Ports and States .....	12
<b>AMERICAN PLAICE</b>	
Tables 7.A - Preliminary Landings by Stock Area.....	13
7.B - Preliminary Landings by Major Ports and States .....	14
<b>WINTER FLOUNDER</b>	
Tables 8.A - Preliminary Landings by Stock Area.....	15
8.B - Preliminary Landings by Major Ports and States .....	16
<b>WITCH FLOUNDER</b>	
Tables 9.A - Preliminary Landings by Stock Area.....	17
9.B - Preliminary Landings by Major Ports and States .....	18
<b>WINDOWPANE FLOUNDER</b>	
Tables 10.A - Preliminary Landings by Stock Area.....	19
10.B - Preliminary Landings by Major Ports and States .....	20
<b>SILVER HAKE</b>	
Tables 11.A - Preliminary Landings by Year and Month .....	21
11.B - Preliminary Landings by Major Ports and States .....	22
<b>RED HAKE</b>	
Tables 12.A - Preliminary Landings by Year and Month .....	23
12.B - Preliminary Landings by Major Ports and States .....	24
<b>MONKFISH</b>	
Tables 13.A - Preliminary Landings by Year and Month .....	25
13.B - Preliminary Landings by Major Ports and States .....	26

**SCALLOP**

Tables 14.A - Preliminary Landings by Year and Month ..... 27  
14.B - Preliminary Landings by Major Ports and States ..... 28

**STATISTICAL AREAS**

A chart for the 3 Digit Statistical Areas ..... 29

**Table 1.A. - Preliminary Commercial Cod Landings by Stock Area**

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	May-Oct07 as a % of Target TAC	Target TAC+ Metric Tons	May-Oct06 as a % of Target TAC	Target TAC+ Metric Tons	Metric Tons
<b>GULF OF MAINE</b>	<b>12</b>	<b>479</b>	<b>595</b>	<b>293</b>	<b>287</b>	<b>251</b>	<b>1,917</b>	<b>46%</b>	<b>N/A</b>	<b>10,020**</b>	<b>N/A</b>	<b>5,146**</b>	
OTTER TRAWL	8	210	236	84	103	87	728	18%					
GILLNET	2	263	357	207	179	161	1,168	28%					
HOOK	1	0	1	1	4	2	9	0%					
OTHER GEARS	0	5	2	1	1	1	11	0%					
<b>GEORGES BANK</b>	<b>263</b>	<b>566</b>	<b>425</b>	<b>330</b>	<b>277</b>	<b>383</b>	<b>2,244</b>	<b>54%</b>	<b>27%</b>	<b>8,416</b>	<b>22%</b>	<b>6,132</b>	
OTTER TRAWL	216	508	279	177	213	311	1,705	41%	20%		18%		
GILLNET	3	48	143	151	61	69	474	11%	6%		3%		
HOOK	43	7	2	1	1	1	56	1%	1%		1%		
OTHER GEARS	1	3	1	1	1	3	10	0%	0%		0%		
<b>ALL AREAS</b>	<b>274</b>	<b>1,045</b>	<b>1,020</b>	<b>624</b>	<b>564</b>	<b>634</b>	<b>4,161</b>	<b>100%</b>					
OTTER TRAWL	224	718	515	261	316	398	2,433	58%					
GILLNET	5	311	500	358	240	229	1,642	39%					
HOOK	44	7	2	3	5	3	65	2%					
OTHER GEARS	1	8	4	2	3	3	21	1%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	274	1,045	1,020	624	564	634	4,161						6,163
Fishing Year 2006	207	692	591	440	385	427	2,742						5,699
Fishing Year 2005	327	881	829	521	358	308	3,223						6,667
Fishing Year 2004	375	726	828	443	461	406	3,240						9,110
Fishing Year 2003	567	1,373	875	830	533	601	4,779						11,488
Fishing Year 2002	913	1,343	1,114	821	605	557	5,353						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes commercial landings and discards, and recreational landings.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 9,822 metric tons (21,653 thousand lbs.)

**Table 1.B. - Preliminary Commercial Cod Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	351	253	72%	99	28%	225	64%	120	34%	7	2%	0	0%
Gloucester, MA	1,143	1,021	89%	122	11%	498	44%	634	56%	2	0%	8	1%
Boston, MA	174	15	9%	159	91%	174	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,222	5	0%	1,217	100%	1,221	100%	0	0%	0	0%	0	0%
Point Judith, RI	61	0	0%	61	100%	58	96%	0	0%	0	0%	3	4%
MAINE	463	364	79%	99	21%	259	56%	197	43%	7	1%	0	0%
NEW HAMPSHIRE	389	388	100%	1	0%	96	25%	291	75%	0	0%	2	1%
MASSACHUSETTS	3,215	1,165	36%	2,050	64%	1,991	62%	1,151	36%	58	2%	15	0%
RHODE ISLAND	91	0	0%	91	100%	84	93%	3	4%	0	0%	3	3%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	3	0	0%	3	99%	3	80%	0	0%	0	0%	1	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>4,161</b>	<b>1,917</b>	<b>46%</b>	<b>2,244</b>	<b>54%</b>	<b>2,433</b>	<b>58%</b>	<b>1,642</b>	<b>39%</b>	<b>65</b>	<b>2%</b>	<b>21</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 2.A. - Preliminary Commercial Haddock Landings by Stock Area**

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing Year* Landings
									May-Oct07 as a % of Target TAC	Target TAC+	May-Oct06 as a % of Target TAC	Target TAC+	Metric Tons
									Metric Tons	Metric Tons	Metric Tons	Metric Tons	
<b>GULF OF MAINE</b>	<b>4</b>	<b>47</b>	<b>24</b>	<b>19</b>	<b>23</b>	<b>37</b>	<b>154</b>	<b>8%</b>	<b>12%</b>	<b>1,254</b>	<b>13%</b>	<b>1,279</b>	
OTTER TRAWL	3	44	19	15	15	30	126	6%	10%		12%		
GILLNET	0	3	4	2	3	3	14	1%	1%		1%		
HOOK	0	0	1	3	5	4	14	1%	1%		0%		
OTHER GEARS	0	0	0	0	0	0	0	0%	0%		0%		
<b>GEORGES BANK</b>	<b>470</b>	<b>392</b>	<b>167</b>	<b>167</b>	<b>155</b>	<b>440</b>	<b>1,791</b>	<b>92%</b>	<b>2%</b>	<b>90,599</b>	<b>4%</b>	<b>35,309</b>	
OTTER TRAWL	455	386	166	165	154	304	1,631	84%	2%		4%		
GILLNET	0	2	0	0	0	1	5	0%	0%		0%		
HOOK	14	3	1	1	0	135	154	8%	0%		1%		
OTHER GEARS	0	1	0	0	0	0	1	0%	0%		0%		
<b>SNE/ MID-ATLANTIC</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0%</b>					
OTTER TRAWL	0	1	0	0	0	0	1	0%					
GILLNET	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0%					
<b>ALL AREAS</b>	<b>473</b>	<b>440</b>	<b>191</b>	<b>186</b>	<b>178</b>	<b>477</b>	<b>1,946</b>	<b>100%</b>					
OTTER TRAWL	459	431	185	180	169	333	1,758	90%					
GILLNET	0	5	4	2	3	4	19	1%					
HOOK	15	3	2	4	6	140	168	9%					
OTHER GEARS	0	1	0	0	0	0	1	0%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	473	440	191	186	178	477	1,946						2,858
Fishing Year 2006	424	400	95	171	219	303	1,612						5,969
Fishing Year 2005	675	1,367	422	340	387	603	3,795						7,826
Fishing Year 2004	464	1,126	673	459	489	425	3,637						7,065
Fishing Year 2003	803	783	346	257	274	430	2,893						7,347
Fishing Year 2002	718	817	731	435	521	597	3,820						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 103,329 metric tons (227,795 thousand lbs.)

**Table 2.B. - Preliminary Commercial Haddock Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	250	28	11%	222	89%	0	0%	236	95%	0	0%	13	5%	0	0%
Gloucester, MA	304	85	28%	219	72%	0	0%	294	97%	9	3%	1	0%	0	0%
Boston, MA	147	9	6%	139	94%	0	0%	147	100%	0	0%	0	0%	0	0%
New Bedford, MA	982	2	0%	980	100%	1	0%	982	100%	0	0%	0	0%	0	0%
Point Judith, RI	48	0	0%	48	100%	0	0%	47	98%	0	0%	0	0%	1	0%
MAINE	257	35	14%	222	86%	0	0%	242	94%	1	1%	13	5%	0	0%
NEW HAMPSHIRE	8	8	100%	0	0%	0	0%	5	62%	3	38%	0	0%	0	0%
MASSACHUSETTS	1,613	111	7%	1,501	93%	1	0%	1,443	89%	14	1%	155	10%	0	0%
RHODE ISLAND	68	0	0%	68	100%	0	0%	67	99%	0	0%	0	0%	1	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>1,946</b>	<b>154</b>	<b>8%</b>	<b>1,791</b>	<b>92%</b>	<b>1</b>	<b>0%</b>	<b>1,758</b>	<b>90%</b>	<b>19</b>	<b>1%</b>	<b>168</b>	<b>9%</b>	<b>1</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Commercial Yellowtail Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing Year* Landings
									May-Oct07 as a % of Target TAC	Target TAC*	May-Oct06 as a % of Target TAC	Target TAC*	
										Metric Tons		Metric Tons	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area				Metric Tons	
<b>GULF OF MAINE</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>8</b>	<b>1%</b>					
OTTER TRAWL	0	2	2	2	1	1	8	1%					
GILLNET	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0%					
<b>CAPE COD</b>	<b>8</b>	<b>57</b>	<b>43</b>	<b>36</b>	<b>47</b>	<b>29</b>	<b>220</b>	<b>36%</b>					
OTTER TRAWL	5	35	35	34	47	29	185	31%					
GILLNET	2	22	8	2	0	0	34	6%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0%					
<b>GULF OF MAINE &amp; CAPE COD</b>	<b>8</b>	<b>59</b>	<b>45</b>	<b>38</b>	<b>48</b>	<b>30</b>	<b>228</b>	<b>37%</b>	<b>N/A</b>	<b>1,078**</b>	<b>N/A</b>	<b>650**</b>	
<b>GEORGES BANK</b>	<b>147</b>	<b>84</b>	<b>32</b>	<b>24</b>	<b>14</b>	<b>24</b>	<b>326</b>	<b>54%</b>	<b>N/A</b>	<b>900**</b>	<b>N/A</b>	<b>2,070**</b>	
OTTER TRAWL	147	84	32	23	14	24	324	53%					
GILLNET	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	1	0	0	2	0%					
<b>SNE/ MID-ATLANTIC</b>	<b>5</b>	<b>2</b>	<b>7</b>	<b>17</b>	<b>11</b>	<b>12</b>	<b>54</b>	<b>9%</b>	<b>N/A</b>	<b>213**</b>	<b>N/A</b>	<b>146**</b>	
OTTER TRAWL	5	2	7	17	11	12	54	9%					
GILLNET	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0%					
<b>ALL AREAS</b>	<b>160</b>	<b>146</b>	<b>84</b>	<b>79</b>	<b>73</b>	<b>66</b>	<b>608</b>	<b>100%</b>					
OTTER TRAWL	157	123	76	76	73	66	571	94%					
GILLNET	2	22	8	2	0	0	35	6%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	1	0	0	2	0%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	160	146	84	79	73	66	608						1,960
Fishing Year 2006	235	211	176	130	87	59	897						4,021
Fishing Year 2005	442	542	628	435	174	131	2,352						6,522
Fishing Year 2004	700	1,455	1,573	1,299	358	74	5,460						4,846
Fishing Year 2003	591	422	311	245	133	231	1,933						5,341
Fishing Year 2002	616	525	262	220	309	322	2,253						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
 Cape Cod: 514, 521  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes commercial landings and discards.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 1,250 metric tons (2,756 thousand lbs.)

**Table 3.B. - Preliminary Commercial Yellowtail Flounder Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	7	0	0%	2	36%	4	61%	0	0%	7	100%	0	0%	0	0%	0	0%
Gloucester, MA	94	4	4%	70	75%	19	20%	0	0%	73	78%	21	22%	0	0%	0	0%
Boston, MA	17	0	0%	10	62%	6	38%	0	0%	17	100%	0	0%	0	0%	0	0%
New Bedford, MA	323	0	0%	61	19%	259	80%	3	1%	323	100%	0	0%	0	0%	0	0%
Point Judith, RI	68	0	0%	0	0%	30	44%	38	56%	67	98%	0	0%	0	0%	1	2%
MAINE	7	0	0%	2	36%	4	61%	0	0%	7	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	4	3	73%	1	27%	0	0%	0	0%	4	99%	0	0%	0	0%	0	0%
MASSACHUSETTS	511	5	1%	216	42%	286	56%	4	1%	476	93%	35	7%	0	0%	0	0%
RHODE ISLAND	76	0	0%	0	0%	36	47%	41	53%	75	98%	0	0%	0	0%	1	2%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	9	0	0%	0	0%	0	0%	9	100%	9	99%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>608</b>	<b>8</b>	<b>1%</b>	<b>220</b>	<b>36%</b>	<b>326</b>	<b>54%</b>	<b>54</b>	<b>9%</b>	<b>571</b>	<b>94%</b>	<b>35</b>	<b>6%</b>	<b>0</b>	<b>0%</b>	<b>2</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
 Cape Cod: 514, 521  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

**Table 4.A. - Preliminary Commercial Atlantic Pollock Landings by Stock Area**

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing Year*
							Metric Tons	Percent of Area	May-Oct07 as a % of Target TAC	Target TAC	May-Oct06 as a % of Target TAC	Target TAC	Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons		Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons
<b>400's &amp; 500's</b>	<b>616</b>	<b>674</b>	<b>829</b>	<b>508</b>	<b>618</b>	<b>794</b>	<b>4,038</b>	<b>100%</b>					
OTTER TRAWL	566	500	526	316	398	306	2,611	65%					
GILLNET	50	172	304	191	218	487	1,421	35%					
HOOK	0	0	0	1	2	0	3	0%					
OTHER GEAR	0	1	0	0	0	1	2	0%					
<b>600's</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>0%</b>					
OTTER TRAWL	0	0	0	0	0	0	0	0%					
GILLNET	0	0	7	0	0	0	7	0%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEAR	0	0	0	0	0	0	0	0%					
<b>ALL AREAS</b>	<b>616</b>	<b>674</b>	<b>837</b>	<b>508</b>	<b>618</b>	<b>794</b>	<b>4,045</b>	<b>100%</b>	<b>N/A</b>	<b>12,005**</b>	<b>N/A</b>	<b>12005**</b>	
OTTER TRAWL	566	500	526	316	398	306	2,611	65%					
GILLNET	50	172	311	191	218	487	1,428	35%					
HOOK	0	0	0	1	2	0	3	0%					
OTHER GEAR	0	1	0	0	0	1	2	0%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	616	674	837	508	618	794	4,045						
Fishing Year 2006	160	443	515	456	453	460	2,488						6,480
Fishing Year 2005	337	460	787	515	496	693	3,287						6,327
Fishing Year 2004	309	465	405	371	369	472	2,391						5,456
Fishing Year 2003	209	413	209	413	374	385	2,002						4,480
Fishing Year 2002	194	432	286	432	455	338	2,137						3,914

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes US and Canadian landings.

**Table 4.B. - Preliminary Commercial Pollock Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS				GEAR TYPES							
		400's & 500's		600's		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons
Portland, ME	955	955	100%	0	0%	434	45%	519	54%	2	0%	0	0%
Gloucester, MA	1,416	1,408	99%	7	1%	1,042	74%	372	26%	1	0%	0	0%
Boston, MA	915	915	100%	0	0%	915	100%	0	0%	0	0%	0	0%
New Bedford, MA	147	147	100%	0	0%	147	100%	0	0%	0	0%	0	0%
Point Judith, RI	9	9	100%	0	0%	8	88%	0	0%	0	0%	1	12%
MAINE	1,116	1,116	100%	0	0%	465	42%	649	58%	2	0%	0	0%
NEW HAMPSHIRE	323	323	100%	0	0%	6	2%	317	98%	0	0%	0	0%
MASSACHUSETTS	2,579	2,572	100%	7	0%	2,122	82%	455	18%	1	0%	1	0%
RHODE ISLAND	26	26	100%	0	0%	19	73%	6	23%	0	0%	1	4%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>4,045</b>	<b>4,038</b>	<b>100%</b>	<b>7</b>	<b>0%</b>	<b>2,611</b>	<b>65%</b>	<b>1,428</b>	<b>35%</b>	<b>3</b>	<b>0%</b>	<b>2</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Commercial Redfish Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing
									May-Oct07 as a % of Target TAC	Target TAC	May-Oct06 as a % of Target TAC	Target TAC	Year* Landings
										Metric Tons		Metric Tons	Metric Tons
<b>400's</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0%</b>					
OTTER TRAWL	0	0	0	0	0	0	0	0%					
GILLNET	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEAR	0	0	0	0	0	0	0	0%					
<b>500's</b>	<b>84</b>	<b>96</b>	<b>55</b>	<b>45</b>	<b>75</b>	<b>76</b>	<b>431</b>	<b>100%</b>	<b>21%</b>	<b>2,075</b>	<b>9%</b>	<b>1,946</b>	
OTTER TRAWL	81	89	46	39	68	66	389	90%	19%		8%		
GILLNET	3	7	9	6	6	9	39	9%	2%		1%		
HOOK	0	0	0	0	0	1	2	0%	0%		0%		
OTHER GEAR	0	0	0	0	0	0	0	0%	0%		0%		
<b>600's</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0%</b>					
OTTER TRAWL	0	0	0	0	0	0	0	0%					
GILLNET	0	0	1	0	0	0	1	0%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEAR	0	0	0	0	0	0	0	0%					
<b>ALL AREAS</b>	<b>84</b>	<b>96</b>	<b>56</b>	<b>45</b>	<b>75</b>	<b>76</b>	<b>432</b>	<b>100%</b>					
OTTER TRAWL	81	89	46	39	68	66	389	90%					
GILLNET	3	7	9	6	6	9	40	9%					
HOOK	0	0	0	0	0	1	2	0%					
OTHER GEAR	0	0	0	0	0	0	1	0%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	84	96	56	45	75	76	432						513
Fishing Year 2006	11	31	27	34	37	35	175						582
Fishing Year 2005	32	44	32	38	47	42	236						485
Fishing Year 2004	15	19	25	33	47	46	185						415
Fishing Year 2003	28	29	22	21	98	39	236						307
Fishing Year 2002	28	28	14	17	22	18	127						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 5.B. - Preliminary Commercial Redfish Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS						GEAR TYPES							
		400s		500s		600s		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	77	0	0%	77	100%	0	0%	51	66%	25	32%	1	1%	0	0%
Gloucester, MA	122	0	0%	121	100%	1	0%	111	91%	10	9%	0	0%	0	0%
Boston, MA	176	0	0%	176	100%	0	0%	176	100%	0	0%	0	0%	0	0%
New Bedford, MA	44	0	0%	44	100%	0	0%	44	100%	0	0%	0	0%	0	0%
Point Judith, RI	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MAINE	83	0	0%	83	100%	0	0%	54	65%	28	33%	1	1%	0	0%
NEW HAMPSHIRE	4	0	0%	4	100%	0	0%	2	50%	2	49%	0	0%	0	0%
MASSACHUSETTS	345	0	0%	344	100%	1	0%	333	97%	11	3%	1	0%	0	0%
RHODE ISLAND	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>432</b>	<b>0</b>	<b>0%</b>	<b>431</b>	<b>100%</b>	<b>1</b>	<b>0%</b>	<b>389</b>	<b>90%</b>	<b>40</b>	<b>9%</b>	<b>2</b>	<b>0%</b>	<b>1</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

**Table 6.A. - Preliminary Commercial White Hake Landings by Stock Area**

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing Year* Landings
									May-Oct07 as a % of Target TAC	Target TAC	May-Oct06 as a % of Target TAC	Target TAC	
									Metric Tons	Metric Tons	Metric Tons	Metric Tons	
<b>SNE/ NORTH</b>	<b>92</b>	<b>181</b>	<b>184</b>	<b>174</b>	<b>137</b>	<b>142</b>	<b>910</b>	<b>99%</b>					
OTTER TRAWL	82	120	52	87	106	102	551	60%					
GILLNET	9	61	132	86	31	40	358	39%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0%					
<b>MID-ATLANTIC</b>	<b>5</b>	<b>1</b>	<b>6</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>14</b>	<b>1%</b>					
OTTER TRAWL	5	1	0	0	1	1	7	1%					
GILLNET	0	0	6	0	0	0	6	1%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0%					
<b>ALL AREAS</b>	<b>97</b>	<b>182</b>	<b>191</b>	<b>174</b>	<b>137</b>	<b>143</b>	<b>923</b>	<b>100%</b>	<b>55%</b>	<b>1,676**</b>	<b>36%</b>	<b>2,056</b>	
OTTER TRAWL	88	121	52	87	107	103	558	60%			23%		
GILLNET	9	61	138	86	31	40	364	39%			12%		
HOOK	0	0	0	0	0	0	0	0%			0%		
OTHER GEARS	0	0	0	0	0	0	0	0%			0%		
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	97	182	191	174	137	143	923					1,381	
Fishing Year 2006	65	113	167	150	116	130	741					2,417	
Fishing Year 2005	192	283	240	297	207	174	1,394					3,163	
Fishing Year 2004	229	337	365	393	285	212	1,821					4,272	
Fishing Year 2003	465	379	470	457	365	358	2,494					3,486	
Fishing Year 2002	173	228	311	320	302	272	1,606						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC only includes lengths greater than 60 cm. Landings data include all lengths.

**Table 6.B. - Preliminary Commercial White Hake Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	361	361	100%	0	0%	194	54%	167	46%	0	0%	0	0%
Gloucester, MA	323	317	98%	6	2%	208	64%	115	36%	0	0%	0	0%
Boston, MA	113	113	100%	0	0%	113	100%	0	0%	0	0%	0	0%
New Bedford, MA	17	17	100%	0	0%	17	100%	0	0%	0	0%	0	0%
Point Judith, RI	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
MAINE	413	413	100%	0	0%	205	50%	208	50%	0	0%	0	0%
NEW HAMPSHIRE	38	38	100%	0	0%	0	0%	38	99%	0	0%	0	0%
MASSACHUSETTS	461	454	99%	6	1%	341	74%	119	26%	0	0%	0	0%
RHODE ISLAND	2	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%
NEW YORK	9	2	18%	7	82%	9	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>923</b>	<b>910</b>	<b>99%</b>	<b>14</b>	<b>1%</b>	<b>558</b>	<b>60%</b>	<b>364</b>	<b>39%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Commercial American Plaice Landings by Stock Area

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing Year* Landings		
									Metric Tons	Percent of Area	May-Oct07 as a % of Target TAC	Target TAC		May-Oct06 as a % of Target TAC	Target TAC
												Metric Tons			Metric Tons
<b>GULF OF MAINE/ GB</b>	<b>54</b>	<b>121</b>	<b>103</b>	<b>96</b>	<b>116</b>	<b>105</b>	<b>594</b>	<b>99%</b>							
OTTER TRAWL	54	119	102	95	116	105	591	99%							
GILLNET	0	1	1	0	0	0	3	0%							
HOOK	0	0	0	0	0	0	0	0%							
OTHER GEARS	0	0	0	0	0	0	0	0%							
<b>SNE / MID-ATLANTIC</b>	<b>0</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>5</b>	<b>1%</b>							
OTTER TRAWL	0	5	0	0	1	0	5	1%							
GILLNET	0	0	0	0	0	0	0	0%							
HOOK	0	0	0	0	0	0	0	0%							
OTHER GEARS	0	0	0	0	0	0	0	0%							
<b>ALL AREAS</b>	<b>54</b>	<b>125</b>	<b>103</b>	<b>96</b>	<b>116</b>	<b>105</b>	<b>599</b>	<b>100%</b>	<b>N/A</b>	<b>3,243**</b>	<b>N/A</b>	<b>3,666**</b>			
OTTER TRAWL	54	124	102	95	116	105	596	99%							
GILLNET	0	1	1	0	0	0	3	0%							
HOOK	0	0	0	0	0	0	0	0%							
OTHER GEARS	0	0	0	0	0	0	0	0%							
<b>LANDINGS - ALL AREAS</b>															
Fishing Year 2007	54	125	103	96	116	105	599								
Fishing Year 2006	40	157	80	94	126	84	581						1,005		
Fishing Year 2005	86	171	115	127	123	95	717						1,275		
Fishing Year 2004	59	205	179	221	215	108	987						1,656		
Fishing Year 2003	125	359	240	276	246	199	1,445						2,220		
Fishing Year 2002	214	302	343	309	322	252	1,742						2,829		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes commercial landings and discards.

**Table 7.B. - Preliminary Commercial American Plaice Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	147	147	100%	0	0%	147	100%	0	0%	0	0%	0	0%
Gloucester, MA	183	182	99%	2	1%	182	99%	1	1%	0	0%	0	0%
Boston, MA	74	74	100%	0	0%	74	100%	0	0%	0	0%	0	0%
New Bedford, MA	138	136	98%	2	2%	138	100%	0	0%	0	0%	0	0%
Point Judith, RI	17	16	98%	0	0%	16	98%	0	0%	0	0%	0	0%
MAINE	158	158	100%	0	0%	157	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	3	3	100%	0	0%	3	83%	1	0%	0	0%	0	0%
MASSACHUSETTS	412	408	99%	4	1%	410	100%	2	0%	0	0%	0	0%
RHODE ISLAND	25	25	97%	1	0%	25	99%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>599</b>	<b>594</b>	<b>99%</b>	<b>5</b>	<b>1%</b>	<b>596</b>	<b>99%</b>	<b>3</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

**Table 8.A. - Preliminary Commercial Winter Flounder Landings by Stock Area**

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing Year*
									May-Oct07 as a % of Target TAC	Target TAC	May-Oct06 as a % of Target TAC	Target TAC	Landings
									Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons
<b>GULF OF MAINE</b>	<b>18</b>	<b>21</b>	<b>31</b>	<b>24</b>	<b>31</b>	<b>8</b>	<b>133</b>	<b>7%</b>	<b>N/A</b>	<b>**</b>	<b>N/A</b>	<b>***</b>	
OTTER TRAWL	18	13	23	17	25	7	104	6%					
GILLNET	0	7	8	7	6	1	29	2%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0%					
<b>GEORGES BANK</b>	<b>97</b>	<b>210</b>	<b>114</b>	<b>88</b>	<b>53</b>	<b>50</b>	<b>612</b>	<b>33%</b>	<b>38%</b>	<b>1,604</b>	<b>50%</b>	<b>1,424</b>	
OTTER TRAWL	96	208	113	87	52	49	605	33%	38%		49%		
GILLNET	0	0	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	2	1	1	2	1	7	0%	0%		0%		
<b>SNE/ MID-ATLANTIC</b>	<b>214</b>	<b>105</b>	<b>139</b>	<b>216</b>	<b>219</b>	<b>191</b>	<b>1,084</b>	<b>59%</b>	<b>N/A</b>	<b>3,016***</b>	<b>N/A</b>	<b>2,481***</b>	
OTTER TRAWL	209	100	137	213	217	189	1,065	58%					
GILLNET	5	5	1	3	2	2	17	1%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	1	0	0	2	0%					
<b>ALL AREAS</b>	<b>329</b>	<b>335</b>	<b>283</b>	<b>329</b>	<b>304</b>	<b>249</b>	<b>1,829</b>	<b>100%</b>					
OTTER TRAWL	323	321	273	318	294	245	1,774	97%					
GILLNET	5	12	9	10	8	2	46	3%					
HOOK	0	0	0	0	0	0	1	0%					
OTHER GEARS	1	2	1	1	2	1	9	0%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	329	335	283	329	304	249	1,829						
Fishing Year 2006	308	334	326	245	388	256	1,858						3,728
Fishing Year 2005	335	903	647	397	417	260	2,959						4,481
Fishing Year 2004	675	668	620	525	567	376	3,431						5,781
Fishing Year 2003	871	899	901	498	431	489	4,088						5,417
Fishing Year 2002	741	835	572	391	593	513	3,643						6,977

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* GARM II did not develop a TAC for GOM winter flounder because of uncertainties in the assessment.

\*\*\* TAC includes commercial landings and discards, and recreational landings.

**Table 8.B. - Preliminary Commercial Winter Flounder Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	40	3	7%	7	17%	31	77%	40	100%	0	0%	0	0%	0	0%
Gloucester, MA	54	37	68%	16	30%	1	3%	35	65%	19	35%	0	0%	0	0%
Boston, MA	46	1	0%	5	11%	40	87%	46	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,008	0	0%	541	54%	467	46%	1,003	99%	0	0%	0	0%	5	1%
Point Judith, RI	266	0	0%	26	10%	239	90%	263	99%	0	0%	0	0%	2	1%
MAINE	40	3	7%	7	17%	31	77%	40	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	2	2	100%	0	0%	0	0%	1	0%	1	0%	0	0%	0	0%
MASSACHUSETTS	1,239	129	10%	566	46%	544	44%	1,194	96%	40	3%	1	0%	5	0%
RHODE ISLAND	291	0	0%	40	14%	251	86%	282	97%	6	2%	0	0%	3	1%
CONNECTICUT	33	0	0%	0	0%	33	100%	33	100%	0	0%	0	0%	0	0%
NEW YORK	92	0	0%	0	0%	92	100%	91	100%	0	0%	0	0%	0	0%
NEW JERSEY	133	0	0%	0	0%	133	100%	133	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>1,829</b>	<b>133</b>	<b>7%</b>	<b>612</b>	<b>33%</b>	<b>1,084</b>	<b>59%</b>	<b>1,774</b>	<b>97%</b>	<b>46</b>	<b>3%</b>	<b>1</b>	<b>0%</b>	<b>9</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 9.A. - Preliminary Commercial Witch Flounder Landings by Stock Area**

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing Year* Landings
									May-Oct07 as a % of Target TAC	Target TAC	May-Oct06 as a % of Target TAC	Target TAC	
										Metric Tons		Metric Tons	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area				Metric Tons	Metric Tons
<b>GULF OF MAINE/ GB</b>	<b>65</b>	<b>147</b>	<b>126</b>	<b>67</b>	<b>63</b>	<b>70</b>	<b>538</b>	<b>96%</b>					
OTTER TRAWL	64	143	122	66	63	70	527	94%					
GILLNET	0	4	4	1	0	0	9	2%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	1	0%					
<b>SNE/ MID-ATLANTIC</b>	<b>0</b>	<b>3</b>	<b>4</b>	<b>7</b>	<b>6</b>	<b>2</b>	<b>23</b>	<b>4%</b>					
OTTER TRAWL	0	3	3	7	6	2	22	4%					
GILLNET	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0%					
<b>ALL AREAS</b>	<b>65</b>	<b>151</b>	<b>130</b>	<b>74</b>	<b>69</b>	<b>72</b>	<b>561</b>	<b>100%</b>	<b>11%</b>	<b>5,075</b>	<b>15%</b>	<b>5,511</b>	
OTTER TRAWL	65	146	125	73	68	72	550	98%	11%		14%		
GILLNET	0	4	4	1	0	0	9	2%	0%		0%		
HOOK	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	1	0	0	0	1	0%	0%		0%		
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	65	151	130	74	69	72	561						
Fishing Year 2006	105	203	198	110	112	91	819						1,370
Fishing Year 2005	188	316	314	243	172	153	1,386						2,591
Fishing Year 2004	129	337	335	264	298	166	1,529						2,888
Fishing Year 2003	211	434	464	286	276	228	1,899						3,202
Fishing Year 2002	164	321	427	310	255	163	1,640						2,798

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562

Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 9.B. - Preliminary Commercial Witch Flounder Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	115	115	100%	0	0%	115	100%	0	0%	0	0%	0	0%
Gloucester, MA	113	112	99%	1	1%	108	96%	5	4%	0	0%	0	0%
Boston, MA	60	60	100%	0	0%	60	100%	0	0%	0	0%	0	0%
New Bedford, MA	144	143	100%	0	0%	143	99%	0	0%	0	0%	1	0%
Point Judith, RI	25	16	65%	9	35%	25	99%	0	0%	0	0%	0	0%
MAINE	135	135	100%	0	0%	134	99%	1	1%	0	0%	0	0%
NEW HAMPSHIRE	8	8	100%	0	0%	7	93%	1	0%	0	0%	0	0%
MASSACHUSETTS	374	372	99%	2	1%	366	98%	8	2%	0	0%	1	0%
RHODE ISLAND	33	23	71%	9	29%	32	98%	0	0%	0	0%	1	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	2	0	0%	2	100%	2	100%	0	0%	0	0%	0	0%
NEW JERSEY	9	0	0%	9	100%	9	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>561</b>	<b>538</b>	<b>96%</b>	<b>23</b>	<b>4%</b>	<b>550</b>	<b>98%</b>	<b>9</b>	<b>2%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

**Table 10.A. - Preliminary Commercial Windowpane Flounder Landings by Stock Area**

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing Year*
									May-Oct07 as a % of Target TAC	Target TAC	May-Oct06 as a % of Target TAC	Target TAC	Landings
									Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons
<b>GULF OF MAINE/ GB</b>	<b>30</b>	<b>7</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>44</b>	<b>62%</b>	<b>11%</b>	<b>389</b>	<b>7%</b>	<b>389</b>	
OTTER TRAWL	30	7	3	1	1	2	43	61%	11%		7%		
GILLNET	0	0	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	0	0	0	0	0	0%	0%		0%		
<b>SNE/ MID-ATLANTIC</b>	<b>10</b>	<b>2</b>	<b>1</b>	<b>8</b>	<b>4</b>	<b>1</b>	<b>27</b>	<b>38%</b>	<b>16%</b>	<b>166</b>	<b>13%</b>	<b>173</b>	
OTTER TRAWL	10	2	1	8	4	1	26	38%	16%		13%		
GILLNET	0	0	0	0	0	0	0	0%	0%		0%		
HOOK	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	0	0	0	0	0	0	0	0%	0%		0%		
<b>ALL AREAS</b>	<b>40</b>	<b>9</b>	<b>4</b>	<b>9</b>	<b>5</b>	<b>3</b>	<b>70</b>	<b>100%</b>					
OTTER TRAWL	40	9	3	9	5	3	70	99%					
GILLNET	0	0	0	0	0	0	0	0%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	0	0	0	0	0	0	0	0%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	40	9	4	9	5	3	70						183
Fishing Year 2006	28	3	6	9	2	2	49						67
Fishing Year 2005	12	3	2	4	3	1	25						78
Fishing Year 2004	6	2	4	2	3	1	19						83
Fishing Year 2003	10	3	2	3	<1	1	18						61
Fishing Year 2002	8	3	1	1	1	1	16						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

**Table 10.B. - Preliminary Commercial Windowpane Flounder Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	2	2	100%	0	0%	2	90%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	37	37	99%	0	0%	37	100%	0	0%	0	0%	0	0%
Point Judith, RI	6	4	70%	2	30%	6	94%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	40	40	99%	0	0%	40	99%	0	0%	0	0%	0	0%
RHODE ISLAND	6	4	70%	2	30%	6	94%	0	0%	0	0%	0	0%
CONNECTICUT	1	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	14	0	0%	14	100%	14	100%	0	0%	0	0%	0	0%
NEW JERSEY	10	0	0%	10	100%	10	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>70</b>	<b>44</b>	<b>62%</b>	<b>27</b>	<b>38%</b>	<b>70</b>	<b>99%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 11.A. - Preliminary Commercial Silver Hake Landings by Stock Area**

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	Metric Tons
<b>GULF OF MAINE</b>	<b>0</b>	<b>2</b>	<b>114</b>	<b>255</b>	<b>229</b>	<b>135</b>	<b>735</b>	<b>20%</b>	
OTTER TRAWL	0	1	114	255	228	133	731	20%	
GILLNET	0	0	0	0	1	1	3	0%	
HOOK	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0%	
<b>SNE/ MID-ATLANTIC</b>	<b>569</b>	<b>545</b>	<b>363</b>	<b>584</b>	<b>536</b>	<b>377</b>	<b>2,974</b>	<b>80%</b>	
OTTER TRAWL	569	545	363	584	536	377	2,974	80%	
GILLNET	0	0	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0%	
<b>ALL AREAS</b>	<b>569</b>	<b>547</b>	<b>477</b>	<b>840</b>	<b>765</b>	<b>512</b>	<b>3,709</b>	<b>100%</b>	
OTTER TRAWL	569	547	477	839	764	510	3,705	100%	
GILLNET	0	0	0	0	1	1	3	0%	
HOOK	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0%	
<b>LANDINGS - ALL AREAS</b>									
Fishing Year 2007	569	547	477	840	765	512	3,709		
Fishing Year 2006	547	499	531	632	524	294	3,029		5,015
Fishing Year 2005	691	873	830	973	827	382	4,577		6,811
Fishing Year 2004	600	716	754	856	763	446	4,135		6,776
Fishing Year 2003	580	326	895	544	1,197	774	4,316		7,828
Fishing Year 2002	814	616	767	764	826	644	4,432		7,140

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562  
 Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 11.B. - Preliminary Commercial Silver Hake Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY- OCT 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	272	262	96%	10	4%	270	99%	3	1%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	927	249	27%	678	73%	927	100%	0	0%	0	0%	0	0%
Point Judith, RI	1,224	84	7%	1,141	93%	1,224	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	95	95	100%	0	0%	94	99%	1	0%	0	0%	0	0%
MASSACHUSETTS	1,244	556	45%	688	55%	1,241	100%	3	0%	0	0%	0	0%
RHODE ISLAND	1,274	84	7%	1,190	93%	1,274	100%	0	0%	0	0%	0	0%
CONNECTICUT	214	0	0%	214	100%	214	100%	0	0%	0	0%	0	0%
NEW YORK	498	0	0%	498	100%	498	100%	0	0%	0	0%	0	0%
NEW JERSEY	383	0	0%	383	100%	383	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>3,709</b>	<b>735</b>	<b>20%</b>	<b>2,974</b>	<b>80%</b>	<b>3,705</b>	<b>100%</b>	<b>3</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561  
 Southern New England: 525-552, 562, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

**Table 12.A. - Preliminary Commercial Red Hake Landings by Stock Area**

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	Metric Tons
<b>GULF OF MAINE</b>	<b>0</b>	<b>0</b>	<b>8</b>	<b>15</b>	<b>4</b>	<b>4</b>	<b>32</b>	<b>11%</b>	
OTTER TRAWL	0	0	8	15	4	4	31	11%	
GILLNET	0	0	0	0	0	0	1	0%	
HOOK	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0%	
<b>SNE/ MID-ATLANTIC</b>	<b>52</b>	<b>30</b>	<b>41</b>	<b>50</b>	<b>45</b>	<b>30</b>	<b>248</b>	<b>89%</b>	
OTTER TRAWL	52	29	41	49	45	29	245	88%	
GILLNET	0	0	0	0	0	0	0	0%	
HOOK	0	0	0	0	0	0	0	0%	
OTHER GEARS	1	0	1	0	0	1	3	1%	
<b>ALL AREAS</b>	<b>52</b>	<b>30</b>	<b>49</b>	<b>65</b>	<b>49</b>	<b>34</b>	<b>280</b>	<b>100%</b>	
OTTER TRAWL	52	29	48	64	48	33	275	98%	
GILLNET	0	0	0	0	0	0	1	0%	
HOOK	0	0	0	0	0	0	0	0%	
OTHER GEARS	1	0	1	0	0	1	3	1%	
<b>LANDINGS - ALL AREAS</b>									
Fishing Year 2007	52	30	49	65	49	34	280		408
Fishing Year 2006	35	34	62	76	31	22	261		379
Fishing Year 2005	28	40	51	72	33	17	241		572
Fishing Year 2004	77	38	62	92	82	55	406		783
Fishing Year 2003	61	54	80	69	94	87	444		888
Fishing Year 2002	56	105	103	81	124	96	564		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Red Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562  
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 12.B. - Preliminary Commercial Red Hake Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	22	20	88%	3	12%	21	96%	1	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	47	10	22%	36	78%	47	100%	0	0%	0	0%	0	0%
Point Judith, RI	100	1	1%	99	99%	100	99%	0	0%	0	0%	1	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	70	31	44%	39	56%	69	99%	1	0%	0	0%	0	0%
RHODE ISLAND	100	1	1%	99	99%	100	99%	0	0%	0	0%	1	0%
CONNECTICUT	36	0	0%	36	100%	36	100%	0	0%	0	0%	0	0%
NEW YORK	38	0	0%	38	100%	38	99%	0	0%	0	0%	1	0%
NEW JERSEY	35	0	0%	35	100%	33	95%	0	0%	0	0%	2	5%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>280</b>	<b>32</b>	<b>11%</b>	<b>248</b>	<b>89%</b>	<b>275</b>	<b>98%</b>	<b>1</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>3</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561  
 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

**Table 13.A. - Preliminary Commercial Monkfish Landings by Stock Area**

	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MAY - OCTOBER 07		2007*		2006*		Fishing Year*
									May-Oct07 as a % of Target TAC	Target TAC	May-Oct06 as a % of Target TAC	Target TAC	Landings
									Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons
<b>NORTHERN</b>	<b>231</b>	<b>404</b>	<b>522</b>	<b>471</b>	<b>460</b>	<b>504</b>	<b>2,591</b>	<b>44%</b>	<b>52%</b>	<b>5,000</b>	<b>47%</b>	<b>7,737</b>	
OTTER TRAWL	217	263	239	227	247	365	1,559	26%	31%		27%		
GILLNET	12	140	264	186	166	97	865	15%	17%		18%		
HOOK	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	1	1	18	58	46	42	167	3%	3%		1%		
<b>SOUTHERN</b>	<b>1,183</b>	<b>802</b>	<b>396</b>	<b>306</b>	<b>235</b>	<b>430</b>	<b>3,351</b>	<b>56%</b>	<b>66%</b>	<b>5,100</b>	<b>89%</b>	<b>3,667</b>	
OTTER TRAWL	133	111	123	133	99	144	743	12%	15%		26%		
GILLNET	908	577	195	63	16	138	1,896	32%	37%		49%		
HOOK	0	0	0	0	0	0	0	0%	0%		0%		
OTHER GEARS	142	115	77	109	120	149	712	12%	14%		14%		
<b>ALL AREAS</b>	<b>1,413</b>	<b>1,206</b>	<b>917</b>	<b>776</b>	<b>695</b>	<b>934</b>	<b>5,942</b>	<b>100%</b>					
OTTER TRAWL	350	374	363	360	346	509	2,301	39%					
GILLNET	920	716	460	249	182	234	2,761	46%					
HOOK	0	0	0	0	0	0	0	0%					
OTHER GEARS	143	116	95	168	167	191	879	15%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	1,413	1,206	917	776	695	934	5,942						
Fishing Year 2006	1,314	1,490	1,181	909	880	1,104	6,879						12,586
Fishing Year 2005	2,040	3,040	1,862	1,487	1,343	1,100	10,872						19,189
Fishing Year 2004	1,806	1,979	1,581	1,380	1,304	1,243	9,293						17,927
Fishing Year 2003	2,681	3,199	1,913	1,746	1,420	2,253	13,212						26,273
Fishing Year 2002	1,574	2,093	1,489	1,382	1,524	1,643	9,706						21,807

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562  
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- 4. Monkfish quotas for FY2007 were revised to be 5,000 mt for Northern Area and 5,100 mt for Southern Area as of October 22, 2007.
- \* Fishing Year is May 1 through April 30.

**Table 13.B. - Preliminary Monkfish Landings by Major Ports and States, May - October 2007**

PORT/ STATE	MAY - OCT 07	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	377	372	99%	6	1%	333	88%	44	12%	0	0%	0	0%
Gloucester, MA	784	766	98%	18	2%	387	49%	397	51%	0	0%	0	0%
Boston, MA	278	278	100%	0	0%	278	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,700	676	40%	1,024	60%	735	43%	386	23%	0	0%	579	34%
Point Judith, RI	591	24	4%	567	96%	329	56%	247	42%	0	0%	15	3%
MAINE	417	411	99%	6	1%	357	86%	60	14%	0	0%	0	0%
NEW HAMPSHIRE	124	123	99%	1	1%	10	8%	114	92%	0	0%	0	0%
MASSACHUSETTS	3,150	2,004	64%	1,146	36%	1,441	46%	1,126	36%	0	0%	583	19%
RHODE ISLAND	869	46	5%	823	95%	360	41%	444	51%	0	0%	65	7%
CONNECTICUT	56	0	0%	56	100%	8	14%	33	58%	0	0%	15	28%
NEW YORK	500	2	0%	497	100%	51	10%	442	88%	0	0%	8	2%
NEW JERSEY	591	4	1%	586	99%	70	12%	362	61%	0	0%	158	27%
OTHER NORTHEAST	235	0	0%	235	100%	5	2%	181	77%	0	0%	50	21%
<b>TOTAL</b>	<b>5,942</b>	<b>2,591</b>	<b>44%</b>	<b>3,351</b>	<b>56%</b>	<b>2,301</b>	<b>39%</b>	<b>2,761</b>	<b>46%</b>	<b>0</b>	<b>0%</b>	<b>879</b>	<b>15%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562

Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

4. Monkfish quotas for FY2007 were revised to be 5,000 mt for Northern Area and 5,100 mt for Southern Area as of October 22, 2007.

Table 14.A. - Preliminary Commercial Sea Scallop Landings by Stock Area

	MAR - 2007	APR - 2007	MAY - 2007	JUN - 2007	JUL - 2007	AUG - 2007	SEP - 2007	OCT - 2007	MARCH - OCTOBER 2007		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent	Metric Tons
<b>GULF OF MAINE</b>	<b>16</b>	<b>14</b>	<b>16</b>	<b>11</b>	<b>20</b>	<b>3</b>	<b>7</b>	<b>9</b>	<b>97</b>	<b>0%</b>	
OTTER TRAWL	0	0	0	0	0	0	0	0	1	0%	
DREDGE	16	14	16	10	20	3	7	9	96	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%	
<b>SOUTH CHANNEL</b>	<b>118</b>	<b>119</b>	<b>147</b>	<b>1,988</b>	<b>1,662</b>	<b>842</b>	<b>519</b>	<b>431</b>	<b>5,826</b>	<b>25%</b>	
OTTER TRAWL	0	0	0	1	1	1	1	1	5	0%	
DREDGE	118	110	147	1,718	1,565	748	428	370	5,203	22%	
OTHER GEARS	0	9	0	270	96	94	90	60	618	3%	
<b>GEORGES BANK NORTH</b>	<b>42</b>	<b>39</b>	<b>224</b>	<b>81</b>	<b>57</b>	<b>179</b>	<b>31</b>	<b>50</b>	<b>704</b>	<b>3%</b>	
OTTER TRAWL	0	0	0	1	0	0	0	0	1	0%	
DREDGE	42	39	203	81	57	145	31	50	648	3%	
OTHER GEARS	0	0	22	0	0	34	0	0	56	0%	
<b>GEORGES BANK SOUTH</b>	<b>38</b>	<b>80</b>	<b>111</b>	<b>554</b>	<b>660</b>	<b>480</b>	<b>249</b>	<b>121</b>	<b>2,293</b>	<b>10%</b>	
OTTER TRAWL	0	2	2	1	1	1	1	1	8	0%	
DREDGE	38	78	69	508	616	424	186	104	2,023	9%	
OTHER GEARS	0	0	40	45	43	56	62	16	262	1%	
<b>S. NEW ENGLAND</b>	<b>3</b>	<b>3</b>	<b>18</b>	<b>132</b>	<b>76</b>	<b>31</b>	<b>37</b>	<b>15</b>	<b>316</b>	<b>1%</b>	
OTTER TRAWL	0	0	0	0	1	1	2	3	6	0%	
DREDGE	3	3	18	131	75	31	35	13	309	1%	
OTHER GEARS	0	0	0	0	0	0	0	0	1	0%	
<b>NEW YORK BIGHT</b>	<b>529</b>	<b>822</b>	<b>1,674</b>	<b>1,122</b>	<b>587</b>	<b>718</b>	<b>597</b>	<b>621</b>	<b>6,670</b>	<b>29%</b>	
OTTER TRAWL	7	18	54	47	45	68	35	19	293	1%	
DREDGE	521	796	1,530	974	496	588	555	569	6,030	26%	
OTHER GEARS	1	8	90	102	46	63	6	33	348	1%	
<b>DE / MD / VA</b>	<b>2,523</b>	<b>1,784</b>	<b>1,054</b>	<b>654</b>	<b>285</b>	<b>550</b>	<b>201</b>	<b>137</b>	<b>7,189</b>	<b>31%</b>	
OTTER TRAWL	9	0	7	31	11	10	2	3	72	0%	
DREDGE	2,496	1,783	988	533	202	514	185	135	6,836	29%	
OTHER GEARS	18	0	59	91	72	26	14	0	281	1%	
<b>VA / NC</b>	<b>62</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>8</b>	<b>0</b>	<b>4</b>	<b>4</b>	<b>86</b>	<b>0%</b>	
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0%	
DREDGE	62	7	0	0	8	0	4	4	85	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%	
<b>ALL AREAS</b>	<b>3,332</b>	<b>2,869</b>	<b>3,246</b>	<b>4,543</b>	<b>3,355</b>	<b>2,805</b>	<b>1,643</b>	<b>1,388</b>	<b>23,181</b>	<b>100%</b>	
OTTER TRAWL	15	21	64	80	59	81	40	26	386	2%	
DREDGE	3,297	2,832	2,971	3,955	3,039	2,452	1,431	1,253	21,230	92%	
OTHER GEARS	19	17	211	508	257	272	172	109	1,565	7%	
<b>LANDINGS - ALL AREAS</b>											
Fishing Year 2007	3,332	2,869	3,246	4,543	3,355	2,805	1,643	1,388	23,181		25,614
Fishing Year 2006	1,729	2,638	2,726	4,262	4,258	4,053	1,973	1,429	21,637		24,966
Fishing Year 2005	1,742	2,570	3,481	3,300	3,493	2,940	2,171	1,400	19,699		28,910
Fishing Year 2004	2,227	2,868	3,854	3,791	2,907	2,695	2,166	1,834	20,508		25,497
Fishing Year 2003	1,777	2,153	3,315	3,413	3,229	2,646	1,738	2,512	18,270		23,466
Fishing Year 2002	1,536	2,450	2,800	3,061	2,772	2,857	2,132	1,685	17,607		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526  
 Georges Bank North: 561-562; Georges Bank South: 525  
 Southern New England: 537-538; New York Bight: 611-616  
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is March 1 through February 29.

**Table 14.B. - Preliminary Commercial Scallop Landings by Major Ports and States, March - October 2007**

PORT/ STATE	MAR -OCT 07	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
New Bedford, MA	12,507	19	0%	4,701	38%	668	5%	1,918	15%	148	1%	2,260	18%	2,753	22%	42	0%
Cape May, NJ	2,600	0	0%	188	7%	5	0%	43	2%	70	3%	829	32%	1,458	56%	8	0%
Norfolk, VA	4,030	0	0%	240	6%	10	0%	156	4%	3	0%	1,621	40%	1,974	49%	26	1%
MAINE	15	14	92%	0	0%	0	0%	0	0%	0	0%	1	7%	0	0%	0	0%
NEW HAMPSHIRE	1	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	12,831	83	1%	4,938	38%	668	5%	1,934	15%	151	1%	2,260	18%	2,755	21%	42	0%
RHODE ISLAND	573	0	0%	234	41%	21	4%	93	16%	44	8%	158	28%	22	4%	0	0%
CONNECTICUT	451	0	0%	105	23%	0	0%	41	9%	4	1%	159	35%	143	32%	0	0%
NEW JERSEY	4,637	0	0%	301	6%	5	0%	68	1%	72	2%	2,192	47%	1,980	43%	18	0%
VIRGINIA	4,116	0	0%	240	6%	10	0%	156	4%	3	0%	1,657	40%	2,024	49%	26	1%
OTHER NORTHEAST	557	0	0%	8	2%	0	0%	0	0%	42	8%	243	44%	263	47%	0	0%
<b>TOTAL</b>	<b>23,181</b>	<b>97</b>	<b>0%</b>	<b>5,826</b>	<b>25%</b>	<b>704</b>	<b>3%</b>	<b>2,293</b>	<b>10%</b>	<b>316</b>	<b>1%</b>	<b>6,670</b>	<b>29%</b>	<b>7,189</b>	<b>31%</b>	<b>86</b>	<b>0%</b>

PORT/ STATE	MAR -OCT 07	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
New Bedford, MA	12,507	102	1%	10,971	88%	1,434	11%
Cape May, NJ	2,600	81	3%	2,479	95%	39	2%
Norfolk, VA	4,030	7	0%	4,023	100%	0	0%
MAINE	15	0	0%	15	100%	0	0%
NEW HAMPSHIRE	1	0	0%	1	100%	0	0%
MASSACHUSETTS	12,831	104	1%	11,293	88%	1,435	11%
RHODE ISLAND	573	8	1%	540	94%	26	4%
CONNECTICUT	451	0	0%	451	100%	1	0%
NEW JERSEY	4,637	152	3%	4,381	94%	104	2%
VIRGINIA	4,116	29	1%	4,086	99%	0	0%
OTHER NORTHEAST	557	93	17%	463	83%	0	0%
<b>TOTAL</b>	<b>23,181</b>	<b>386</b>	<b>2%</b>	<b>21,230</b>	<b>92%</b>	<b>1,565</b>	<b>7%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

- 2. Landings in meat weight.
- 3. Gear data are based on vessel trip reports.

