

Table 1.A. - Preliminary Commercial Cod Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		AUG - 2007		SEP - 2007		OCT - 2007		NOV - 2007		DEC - 2007		JAN - 2008		MAY 07 - JANUARY 08		2007*		2006*		Fishing Year* Landings Metric Tons
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	
<b>GULF OF MAINE</b>	12	479	595	293	287	251	279	666	578	3,440	N/A	N/A	10,020**	N/A	5,146**										
OTTER TRAWL	8	210	236	84	103	87	85	262	235	1,310															
GILLNET	2	263	357	207	179	161	193	377	298	2,036															
HOOK	1	0	1	1	4	2	1	12	31	54															
OTHER GEARS	0	5	2	1	1	1	1	15	14	41															
<b>GEORGES BANK</b>	263	566	425	330	277	383	280	281	135	2,940															
OTTER TRAWL	216	508	279	177	213	311	243	247	106	2,301															
GILLNET	3	48	143	151	61	69	35	26	16	551															
HOOK	43	7	2	1	1	1	0	2	0	58															
OTHER GEARS	1	3	1	1	1	3	2	6	12	30															
<b>ALL AREAS</b>	274	1,045	1,020	624	564	634	560	947	713	6,380															
OTTER TRAWL	224	718	515	261	316	398	327	509	342	3,611															
GILLNET	5	311	500	358	240	229	228	403	314	2,587															
HOOK	44	7	2	3	5	3	2	14	31	112															
OTHER GEARS	1	8	4	2	3	3	3	21	25	70															
<b>LANDINGS - ALL AREAS</b>																									
Fishing Year 2007	274	1,045	1,020	624	564	634	560	947	713	6,380															6,163
Fishing Year 2006	207	692	591	440	385	427	530	915	457	4,644															5,699
Fishing Year 2005	327	881	829	521	358	308	320	608	446	4,598															6,667
Fishing Year 2004	375	726	828	443	461	406	562	714	538	5,054															9,110
Fishing Year 2003	567	1,373	875	830	533	601	651	914	499	6,844															11,488
Fishing Year 2002	913	1,343	1,114	821	605	557	674	1,125	752	7,904															

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes commercial landings and discards, and recreational landings.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 9,822 metric tons (21,653 thousand lbs.)

**Table 1.B. - Preliminary Commercial Cod Landings by Major Ports and States, May 07 - January 08**

PORT/ STATE	MAY 07 - JAN 08		STOCK AREAS						GEAR TYPES					
	Metric Tons		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	448		301	67%	147	33%	290	65%	150	34%	8	2%	0	0%
Gloucester, MA	2,251		2,056	91%	195	9%	876	39%	1,306	58%	44	2%	24	1%
Boston, MA	298		57	19%	241	81%	298	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,595		7	0%	1,588	100%	1,594	100%	0	0%	0	0%	0	0%
Point Judith, RI	65		0	0%	65	100%	62	96%	0	0%	0	0%	3	4%
<b>TOTAL</b>	<b>6,380</b>		<b>3,440</b>	<b>54%</b>	<b>2,940</b>	<b>46%</b>	<b>3,611</b>	<b>57%</b>	<b>2,587</b>	<b>41%</b>	<b>112</b>	<b>2%</b>	<b>70</b>	<b>1%</b>
MAINE	560		413	74%	147	26%	324	58%	227	41%	8	1%	0	0%
NEW HAMPSHIRE	518		516	100%	2	0%	146	28%	369	71%	0	0%	2	0%
MASSACHUSETTS	5,192		2,511	48%	2,681	52%	3,048	59%	1,978	38%	104	2%	63	1%
RHODE ISLAND	106		0	0%	106	100%	90	85%	13	12%	0	0%	3	3%
CONNECTICUT	0		0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	4		0	0%	4	99%	3	64%	0	0%	0	0%	2	36%
NEW JERSEY	0		0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0		0	0%	0	0%	0	0%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-637

- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Commercial Haddock Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		AUG - 2007		SEP - 2007		OCT - 2007		NOV - 2007		DEC - 2007		JAN - 2008		MAY 07 - JANUARY 08		2007*		2006*		Fishing Year*								
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons						
	4	47	19	23	37	43	17	22	236	8%	19%	21%	1,254	19%	21%	1,279	3%	5%	90,599	3%	5%	35,309	19%	21%	1,279	19%	21%	1,279	19%	21%			
<b>GULF OF MAINE</b>																																	
OTTER TRAWL	3	44	19	15	30	33	15	13	186	6%	17%																						
GILLNET	0	3	4	2	3	3	1	2	21	1%	2%																						
HOOK	0	0	1	3	4	7	0	7	29	1%	2%																						
OTHER GEARS	0	0	0	0	0	0	0	0	1	0%	0%																						
<b>GEORGES BANK</b>																																	
OTTER TRAWL	470	392	167	155	440	392	226	226	2,700	92%																							
GILLNET	455	386	166	154	304	374	257	225	2,487	85%																							
HOOK	0	2	0	0	1	0	1	1	6	0%	0%																						
OTHER GEARS	14	3	1	1	135	16	33	0	204	7%	1%																						
OTTER TRAWL	0	1	0	0	0	0	1	0	3	0%	0%																						
GILLNET	0	0	0	0	0	0	0	0	1	0%	0%																						
HOOK	0	0	0	0	0	0	0	0	0	0%	0%																						
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%	0%																						
<b>SNE/ MID-ATLANTIC</b>																																	
OTTER TRAWL	0	1	0	0	0	0	0	0	1	0%																							
GILLNET	0	0	0	0	0	0	0	0	0	0%	0%																						
HOOK	0	0	0	0	0	0	0	0	0	0%	0%																						
OTHER GEARS	0	0	0	0	0	0	0	0	0	0%	0%																						
<b>ALL AREAS</b>																																	
OTTER TRAWL	473	440	191	186	477	435	309	248	2,937	100%																							
GILLNET	459	431	185	180	333	407	272	238	2,674	91%																							
HOOK	0	5	4	2	4	4	2	2	27	1%																							
OTHER GEARS	15	3	2	4	6	23	34	7	232	8%																							
<b>LANDINGS - ALL AREAS</b>																																	
Fishing Year 2007	473	440	191	186	477	435	309	248	2,937																								
Fishing Year 2006	424	400	95	171	303	168	157	116	2,052																								
Fishing Year 2005	675	1,367	422	387	603	529	310	367	4,795																								
Fishing Year 2004	464	1,126	673	489	425	545	367	5,289	4,228																								
Fishing Year 2003	803	783	346	257	430	427	454	451	4,795																								
Fishing Year 2002	718	817	731	435	597	248	275	451	4,795																								

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.  
 \* Fishing Year is May 1 through April 30.  
 + US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 103,329 metric tons (227,795 thousand lbs.)

**Table 2.B. - Preliminary Commercial Haddock Landings by Major Ports and States, May 07- January 08**

PORT/ STATE	MAY 07-JAN 08		STOCK AREAS						GEAR TYPES					
	GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	41	10%	378	90%	0	0%	398	95%	1	0%	21	5%	0	0%
Gloucester, MA	129	28%	338	72%	0	0%	443	95%	14	3%	8	2%	2	0%
Boston, MA	15	7%	211	93%	0	0%	226	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,485	2	1,482	100%	1	0%	1,485	100%	0	0%	0	0%	0	0%
Point Judith, RI	48	0	48	100%	0	0%	47	98%	0	0%	0	0%	1	0%
<b>MAINE</b>	<b>426</b>	<b>11%</b>	<b>378</b>	<b>89%</b>	<b>0</b>	<b>0%</b>	<b>403</b>	<b>95%</b>	<b>2</b>	<b>0%</b>	<b>21</b>	<b>5%</b>	<b>0</b>	<b>0%</b>
<b>NEW HAMPSHIRE</b>	<b>11</b>	<b>100%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>6</b>	<b>60%</b>	<b>4</b>	<b>40%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>MASSACHUSETTS</b>	<b>2,432</b>	<b>7%</b>	<b>2,254</b>	<b>93%</b>	<b>1</b>	<b>0%</b>	<b>2,197</b>	<b>90%</b>	<b>21</b>	<b>1%</b>	<b>212</b>	<b>9%</b>	<b>3</b>	<b>0%</b>
<b>RHODE ISLAND</b>	<b>68</b>	<b>0</b>	<b>68</b>	<b>100%</b>	<b>0</b>	<b>0%</b>	<b>67</b>	<b>99%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>
<b>CONNECTICUT</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>NEW YORK</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>NEW JERSEY</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>OTHER NORTHEAST</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>TOTAL</b>	<b>2,937</b>	<b>8%</b>	<b>2,700</b>	<b>92%</b>	<b>1</b>	<b>0%</b>	<b>2,674</b>	<b>91%</b>	<b>27</b>	<b>1%</b>	<b>232</b>	<b>8%</b>	<b>4</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Commercial Yellowtail Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		AUG - 2007		SEP - 2007		OCT - 2007		NOV - 2007		DEC - 2007		JAN - 2008		MAY 07 - JANUARY 08		2007*		2006*		Fishing Year* Landings		
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons
	0	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	16	16	16	16	16	16	16	16	
<b>GULF OF MAINE</b>																											
OTTER TRAWL	0	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	16	16	16	16	16	16	16	16	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
<b>CAPE COD</b>																											
OTTER TRAWL	8	57	43	36	47	29	21	21	21	21	21	21	21	21	21	21	21	21	334	334	334	334	334	334	334	334	28%
GILLNET	5	35	35	34	47	29	21	21	21	21	21	21	21	21	21	21	21	21	286	286	286	286	286	286	286	286	24%
HOOK	2	22	8	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	49	49	49	49	49	49	4%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
<b>GULF OF MAINE &amp; CAPE COD</b>																											
OTTER TRAWL	8	59	45	38	48	30	21	21	21	21	21	21	21	21	21	21	21	21	350	350	350	350	350	350	350	350	29%
GILLNET	147	84	32	24	14	24	17	17	17	17	17	17	17	17	17	17	17	17	752	752	752	752	752	752	752	752	62%
HOOK	147	84	32	23	14	24	17	17	17	17	17	17	17	17	17	17	17	17	750	750	750	750	750	750	750	62%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
<b>SNE/ MID-ATLANTIC</b>																											
OTTER TRAWL	5	2	7	17	11	12	8	8	8	8	8	8	8	8	8	8	8	8	109	109	109	109	109	109	109	109	9%
GILLNET	5	2	7	17	11	12	8	8	8	8	8	8	8	8	8	8	8	8	108	108	108	108	108	108	108	108	9%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
<b>ALL AREAS</b>																											
OTTER TRAWL	160	146	84	79	73	66	46	46	46	46	46	46	46	46	46	46	46	46	1,211	1,211	1,211	1,211	1,211	1,211	1,211	1,211	100%
GILLNET	157	123	76	76	73	66	46	46	46	46	46	46	46	46	46	46	46	46	1,159	1,159	1,159	1,159	1,159	1,159	1,159	1,159	96%
HOOK	2	22	8	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	49	49	49	49	49	49	49	4%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
<b>LANDINGS - ALL AREAS</b>																											
Fishing Year 2007	160	146	84	79	73	66	46	46	46	46	46	46	46	46	46	46	46	46	1,211	1,211	1,211	1,211	1,211	1,211	1,211	1,211	1,960
Fishing Year 2006	235	211	176	130	87	59	84	84	84	84	84	84	84	84	84	84	84	84	1,356	1,356	1,356	1,356	1,356	1,356	1,356	1,356	4,021
Fishing Year 2005	442	542	628	435	174	131	348	348	348	348	348	348	348	348	348	348	348	348	3,461	3,461	3,461	3,461	3,461	3,461	3,461	3,461	6,522
Fishing Year 2004	700	1,455	1,573	1,299	358	74	27	27	27	27	27	27	27	27	27	27	27	27	5,862	5,862	5,862	5,862	5,862	5,862	5,862	5,862	6,522
Fishing Year 2003	591	422	311	245	133	231	585	585	585	585	585	585	585	585	585	585	585	585	3,670	3,670	3,670	3,670	3,670	3,670	3,670	3,670	4,846
Fishing Year 2002	616	525	262	220	309	322	166	166	166	166	166	166	166	166	166	166	166	166	3,595	3,595	3,595	3,595	3,595	3,595	3,595	3,595	5,341

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
 Cape Cod: 514, 521  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.  
 \* Fishing Year is May 1 through April 30.  
 \*\* TAC includes commercial landings and discards.  
 + US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 1,250 metric tons (2,756 thousand lbs.)

**Table 3.B. - Preliminary Commercial Yellowtail Flounder Landings by Major Ports and States, May 07- January 08**

PORT/ STATE	MAY 07 - JAN 08		STOCK AREAS						GEAR TYPES									
	Metric Tons	Percent	GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
			Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	8	0%	0	36%	3	36%	5	59%	0	0%	8	100%	0	0%	0	0%	0	0%
Gloucester, MA	141	8%	110	78%	20	14%	20	14%	0	0%	112	79%	29	21%	0	0%	0	0%
Boston, MA	34	0%	19	55%	15	44%	15	44%	0	0%	34	100%	0	0%	0	0%	0	0%
New Bedford, MA	752	0%	82	11%	82	11%	657	87%	12	2%	751	100%	0	0%	0	0%	1	0%
Point Judith, RI	101	0%	0	0%	0	0%	36	36%	65	64%	100	99%	0	0%	0	0%	1	1%
MAINE	8	0%	0	36%	3	36%	5	59%	0	0%	8	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	5	73%	1	27%	0	0%	0	0%	0	0%	5	99%	0	0%	0	0%	0	0%
MASSACHUSETTS	1,061	12%	330	31%	705	66%	705	66%	14	1%	1,011	95%	49	5%	0	0%	1	0%
RHODE ISLAND	116	0%	0	0%	42	36%	42	36%	73	64%	114	99%	0	0%	0	0%	1	1%
CONNECTICUT	2	0%	0	0%	0	0%	0	0%	2	100%	2	100%	0	0%	0	0%	0	0%
NEW YORK	19	0%	0	0%	0	0%	0	0%	19	100%	19	100%	0	0%	0	0%	0	0%
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>1,211</b>	<b>1%</b>	<b>334</b>	<b>28%</b>	<b>752</b>	<b>62%</b>	<b>109</b>	<b>9%</b>	<b>1,159</b>	<b>96%</b>	<b>49</b>	<b>4%</b>	<b>0</b>	<b>0%</b>	<b>2</b>	<b>0%</b>		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
 Cape Cod: 514, 521  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Commercial Atlantic Pollock Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		AUG - 2007		SEP - 2007		OCT - 2007		NOV - 2007		DEC - 2007		JAN - 2008		MAY 07 - JANUARY 08		2007*		2006*		Fishing Year*						
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons				
	616	674	829	508	618	794	1,161	917	1,088	7,203	100%	May07-Jan08 as a % of Target TAC	Target TAC	May06-Jan07 as a % of Target TAC	Target TAC	12,005**	N/A	12,005**	N/A	12,005**	6,480	6,327	5,456	4,480	3,914						
<b>400's &amp; 500's</b>																															
OTTER TRAWL	566	500	526	316	398	306	202	868	3,932	55%																					
GILLNET	50	172	304	191	218	487	959	219	3,264	45%																					
HOOK	0	0	0	1	2	0	0	0	3	0%																					
OTHER GEAR	0	1	0	0	0	1	0	0	4	0%																					
<b>600's</b>																															
OTTER TRAWL	0	0	7	0	0	0	0	0	7	0%																					
GILLNET	0	0	0	0	0	0	0	0	0	0%																					
HOOK	0	0	7	0	0	0	0	0	7	0%																					
OTHER GEAR	0	0	0	0	0	0	0	0	0	0%																					
<b>ALL AREAS</b>																															
OTTER TRAWL	616	674	837	508	618	794	1,161	917	1,088	7,211	100%																				
GILLNET	566	500	526	316	398	306	202	868	3,932	55%																					
HOOK	50	172	311	191	218	487	959	219	3,271	45%																					
OTHER GEAR	0	0	0	1	2	0	0	0	3	0%																					
<b>LANDINGS - ALL AREAS</b>																															
Fishing Year 2007	616	674	837	508	618	794	1,161	917	1,088	7,211																					
Fishing Year 2006	160	443	515	456	453	460	1,021	721	556	4,786																					
Fishing Year 2005	337	460	787	515	496	693	643	537	525	4,993																					
Fishing Year 2004	309	465	405	371	369	472	549	478	501	3,919																					
Fishing Year 2003	209	413	209	413	374	385	293	355	414	3,064																					
Fishing Year 2002	194	432	286	432	455	338	242	318	291	2,988																					

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes US and Canadian landings.

**Table 4.B. - Preliminary Commercial Pollock Landings by Major Ports and States, May 07- January 08**

PORT/ STATE	MAY 07- JAN 08		STOCK AREAS				GEAR TYPES							
	Metric Tons		400's & 500's		600's		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	1,398	100%	1,398	100%	0	0%	528	38%	869	62%	2	0%	0	0%
Gloucester, MA	3,244	100%	3,237	100%	7	0%	1,946	60%	1,295	40%	1	0%	2	0%
Boston, MA	1,135	100%	1,135	100%	0	0%	1,135	100%	0	0%	0	0%	0	0%
New Bedford, MA	213	100%	213	100%	0	0%	213	100%	0	0%	0	0%	0	0%
Point Judith, RI	9	100%	9	100%	0	0%	8	88%	0	0%	0	0%	1	12%
MAINE	1,559	100%	1,559	100%	0	0%	559	36%	999	64%	2	0%	0	0%
NEW HAMPSHIRE	861	100%	861	100%	0	0%	18	2%	843	98%	0	0%	0	0%
MASSACHUSETTS	4,764	100%	4,756	100%	7	0%	3,336	70%	1,423	30%	2	0%	3	0%
RHODE ISLAND	27	100%	27	100%	0	0%	19	73%	6	23%	0	0%	1	4%
CONNECTICUT	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>7,211</b>	<b>100%</b>	<b>7,203</b>	<b>100%</b>	<b>7</b>	<b>0%</b>	<b>3,932</b>	<b>55%</b>	<b>3,271</b>	<b>45%</b>	<b>3</b>	<b>0%</b>	<b>4</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Commercial Redfish Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		AUG - 2007		SEP - 2007		OCT - 2007		NOV - 2007		DEC - 2007		JAN - 2008		MAY 07 - JANUARY 08		2007*		2006*		Fishing Year*			
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons	
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>400's</b>																												
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER GEAR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>500's</b>	84	96	55	45	75	76	51	43	119	645	100%	645	100%	645	100%	645	100%	645	100%	645	100%	645	100%	645	100%	645	100%	645
OTTER TRAWL	81	89	46	39	68	66	47	42	116	595	92%	595	92%	595	92%	595	92%	595	92%	595	92%	595	92%	595	92%	595	92%	595
GILLNET	3	7	9	6	6	9	4	1	3	48	7%	48	7%	48	7%	48	7%	48	7%	48	7%	48	7%	48	7%	48	7%	48
HOOK	0	0	0	0	0	0	0	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0
OTHER GEAR	0	0	0	0	0	0	0	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0
<b>600's</b>	0	0	1	0	0	0	0	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0
GILLNET	0	0	1	0	0	0	0	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0
HOOK	0	0	0	0	0	0	0	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0
OTHER GEAR	0	0	0	0	0	0	0	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0
<b>ALL AREAS</b>	84	96	56	45	75	76	52	44	119	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646
OTTER TRAWL	81	89	46	39	68	66	47	42	116	595	92%	595	92%	595	92%	595	92%	595	92%	595	92%	595	92%	595	92%	595	92%	595
GILLNET	3	7	9	6	6	9	4	1	3	48	7%	48	7%	48	7%	48	7%	48	7%	48	7%	48	7%	48	7%	48	7%	48
HOOK	0	0	0	0	0	0	0	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0
OTHER GEAR	0	0	0	0	0	0	0	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0
<b>LANDINGS - ALL AREAS</b>	84	96	56	45	75	76	52	44	119	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646
Fishing Year 2007	84	96	56	45	75	76	52	44	119	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646	100%	646
Fishing Year 2006	11	31	27	34	37	35	29	52	65	321	92%	321	92%	321	92%	321	92%	321	92%	321	92%	321	92%	321	92%	321	92%	321
Fishing Year 2005	32	44	32	38	47	42	46	47	60	390	92%	390	92%	390	92%	390	92%	390	92%	390	92%	390	92%	390	92%	390	92%	390
Fishing Year 2004	15	19	25	33	47	46	37	36	34	292	92%	292	92%	292	92%	292	92%	292	92%	292	92%	292	92%	292	92%	292	92%	292
Fishing Year 2003	28	29	22	21	98	39	27	17	32	312	92%	312	92%	312	92%	312	92%	312	92%	312	92%	312	92%	312	92%	312	92%	312
Fishing Year 2002	28	28	14	17	22	18	17	20	32	196	92%	196	92%	196	92%	196	92%	196	92%	196	92%	196	92%	196	92%	196	92%	196

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 5.B. - Preliminary Commercial Redfish Landings by Major Ports and States, May 07- January 08**

PORT/ STATE	MAY 07 - JAN 08			STOCK AREAS						GEAR TYPES							
	Metric Tons			400s		500s		600s		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	102	0	0%	101	100%	0	0%	0	0%	72	71%	29	28%	1	1%	0	0%
Gloucester, MA	190	0	0%	189	100%	1	0%	0	0%	175	92%	15	8%	0	0%	0	0%
Boston, MA	263	0	0%	263	100%	0	0%	0	0%	263	100%	0	0%	0	0%	0	0%
New Bedford, MA	78	0	0%	78	100%	0	0%	0	0%	78	100%	0	0%	0	0%	0	0%
Point Judith, RI	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>646</b>	<b>0</b>	<b>0%</b>	<b>645</b>	<b>100%</b>	<b>1</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>595</b>	<b>92%</b>	<b>48</b>	<b>7%</b>	<b>2</b>	<b>0%</b>	<b>1</b>	<b>0%</b>
MAINE	107	0	0%	107	100%	0	0%	0	0%	75	70%	31	29%	1	1%	0	0%
NEW HAMPSHIRE	4	0	0%	4	100%	0	0%	0	0%	2	46%	2	53%	0	0%	0	0%
MASSACHUSETTS	534	0	0%	534	100%	1	0%	0	0%	518	97%	15	3%	1	0%	0	0%
RHODE ISLAND	1	0	0%	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Commercial White Hake Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		AUG - 2007		SEP - 2007		OCT - 2007		NOV - 2007		DEC - 2007		JAN - 2008		MAY 07 - JANUARY 08		2007*		2006*		Fishing Year*							
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	May07-Jan08 as a % of Target TAC	Metric Tons	May06-Jan07 as a % of Target TAC	Metric Tons	Metric Tons	Metric Tons	Metric Tons				
<b>SNE/NORTH</b>	92	181	184	174	137	142	117	78	88	1,193	99%																					
OTTER TRAWL	82	120	52	87	106	102	90	74	83	798	66%																					
GILLNET	9	61	132	86	31	40	27	3	4	392	32%																					
HOOK	0	0	0	0	0	0	1	2	0	3	0%																					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0%																					
<b>MID-ATLANTIC</b>	5	1	6	0	1	1	2	2	3	21	2%																					
OTTER TRAWL	5	1	0	0	1	1	2	2	0	11	1%																					
GILLNET	0	0	6	0	0	0	0	0	0	6	1%																					
HOOK	0	0	0	0	0	0	0	0	0	0	0%																					
OTHER GEARS	0	0	0	0	0	0	0	0	0	3	0%																					
<b>ALL AREAS</b>	97	182	191	174	137	143	119	80	91	1,214	100%																					
OTTER TRAWL	88	121	52	87	107	103	92	76	83	809	67%																					
GILLNET	9	61	138	86	31	40	27	3	4	398	33%																					
HOOK	0	0	0	0	0	0	1	2	0	3	0%																					
OTHER GEARS	0	0	0	0	0	0	0	0	0	3	0%																					
<b>LANDINGS - ALL AREAS</b>	97	182	191	174	137	143	119	80	91	1,214	100%																					
Fishing Year 2007	65	113	167	150	116	130	126	121	118	1,106																						
Fishing Year 2006	192	283	240	297	207	174	176	148	219	1,936																						
Fishing Year 2005	229	337	365	393	285	212	215	238	252	2,526																						
Fishing Year 2003	465	379	470	457	365	358	311	248	277	3,330																						
Fishing Year 2002	173	228	311	320	302	272	241	262	363	2,473																						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC only includes lengths greater than 60 cm. Landings data include all lengths.

**Table 6.B. - Preliminary Commercial White Hake Landings by Major Ports and States, May 07 - January 08**

PORT/STATE	MAY 07 - JAN 08		STOCK AREAS						GEAR TYPES					
	Metric Tons		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	438	100%	437	100%	0	0%	254	58%	184	42%	0	0%	0	0%
Gloucester, MA	438	99%	432	99%	6	1%	308	70%	130	30%	0	0%	0	0%
Boston, MA	176	100%	176	100%	0	0%	176	100%	0	0%	0	0%	0	0%
New Bedford, MA	42	100%	42	100%	0	0%	42	100%	0	0%	0	0%	0	0%
Point Judith, RI	2	100%	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>1,214</b>	<b>98%</b>	<b>1,193</b>	<b>98%</b>	<b>21</b>	<b>2%</b>	<b>809</b>	<b>67%</b>	<b>398</b>	<b>33%</b>	<b>3</b>	<b>0%</b>	<b>3</b>	<b>0%</b>
MAINE	489	100%	488	100%	0	0%	265	54%	224	46%	0	0%	0	0%
NEW HAMPSHIRE	39	100%	39	100%	0	0%	0	0%	39	99%	0	0%	0	0%
MASSACHUSETTS	667	99%	661	99%	7	1%	529	79%	135	20%	3	0%	0	0%
RHODE ISLAND	2	100%	2	100%	0	0%	2	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	85%	1	85%	0	0%	1	86%	0	0%	0	0%	0	0%
NEW YORK	15	11%	2	11%	13	89%	12	80%	0	0%	0	0%	3	20%
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Commercial American Plaice Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		JUL - 2007		AUG - 2007		SEP - 2007		OCT - 2007		NOV - 2007		DEC - 2007		JAN - 2008		MAY 07 - JANUARY 08		2007*		2006*		Fishing Year*					
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons			
	54	121	103	96	116	105	73	76	85	827	99%	May07-Jan08 as a % of Target TAC	Target TAC	May06-Jan07 as a % of Target TAC	Target TAC	1,005	1,275	1,656	2,220	2,829	N/A	3,243**	N/A	3,666**								
<b>GULF OF MAINE/GB</b>																																
OTTER TRAWL	54	119	102	95	116	105	73	76	85	824	99%																					
GILLNET	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
<b>SNE / MID-ATLANTIC</b>																																
OTTER TRAWL	0	5	0	0	1	0	0	0	1	7	1%																					
GILLNET	0	5	0	0	1	0	0	0	1	7	1%																					
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
<b>ALL AREAS</b>																																
OTTER TRAWL	54	125	103	96	116	105	73	76	86	834	100%																					
GILLNET	54	124	102	95	116	105	73	76	86	831	100%																					
HOOK	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>LANDINGS - ALL AREAS</b>																																
Fishing Year 2007	54	125	103	96	116	105	73	76	86	834																						
Fishing Year 2006	40	157	80	94	126	84	100	82	76	840																						
Fishing Year 2005	86	171	115	127	123	95	116	105	121	1,059																						
Fishing Year 2004	59	205	179	221	215	108	140	132	141	1,400																						
Fishing Year 2003	125	359	240	276	246	199	180	147	124	1,896																						
Fishing Year 2002	214	302	343	309	322	252	213	218	208	2,381																						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes commercial landings and discards.

**Table 7.B. - Preliminary Commercial American Plaice Landings by Major Ports and States, May 07- January 08**

PORT/ STATE	MAY 07 - JAN 08		STOCK AREAS						GEAR TYPES					
	Metric Tons		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	201	100%	0	0%	200	100%	0	0%	200	100%	0	0%	0	0%
Gloucester, MA	288	99%	3	1%	286	99%	3	1%	287	100%	1	0%	0	0%
Boston, MA	130	100%	0	0%	130	100%	0	0%	130	100%	0	0%	0	0%
New Bedford, MA	158	98%	2	2%	155	98%	2	2%	158	100%	0	0%	0	0%
Point Judith, RI	17	98%	0	0%	16	98%	0	0%	16	98%	0	0%	0	0%
<b>TOTAL</b>	<b>834</b>	<b>99%</b>	<b>7</b>	<b>1%</b>	<b>827</b>	<b>99%</b>	<b>7</b>	<b>1%</b>	<b>831</b>	<b>100%</b>	<b>3</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Commercial Winter Flounder Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		AUG - 2007		SEP - 2007		OCT - 2007		NOV - 2007		DEC - 2007		JAN - 2008		MAY 07 - JANUARY 08		2007*		2006*		Fishing Year* Landings							
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	as a % of Target TAC	Target TAC	Metric Tons	Metric Tons	as a % of Target TAC	Target TAC	Metric Tons	Metric Tons				
	18	21	31	24	31	8	7	27	18	185	8%	N/A	N/A	N/A	49%	64%	1,424	***														
<b>GULF OF MAINE</b>																																
OTTER TRAWL	18	21	31	24	31	8	7	27	18	185	8%																					
GILLNET	18	13	23	17	25	7	5	25	17	151	7%																					
HOOK	0	7	8	7	6	1	1	1	2	34	1%																					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0%																					
	0	0	0	0	0	0	0	0	0	0	0%																					
<b>GEORGES BANK</b>																																
OTTER TRAWL	97	210	114	88	53	50	90	81	8	792	34%																					
GILLNET	96	208	113	87	52	49	90	81	8	784	34%																					
HOOK	0	0	0	0	0	0	0	0	0	0	0%																					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0%																					
	0	2	1	1	2	1	1	0	0	7	0%																					
<b>SNE/ MID-ATLANTIC</b>																																
OTTER TRAWL	214	105	139	216	219	191	139	80	29	1,331	58%																					
GILLNET	209	100	137	213	217	189	139	79	28	1,311	57%																					
HOOK	5	5	1	3	2	2	0	0	0	18	1%																					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0%																					
	0	0	0	0	1	0	0	0	0	3	0%																					
<b>ALL AREAS</b>																																
OTTER TRAWL	329	335	283	329	304	249	236	188	55	2,308	100%																					
GILLNET	323	321	273	318	294	245	234	185	53	2,246	97%																					
HOOK	5	12	9	10	8	2	2	3	1	52	2%																					
OTHER GEARS	0	0	0	0	0	0	0	0	0	1	0%																					
	1	2	1	1	2	1	1	0	1	10	0%																					
<b>LANDINGS - ALL AREAS</b>																																
Fishing Year 2007	329	335	283	329	304	249	236	188	55	2,308																						
Fishing Year 2006	308	334	326	245	388	256	260	247	109	2,474																						
Fishing Year 2005	335	903	647	397	417	260	232	173	81	3,444																						
Fishing Year 2004	675	668	620	525	567	376	345	405	95	4,276																						
Fishing Year 2003	871	899	901	498	431	489	557	396	105	5,146																						
Fishing Year 2002	741	835	572	391	593	513	456	504	201	4,803																						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.  
 \* Fishing Year is May 1 through April 30.  
 \*\* GARM II did not develop a TAC for GOM winter flounder because of uncertainties in the assessment.  
 \*\*\* TAC includes commercial landings and discards, and recreational landings.

**Table 8.B. - Preliminary Commercial Winter Flounder Landings by Major Ports and States, May 07- January 08**

PORT/ STATE	MAY 07 - JAN 08		STOCK AREAS						GEAR TYPES							
			GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	48	6%	11	24%	33	70%	48	100%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	76	76%	17	22%	2	2%	54	71%	22	29%	0	0%	0	0%	0	0%
Boston, MA	60	9%	11	18%	44	73%	60	100%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	1,234	0%	708	57%	525	43%	1,228	100%	0	0%	0	0%	0	0%	6	0%
Point Judith, RI	391	0%	26	7%	364	93%	388	99%	0	0%	0	0%	0	0%	2	1%
<b>TOTAL</b>	<b>2,308</b>	<b>8%</b>	<b>185</b>	<b>34%</b>	<b>1,331</b>	<b>58%</b>	<b>2,246</b>	<b>97%</b>	<b>52</b>	<b>2%</b>	<b>1</b>	<b>0%</b>	<b>10</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.

Table 9.A. - Preliminary Commercial Witch Flounder Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		AUG - 2007		SEP - 2007		OCT - 2007		NOV - 2007		DEC - 2007		JAN - 2008		MAY 07 - JANUARY 08		2007*		2006*		Fishing Year*		
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	as a % of Target TAC	Target TAC	Metric Tons	Target TAC	Metric Tons	
<b>GULF OF MAINE/GB</b>	65	147	126	67	63	70	45	75	111	769	96%																
OTTER TRAWL	64	143	122	66	63	70	44	75	111	758	95%																
GILLNET	0	4	4	1	0	0	0	0	0	10	1%																
HOOK	0	0	0	0	0	0	0	0	0	0	0%																
OTHER GEARS	0	0	0	0	0	0	0	0	0	1	0%																
<b>SNE/ MID-ATLANTIC</b>	0	3	4	7	6	2	2	0	6	31	4%																
OTTER TRAWL	0	3	3	7	6	2	2	0	6	31	4%																
GILLNET	0	0	0	0	0	0	0	0	0	0	0%																
HOOK	0	0	0	0	0	0	0	0	0	0	0%																
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0%																
<b>ALL AREAS</b>	65	151	130	74	69	72	47	75	118	800	100%																
OTTER TRAWL	65	146	125	73	68	72	46	75	117	788	99%																
GILLNET	0	4	4	1	0	0	0	0	0	10	1%																
HOOK	0	0	0	0	0	0	0	0	0	0	0%																
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0%																
<b>LANDINGS - ALL AREAS</b>	65	151	130	74	69	72	47	75	118	800	100%																
Fishing Year 2007	105	203	198	110	112	91	85	83	88	1,075																	1,370
Fishing Year 2006	188	316	314	243	172	153	178	139	204	1,907																	2,591
Fishing Year 2005	129	337	335	264	298	166	228	204	201	2,162																	2,888
Fishing Year 2004	211	434	464	286	276	228	202	156	167	2,424																	3,202
Fishing Year 2003	164	321	427	310	255	163	151	141	144	2,076																	2,798

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.























