

October 5, 2007

**TAC Report Summary**  
**Commercial Landings and Target Quota Utilization**  
**(May – July 2007)**

Species & Stock Area	2007 FY Commercial Landings	Percent of TAC	Target TAC
	(metric tons)	%	(metric tons)
<b>Cod</b>			
GOM	1,086	N/A*	10,020*
GB	1,254	15%	8,416
<b>Haddock</b>			
GOM	75	6%	1,254
GB	1,029	1%	90,599
<b>Yellowtail</b>			
CC/GOM	112	N/A*	1,078*
GB	263	N/A*	900*
SNE/MA	14	N/A*	213*
<b>Pollock</b>	2,126	N/A*	12,005*
<b>Redfish - 500s</b>	235	11%	2,075
<b>White Hake</b>	470	28%**	1,676**
<b>American Plaice</b>	282	N/A*	3,243*
<b>Winter Flounder</b>			
GOM	69	N/A	N/A
GB	421	26%	1,604
SNE/MA	458	N/A*	3,016*
<b>Witch Flounder</b>	345	7%	5,075
<b>Windowpane</b>			
North	40	10%	389
South	13	8%	166
<b>Ocean Pout</b>	0	0%	38
<b>Monkfish</b>			
Northern Area	1,156	23%	5,000
Southern Area	2,380	65%	3,667

Landings statistics for species without target TACs including scallops, silver hake, and red hake are available in the attachment.

\*TAC includes commercial landings, and discards, recreational landings, or Canadian landings. Only commercial landings are available for monitoring.

\*\*TAC only includes lengths greater than 60 cm. Landings data include all lengths.

Attachment

# Northeast Preliminary Fisheries Statistics

Multispecies (May – July 2007) & Scallop (March – July 2007)

Fishery Statistics Office  
Northeast Regional Office  
National Marine Fisheries Service  
Gloucester, MA 01930

October 2007

The preliminary fisheries statistics indicating stock areas and gears in this report were derived by prorating available dealer electronic and vessel log data. These preliminary statistics, therefore, represent the currently available information, but are subject to revisions in the future.

- Note:** 1) **Data of selected species are reported in detail (see table of contents).**  
2) **This report will become available on the NMFS website:**  
<http://www.nero.noaa.gov/ro/fso/mul.htm>.

# TABLE OF CONTENTS

	<u>Page</u>
<b>COD</b>	
Tables 1.A - Preliminary Landings by Stock Area.....	1
1.B - Preliminary Landings by Major Ports and States .....	2
<b>HADDOCK</b>	
Tables 2.A - Preliminary Landings by Stock Area.....	3
2.B - Preliminary Landings by Major Ports and States .....	4
<b>YELLOWTIAL FLOUNDER</b>	
Tables 3.A - Preliminary Landings by Stock Area.....	5
3.B - Preliminary Landings by Major Ports and States .....	6
<b>ATLANTIC POLLOCK</b>	
Tables 4.A - Preliminary Landings by Stock Area.....	7
4.B - Preliminary Landings by Major Ports and States .....	8
<b>REDFISH</b>	
Tables 5.A - Preliminary Landings by Stock Area.....	9
5.B - Preliminary Landings by Major Ports and States .....	10
<b>WHITE HAKE</b>	
Tables 6.A - Preliminary Landings by Stock Area.....	11
6.B - Preliminary Landings by Major Ports and States .....	12
<b>AMERICAN PLAICE</b>	
Tables 7.A - Preliminary Landings by Stock Area.....	13
7.B - Preliminary Landings by Major Ports and States .....	14
<b>WINTER FLOUNDER</b>	
Tables 8.A - Preliminary Landings by Stock Area.....	15
8.B - Preliminary Landings by Major Ports and States .....	16
<b>WITCH FLOUNDER</b>	
Tables 9.A - Preliminary Landings by Stock Area.....	17
9.B - Preliminary Landings by Major Ports and States .....	18
<b>WINDOWPANE FLOUNDER</b>	
Tables 10.A - Preliminary Landings by Stock Area.....	19
10.B - Preliminary Landings by Major Ports and States .....	20
<b>SILVER HAKE</b>	
Tables 11.A - Preliminary Landings by Year and Month .....	21
11.B - Preliminary Landings by Major Ports and States .....	22
<b>RED HAKE</b>	
Tables 12.A - Preliminary Landings by Year and Month .....	23
12.B - Preliminary Landings by Major Ports and States .....	24
<b>MONKFISH</b>	
Tables 13.A - Preliminary Landings by Year and Month .....	25
13.B - Preliminary Landings by Major Ports and States .....	26

**SCALLOP**

Tables 14.A - Preliminary Landings by Year and Month ..... 27  
14.B - Preliminary Landings by Major Ports and States ..... 28

**STATISTICAL AREAS**

A chart for the 3 Digit Statistical Areas ..... 29

**Table 1.A. - Preliminary Commercial Cod Landings by Stock Area**

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		2007*		2006*		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	May-July07 as a % of Target TAC	Target TAC+ Metric Tons	May-July06 as a % of Target TAC	Target TAC+ Metric Tons	Metric Tons
<b>GULF OF MAINE</b>	<b>12</b>	<b>479</b>	<b>595</b>	<b>1,086</b>	<b>46%</b>				<b>N/A</b>	<b>10,020**</b>	<b>N/A</b>	<b>5,146**</b>	
OTTER TRAWL	8	210	236	454	19%								
GILLNET	2	263	357	622	27%								
HOOK	1	0	1	2	0%								
OTHER GEARS	0	5	2	8	0%								
<b>GEORGES BANK</b>	<b>263</b>	<b>566</b>	<b>425</b>	<b>1,254</b>	<b>54%</b>				<b>15%</b>	<b>8,416</b>	<b>11%</b>	<b>6,132</b>	
OTTER TRAWL	216	508	279	1,004	43%				<b>12%</b>				
GILLNET	3	48	143	193	8%				<b>2%</b>				
HOOK	43	7	2	52	2%				<b>1%</b>				
OTHER GEARS	1	3	1	5	0%				<b>0%</b>				
<b>ALL AREAS</b>	<b>274</b>	<b>1,045</b>	<b>1,020</b>	<b>2,339</b>	<b>100%</b>								
OTTER TRAWL	224	718	515	1,458	62%								
GILLNET	5	311	500	816	35%								
HOOK	44	7	2	53	2%								
OTHER GEARS	1	8	4	13	1%								
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	274	1,045	1,020	2,339									6,163
Fishing Year 2006	207	692	591	1,490									5,699
Fishing Year 2005	327	881	829	2,036									6,667
Fishing Year 2004	375	726	828	1,929									9,110
Fishing Year 2003	567	1,373	875	2,815									11,488
Fishing Year 2002	913	1,343	1,114	3,370									

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes commercial landings and discards, and recreational landings.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 9,822 metric tons (21,653 thousand lbs.)

**Table 1.B. - Preliminary Commercial Cod Landings by Major Ports and States, May - July 2007**

PORT/ STATE	MAY - JULY 07		STOCK AREAS						GEAR TYPES					
	GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS			
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		
Portland, ME	184	77%	43	23%	117	63%	67	36%	1	0%	0	0%		
Gloucester, MA	683	86%	95	14%	334	49%	343	50%	1	0%	6	1%		
Boston, MA	86	5%	82	95%	86	100%	0	0%	0	0%	0	0%		
New Bedford, MA	687	1%	683	99%	687	100%	0	0%	0	0%	0	0%		
Point Judith, RI	60	0%	60	100%	58	97%	0	0%	0	0%	2	3%		
<b>MAINE</b>	<b>261</b>	<b>83%</b>	<b>43</b>	<b>17%</b>	<b>146</b>	<b>56%</b>	<b>114</b>	<b>44%</b>	<b>1</b>	<b>0%</b>	<b>0</b>	<b>0%</b>		
NEW HAMPSHIRE	183	100%	1	0%	54	30%	127	70%	0	0%	1	1%		
MASSACHUSETTS	1,804	38%	1,118	62%	1,171	65%	572	32%	53	3%	9	0%		
RHODE ISLAND	89	0%	89	100%	83	94%	3	3%	0	0%	2	3%		
CONNECTICUT	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
NEW YORK	3	0%	3	99%	3	82%	0	0%	0	0%	1	0%		
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
<b>TOTAL</b>	<b>2,339</b>	<b>46%</b>	<b>1,254</b>	<b>54%</b>	<b>1,458</b>	<b>62%</b>	<b>816</b>	<b>35%</b>	<b>53</b>	<b>2%</b>	<b>13</b>	<b>1%</b>		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-637

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Commercial Haddock Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		2007*		2006*		Fishing Year* Landings	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	May-July07 as a % of Target TAC	Target TAC+ Metric Tons	May-July06 as a % of Target TAC	Target TAC+ Metric Tons	Metric Tons	Metric Tons	
<b>GULF OF MAINE</b>	4	47	24	75	7%			6%	1,254	7%	1,279			
OTTER TRAWL	3	44	19	66	6%			5%						
GILLNET	0	3	4	7	1%			1%						
HOOK	0	0	1	1	0%			0%						
OTHER GEARS	0	0	0	0	0%			0%						
<b>GEORGES BANK</b>	470	392	167	1,029	93%			1%	90,599	2%	35,309			
OTTER TRAWL	455	386	166	1,008	91%			1%						
GILLNET	0	2	0	3	0%			0%						
HOOK	14	3	1	18	2%			0%						
OTHER GEARS	0	1	0	1	0%			0%						
<b>SNE/ MID-ATLANTIC</b>	0	1	0	1	0%									
OTTER TRAWL	0	1	0	1	0%									
GILLNET	0	0	0	0	0%									
HOOK	0	0	0	0	0%									
OTHER GEARS	0	0	0	0	0%									
<b>ALL AREAS</b>	473	440	191	1,105	100%									
OTTER TRAWL	459	431	185	1,075	97%									
GILLNET	0	5	4	10	1%									
HOOK	15	3	2	19	2%									
OTHER GEARS	0	1	0	1	0%									
<b>LANDINGS - ALL AREAS</b>	473	440	191	1,105										
Fishing Year 2007	473	440	191	1,105									2,858	
Fishing Year 2006	424	400	95	919									5,969	
Fishing Year 2005	675	1,367	422	2,464									7,826	
Fishing Year 2004	464	1,126	673	2,263									7,065	
Fishing Year 2003	803	783	346	1,932									7,347	
Fishing Year 2002	718	817	731	2,266										

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.
- + US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 103,329 metric tons (227,795 thousand lbs.)

**Table 2.B. - Preliminary Commercial Haddock Landings by Major Ports and States, May - July 2007**

PORT/ STATE	MAY - JULY 07		STOCK AREAS						GEAR TYPES					
	GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	144	7	138	95%	0	0%	143	99%	0	0%	1	1%	0	0%
Gloucester, MA	129	41	88	68%	0	0%	125	97%	4	3%	0	0%	0	0%
Boston, MA	35	4	31	89%	0	0%	35	100%	0	0%	0	0%	0	0%
New Bedford, MA	685	2	682	100%	1	0%	685	100%	0	0%	0	0%	0	0%
Point Judith, RI	48	0	48	100%	0	0%	47	98%	0	0%	0	0%	1	0%
<b>MAINE</b>	<b>150</b>	<b>12</b>	<b>138</b>	<b>92%</b>	<b>0</b>	<b>0%</b>	<b>148</b>	<b>99%</b>	<b>1</b>	<b>0%</b>	<b>1</b>	<b>1%</b>	<b>0</b>	<b>0%</b>
<b>NEW HAMPSHIRE</b>	<b>4</b>	<b>4</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>3</b>	<b>62%</b>	<b>2</b>	<b>37%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>MASSACHUSETTS</b>	<b>883</b>	<b>58</b>	<b>824</b>	<b>93%</b>	<b>1</b>	<b>0%</b>	<b>858</b>	<b>97%</b>	<b>7</b>	<b>1%</b>	<b>18</b>	<b>2%</b>	<b>0</b>	<b>0%</b>
<b>RHODE ISLAND</b>	<b>67</b>	<b>0</b>	<b>67</b>	<b>100%</b>	<b>0</b>	<b>0%</b>	<b>67</b>	<b>99%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>
<b>CONNECTICUT</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>NEW YORK</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>NEW JERSEY</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>OTHER NORTHEAST</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>TOTAL</b>	<b>1,105</b>	<b>75</b>	<b>1,029</b>	<b>93%</b>	<b>1</b>	<b>0%</b>	<b>1,075</b>	<b>97%</b>	<b>10</b>	<b>1%</b>	<b>19</b>	<b>2%</b>	<b>1</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Commercial Yellowtail Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		2007*		2006*		Fishing Year* Landings	
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		May-July07 as a % of Target TAC		May-July06 as a % of Target TAC		Metric Tons	
<b>GULF OF MAINE</b>	0	2	2	2	2	2	5	1%						
OTTER TRAWL														
GILLNET	0	2	2	2	2	2	5	1%						
HOOK	0	0	0	0	0	0	0	0%						
OTHER GEARS	0	0	0	0	0	0	0	0%						
<b>CAPE COD</b>	8	57	43	107	28%									
OTTER TRAWL	5	35	35	75	19%									
GILLNET	2	22	8	32	8%									
HOOK	0	0	0	0	0%									
OTHER GEARS	0	0	0	0	0%									
<b>GULF OF MAINE &amp; CAPE COD</b>	8	59	45	112	29%				N/A	1,078**	N/A	650**		
<b>GEORGES BANK</b>	147	84	32	263	68%				N/A	900**	N/A	2,070**		
OTTER TRAWL	147	84	32	263	68%									
GILLNET	0	0	0	0	0%									
HOOK	0	0	0	0	0%									
OTHER GEARS	0	0	0	0	0%									
<b>SNE/ MID-ATLANTIC</b>	5	2	7	14	4%				N/A	213**	N/A	146**		
OTTER TRAWL	5	2	7	14	4%									
GILLNET	0	0	0	0	0%									
HOOK	0	0	0	0	0%									
OTHER GEARS	0	0	0	0	0%									
<b>ALL AREAS</b>	160	146	84	389	100%									
OTTER TRAWL	157	123	76	357	92%									
GILLNET	2	22	8	32	8%									
HOOK	0	0	0	0	0%									
OTHER GEARS	0	0	0	0	0%									
<b>LANDINGS - ALL AREAS</b>	160	146	84	389										
Fishing Year 2007	235	211	176	622									1,960	
Fishing Year 2006	442	542	628	1,612									4,021	
Fishing Year 2005	700	1,455	1,573	3,728									6,522	
Fishing Year 2004	591	422	311	1,324									4,846	
Fishing Year 2003	616	525	262	1,403									5,341	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
Cape Cod: 514, 521

Georges Bank: 522, 525, 542-543, 551-552, 561-562  
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes commercial landings and discards.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY07 is 1,250 metric tons (2,756 thousand lbs.)

Table 3.B. - Preliminary Commercial Yellowtail Flounder Landings by Major Ports and States, May - July 2007

PORT/ STATE	MAY - JULY 07		STOCK AREAS										GEAR TYPES					
	GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS			
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		
Portland, ME	4	0%	0	0%	4	95%	0	0%	4	100%	0	0%	0	0%	0	0%		
Gloucester, MA	74	3%	52	71%	19	26%	0	0%	54	73%	20	27%	0	0%	0	0%		
Boston, MA	4	0%	0	0%	3	85%	0	0%	4	100%	0	0%	0	0%	0	0%		
New Bedford, MA	218	0%	8	4%	207	95%	2	1%	218	100%	0	0%	0	0%	0	0%		
Point Judith, RI	30	0%	0	0%	24	81%	6	19%	30	100%	0	0%	0	0%	0	0%		
MAINE	4	0%	0	0%	4	95%	0	0%	4	100%	0	0%	0	0%	0	0%		
NEW HAMPSHIRE	3	57%	1	43%	0	0%	0	0%	3	99%	0	0%	0	0%	0	0%		
MASSACHUSETTS	341	3%	106	31%	230	67%	3	1%	309	91%	32	9%	0	0%	0	0%		
RHODE ISLAND	37	0%	0	0%	29	79%	8	21%	37	100%	0	0%	0	0%	0	0%		
CONNECTICUT	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
NEW YORK	4	0%	0	0%	0	0%	4	100%	4	99%	0	0%	0	0%	0	0%		
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
<b>TOTAL</b>	<b>389</b>	<b>1%</b>	<b>107</b>	<b>28%</b>	<b>263</b>	<b>68%</b>	<b>14</b>	<b>4%</b>	<b>357</b>	<b>92%</b>	<b>32</b>	<b>8%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
 Cape Cod: 514, 521  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

**Table 4.A. - Preliminary Commercial Atlantic Pollock Landings by Stock Area**

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07			2007*		2006*		Fishing Year*
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Percent of Area	May-July07 as a % of Target TAC	May-July06 as a % of Target TAC		Fishing Year Landings	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	
<b>400's &amp; 500's</b>	<b>616</b>	<b>674</b>	<b>829</b>	<b>2,119</b>	<b>100%</b>									
OTTER TRAWL	566	500	526	1,592	75%									
GILLNET	50	172	304	526	25%									
HOOK	0	0	0	0	0%									
OTHER GEAR	0	1	0	1	0%									
<b>600's</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>7</b>	<b>0%</b>									
OTTER TRAWL	0	0	0	0	0%									
GILLNET	0	0	7	7	0%									
HOOK	0	0	0	0	0%									
OTHER GEAR	0	0	0	0	0%									
<b>ALL AREAS</b>	<b>616</b>	<b>674</b>	<b>837</b>	<b>2,126</b>	<b>100%</b>					<b>N/A</b>	<b>12,005**</b>	<b>N/A</b>	<b>12005**</b>	
OTTER TRAWL	566	500	526	1,592	75%									
GILLNET	50	172	311	533	25%									
HOOK	0	0	0	0	0%									
OTHER GEAR	0	1	0	1	0%									
<b>LANDINGS - ALL AREAS</b>	<b>616</b>	<b>674</b>	<b>837</b>	<b>2,126</b>										
Fishing Year 2007	616	674	837	2,126										6,480
Fishing Year 2006	160	443	515	1,119										6,327
Fishing Year 2005	337	460	787	1,583										5,456
Fishing Year 2004	309	465	405	1,179										4,480
Fishing Year 2003	209	413	209	830										3,914
Fishing Year 2002	194	432	286	912										

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes US and Canadian landings.

**Table 4.B. - Preliminary Commercial Pollock Landings by Major Ports and States, May - July 2007**

PORT/STATE	MAY -JULY 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		400's & 500's		600's		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	417	100%	0	0%	0	0%	182	44%	234	56%	0	0%	0	0%
Gloucester, MA	765	99%	7	1%	7	1%	685	90%	80	10%	0	0%	0	0%
Boston, MA	571	100%	0	0%	0	0%	571	100%	0	0%	0	0%	0	0%
New Bedford, MA	107	100%	0	0%	0	0%	107	100%	0	0%	0	0%	0	0%
Point Judith, RI	9	100%	0	0%	0	0%	8	88%	0	0%	0	0%	1	12%
MAINE	519	100%	0	0%	0	0%	205	39%	314	61%	0	0%	0	0%
NEW HAMPSHIRE	97	100%	0	0%	0	0%	1	1%	96	99%	0	0%	0	0%
MASSACHUSETTS	1,483	100%	7	0%	7	0%	1,367	92%	116	8%	0	0%	0	0%
RHODE ISLAND	26	100%	0	0%	0	0%	19	73%	6	23%	0	0%	1	4%
CONNECTICUT	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>2,126</b>	<b>100%</b>	<b>7</b>	<b>0%</b>	<b>7</b>	<b>0%</b>	<b>1,592</b>	<b>75%</b>	<b>533</b>	<b>25%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Commercial Redfish Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		2007*		2006*		Fishing Year* Landings
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		May-July07 as a % of Target TAC	Target TAC	May-July06 as a % of Target TAC	Target TAC	Metric Tons
								Percent of Area					
<b>400's</b>	0	0	0	0	0	0	0%						
OTTER TRAWL	0	0	0	0	0	0	0%						
GILLNET	0	0	0	0	0	0	0%						
HOOK	0	0	0	0	0	0	0%						
OTHER GEAR	0	0	0	0	0	0	0%						
<b>500's</b>	84	96	55	235	100%	235	100%	11%	2,075	4%	1,946		
OTTER TRAWL	81	89	46	216	91%	216	91%	10%					
GILLNET	3	7	9	19	8%	19	8%	1%					
HOOK	0	0	0	0	0%	0	0%	0%					
OTHER GEAR	0	0	0	0	0%	0	0%	0%					
<b>600's</b>	0	0	1	1	0%	1	0%						
OTTER TRAWL	0	0	0	0	0%	0	0%						
GILLNET	0	0	1	1	0%	1	0%						
HOOK	0	0	0	0	0%	0	0%						
OTHER GEAR	0	0	0	0	0%	0	0%						
<b>ALL AREAS</b>	84	96	56	236	100%	236	100%						
OTTER TRAWL	81	89	46	216	91%	216	91%						
GILLNET	3	7	9	19	8%	19	8%						
HOOK	0	0	0	0	0%	0	0%						
OTHER GEAR	0	0	0	0	0%	0	0%						
<b>LANDINGS - ALL AREAS</b>	84	96	56	236		236							
Fishing Year 2007	11	31	27	69		69						513	
Fishing Year 2006	32	44	32	109		109						582	
Fishing Year 2005	15	19	25	59		59						485	
Fishing Year 2004	28	29	22	79		79						415	
Fishing Year 2003	28	28	14	70		70						307	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

**Table 5.B. - Preliminary Commercial Redfish Landings by Major Ports and States, May - July 2007**

PORT/ STATE	MAY - JULY 07			STOCK AREAS						GEAR TYPES							
				400s		500s		600s		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent		Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	31	0%	0	31	100%	0	0%	0	0%	17	54%	14	45%	0	0%	0	0%
Gloucester, MA	64	0%	0	63	99%	1	0%	0	0%	61	95%	3	5%	0	0%	0	0%
Boston, MA	111	0%	0	111	100%	0	0%	0	0%	111	100%	0	0%	0	0%	0	0%
New Bedford, MA	25	0%	0	25	100%	0	0%	0	0%	25	100%	0	0%	0	0%	0	0%
Point Judith, RI	0	0%	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>236</b>	<b>0%</b>	<b>0</b>	<b>235</b>	<b>100%</b>	<b>1</b>	<b>0%</b>	<b>1</b>	<b>0%</b>	<b>216</b>	<b>91%</b>	<b>19</b>	<b>8%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>
MAINE	35	0%	0	35	100%	0	0%	0	0%	19	54%	16	45%	0	0%	0	0%
NEW HAMPSHIRE	1	0%	0	1	100%	0	0%	0	0%	0	0%	1	0%	0	0%	0	0%
MASSACHUSETTS	199	0%	0	199	100%	1	0%	1	0%	196	98%	3	2%	0	0%	0	0%
RHODE ISLAND	0	0%	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
CONNECTICUT	0	0%	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0%	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0%	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Commercial White Hake Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		2007*		2006*		Fishing Year* Landings
	Metric Tons		Metric Tons		Metric Tons		Metric Tons	Percent of Area	May-July07 as a % of Target TAC	Metric Tons	May-July06 as a % of Target TAC	Metric Tons	Metric Tons
<b>SNE/ NORTH</b>	<b>92</b>		<b>181</b>		<b>184</b>		<b>457</b>	<b>97%</b>					
OTTER TRAWL	82	120	52	255	54%								
GILLNET	9	61	132	202	43%								
HOOK	0	0	0	0	0%								
OTHER GEARS	0	0	0	0	0%								
<b>MID-ATLANTIC</b>	<b>5</b>		<b>1</b>		<b>6</b>		<b>12</b>	<b>3%</b>					
OTTER TRAWL	5	1	0	6	1%								
GILLNET	0	0	6	6	1%								
HOOK	0	0	0	0	0%								
OTHER GEARS	0	0	0	0	0%								
<b>ALL AREAS</b>	<b>97</b>		<b>182</b>		<b>191</b>		<b>470</b>	<b>100%</b>	<b>28%</b>		<b>17%</b>	<b>2,056</b>	
OTTER TRAWL	88	121	52	261	56%						10%		
GILLNET	9	61	138	208	44%						7%		
HOOK	0	0	0	0	0%						0%		
OTHER GEARS	0	0	0	0	0%						0%		
<b>LANDINGS - ALL AREAS</b>	<b>97</b>		<b>182</b>		<b>191</b>		<b>470</b>						
Fishing Year 2007	65	113	240	345	715	1,314	1,381						1,381
Fishing Year 2006	192	283	365	470	712	1,314	1,381						2,417
Fishing Year 2005	229	379	470	712	1,314	1,381	1,381						3,163
Fishing Year 2004	465	228	311	470	712	1,314	1,381						4,272
Fishing Year 2003	173	228	311	470	712	1,314	1,381						3,486

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC only includes lengths greater than 60 cm. Landings data include all lengths.

**Table 6.B. - Preliminary Commercial White Hake Landings by Major Ports and States, May - July 2007**

PORT/ STATE	MAY - JULY 07		STOCK AREAS						GEAR TYPES					
	SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS			
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		
Portland, ME	155	100%	0	0%	56	36%	99	64%	0	0%	0	0%		
Gloucester, MA	178	96%	6	4%	122	69%	56	31%	0	0%	0	0%		
Boston, MA	58	100%	0	0%	58	100%	0	0%	0	0%	0	0%		
New Bedford, MA	10	100%	0	0%	10	100%	0	0%	0	0%	0	0%		
Point Judith, RI	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%		
MAINE	182	100%	0	0%	62	34%	120	66%	0	0%	0	0%		
NEW HAMPSHIRE	30	100%	0	0%	0	0%	30	100%	0	0%	0	0%		
MASSACHUSETTS	249	97%	6	3%	191	77%	58	23%	0	0%	0	0%		
RHODE ISLAND	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%		
CONNECTICUT	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%		
NEW YORK	5	0%	5	100%	5	100%	0	0%	0	0%	0	0%		
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
<b>TOTAL</b>	<b>470</b>	<b>97%</b>	<b>12</b>	<b>3%</b>	<b>261</b>	<b>56%</b>	<b>208</b>	<b>44%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Commercial American Plaice Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		2007*		2006*		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	May-July07 as a % of Target TAC	Target TAC	May-July06 as a % of Target TAC	Target TAC	Metric Tons	Metric Tons
<b>GULF OF MAINE/ GB</b>	<b>54</b>	<b>121</b>	<b>103</b>	<b>277</b>	<b>98%</b>								
OTTER TRAWL	54	119	102	275	97%								
GILLNET	0	1	1	2	1%								
HOOK	0	0	0	0	0%								
OTHER GEARS	0	0	0	0	0%								
<b>SNE / MID-ATLANTIC</b>	<b>0</b>	<b>5</b>	<b>0</b>	<b>5</b>	<b>2%</b>								
OTTER TRAWL	0	5	0	5	2%								
GILLNET	0	0	0	0	0%								
HOOK	0	0	0	0	0%								
OTHER GEARS	0	0	0	0	0%								
<b>ALL AREAS</b>	<b>54</b>	<b>125</b>	<b>103</b>	<b>282</b>	<b>100%</b>					<b>N/A</b>	<b>3,243**</b>	<b>N/A</b>	<b>3,666**</b>
OTTER TRAWL	54	124	102	280	99%								
GILLNET	0	1	1	2	1%								
HOOK	0	0	0	0	0%								
OTHER GEARS	0	0	0	0	0%								
<b>LANDINGS - ALL AREAS</b>	<b>54</b>	<b>125</b>	<b>103</b>	<b>282</b>									
Fishing Year 2007	54	125	103	282									1,005
Fishing Year 2006	40	157	80	277									1,275
Fishing Year 2005	86	171	115	373									1,656
Fishing Year 2004	59	205	179	443									2,220
Fishing Year 2003	125	359	240	723									2,829
Fishing Year 2002	214	302	343	859									

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* TAC includes commercial landings and discards.

**Table 7.B. - Preliminary Commercial American Plaice Landings by Major Ports and States, May - July 2007**

PORT/STATE	MAY - JULY 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	44	100%	0	0%	0	0%	44	100%	0	0%	0	0%	0	0%
Gloucester, MA	71	98%	2	2%	0	0%	70	98%	1	2%	0	0%	0	0%
Boston, MA	29	100%	0	0%	0	0%	29	100%	0	0%	0	0%	0	0%
New Bedford, MA	98	97%	2	3%	0	0%	98	100%	0	0%	0	0%	0	0%
Point Judith, RI	16	100%	0	0%	0	0%	16	99%	0	0%	0	0%	0	0%
<b>MAINE</b>	<b>48</b>	<b>100%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>48</b>	<b>99%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>NEW HAMPSHIRE</b>	<b>3</b>	<b>100%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>2</b>	<b>85%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>MASSACHUSETTS</b>	<b>207</b>	<b>98%</b>	<b>4</b>	<b>2%</b>	<b>0</b>	<b>0%</b>	<b>205</b>	<b>99%</b>	<b>2</b>	<b>1%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>RHODE ISLAND</b>	<b>24</b>	<b>99%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>24</b>	<b>100%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>CONNECTICUT</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>NEW YORK</b>	<b>1</b>	<b>0%</b>	<b>1</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>NEW JERSEY</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>OTHER NORTHEAST</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
<b>TOTAL</b>	<b>282</b>		<b>277</b>	<b>98%</b>	<b>5</b>	<b>2%</b>	<b>280</b>	<b>99%</b>	<b>2</b>	<b>1%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 8.A. - Preliminary Commercial Winter Flounder Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		2007*		2006*		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	May-July07 as a % of Target TAC	Metric Tons	May-July06 as a % of Target TAC	Metric Tons	Metric Tons
									N/A	**	N/A	***	
<b>GULF OF MAINE</b>	18	21	31	69	7%								
OTTER TRAWL	18	13	23	54	6%								
GILLNET	0	7	8	15	2%								
HOOK	0	0	0	0	0%								
OTHER GEARS	0	0	0	0	0%								
<b>GEORGES BANK</b>	97	210	114	421	44%				26%	1,604	37%	1,424	
OTTER TRAWL	96	208	113	417	44%				26%		37%		
GILLNET	0	0	0	0	0%				0%		0%		
HOOK	0	0	0	0	0%				0%		0%		
OTHER GEARS	0	2	1	3	0%				0%		0%		
<b>SNE/ MID-ATLANTIC</b>	214	105	139	458	48%				N/A	3,016***	N/A	2,481***	
OTTER TRAWL	209	100	137	446	47%								
GILLNET	5	5	1	11	1%								
HOOK	0	0	0	0	0%								
OTHER GEARS	0	0	0	1	0%								
<b>ALL AREAS</b>	329	335	283	948	100%								
OTTER TRAWL	323	321	273	917	97%								
GILLNET	5	12	9	26	3%								
HOOK	0	0	0	1	0%								
OTHER GEARS	1	2	1	4	0%								
<b>LANDINGS - ALL AREAS</b>	329	335	283	948									
Fishing Year 2007	308	334	326	968									3,728
Fishing Year 2006	335	903	647	1,884									4,481
Fishing Year 2005	675	668	620	1,963									5,781
Fishing Year 2004	871	899	901	2,671									5,417
Fishing Year 2003	741	835	572	2,148									6,977

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

- Landings in live weight.
- Gear data are based on vessel trip reports.
- Fishing Year is May 1 through April 30.
- GARM II did not develop a TAC for GOM winter flounder because of uncertainties in the assessment.
- TAC includes commercial landings and discards, and recreational landings.

**Table 8.B. - Preliminary Commercial Winter Flounder Landings by Major Ports and States, May - July 2007**

PORT/ STATE	MAY - JULY 07		STOCK AREAS						GEAR TYPES					
	GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	7	0%	7	98%	0	0%	7	100%	0	0%	0	0%	0	0%
Gloucester, MA	31	45%	16	51%	1	4%	22	71%	9	29%	0	0%	0	0%
Boston, MA	8	0%	4	56%	3	44%	8	100%	0	0%	0	0%	0	0%
New Bedford, MA	474	0%	359	76%	115	24%	472	100%	0	0%	0	0%	2	0%
Point Judith, RI	186	0%	23	12%	163	88%	184	99%	0	0%	0	0%	2	1%
MAINE	7	0%	7	98%	0	0%	7	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	586	12%	381	65%	136	23%	563	96%	20	3%	1	0%	2	0%
RHODE ISLAND	206	0%	33	16%	173	84%	198	96%	6	3%	0	0%	2	1%
CONNECTICUT	31	0%	0	0%	31	100%	31	100%	0	0%	0	0%	0	0%
NEW YORK	75	0%	0	0%	75	100%	75	100%	0	0%	0	0%	0	0%
NEW JERSEY	42	0%	0	0%	42	100%	42	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>948</b>	<b>7%</b>	<b>421</b>	<b>44%</b>	<b>458</b>	<b>48%</b>	<b>917</b>	<b>97%</b>	<b>26</b>	<b>3%</b>	<b>1</b>	<b>0%</b>	<b>4</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.

Table 9.A. - Preliminary Commercial Witch Flounder Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		2007*		2006*		Fishing Year*
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		May-July07 as a % of Target TAC	Target TAC	May-July06 as a % of Target TAC	Target TAC	Landings
								Percent of Area					Metric Tons
<b>GULF OF MAINE/GB</b>	<b>65</b>	<b>147</b>	<b>126</b>	<b>338</b>	<b>98%</b>								
OTTER TRAWL	64	143	122	329	95%								
GILLNET	0	4	4	8	2%								
HOOK	0	0	0	0	0%								
OTHER GEARS	0	0	0	1	0%								
<b>SNE/MID-ATLANTIC</b>	<b>0</b>	<b>3</b>	<b>4</b>	<b>8</b>	<b>2%</b>								
OTTER TRAWL	0	3	3	7	2%								
GILLNET	0	0	0	0	0%								
HOOK	0	0	0	0	0%								
OTHER GEARS	0	0	0	0	0%								
<b>ALL AREAS</b>	<b>65</b>	<b>151</b>	<b>130</b>	<b>345</b>	<b>100%</b>				<b>7%</b>	<b>5,075</b>	<b>9%</b>	<b>5,511</b>	
OTTER TRAWL	65	146	125	336	97%				7%				
GILLNET	0	4	4	8	2%				0%				
HOOK	0	0	0	0	0%				0%				
OTHER GEARS	0	0	1	1	0%				0%				
<b>LANDINGS - ALL AREAS</b>	<b>65</b>	<b>151</b>	<b>130</b>	<b>345</b>									
Fishing Year 2007	65	151	130	345									1,370
Fishing Year 2006	105	203	198	507									2,591
Fishing Year 2005	188	316	314	818									2,888
Fishing Year 2004	129	337	335	801									3,202
Fishing Year 2003	211	434	464	1,109									2,798
Fishing Year 2002	164	321	427	912									

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.  
 \* Fishing Year is May 1 through April 30.

**Table 9.B. - Preliminary Commercial Witch Flounder Landings by Major Ports and States, May - July 2007**

PORT/ STATE	MAY - JULY 07		STOCK AREAS						GEAR TYPES					
	GULF OF MAINE		SOUTHERN NEW ENGLAND				OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	70	100%	0	0%	70	100%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	71	98%	1	2%	67	94%	4	6%	0	0%	0	0%	0	0%
Boston, MA	20	100%	0	0%	20	100%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	106	100%	0	0%	105	99%	0	0%	0	0%	0	0%	1	0%
Point Judith, RI	17	88%	2	12%	17	100%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>345</b>	<b>98%</b>	<b>8</b>	<b>2%</b>	<b>336</b>	<b>97%</b>	<b>8</b>	<b>2%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

**Table 10.A. - Preliminary Commercial Windowpane Flounder Landings by Stock Area**

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		2007*		2006*		Fishing Year* Landings Metric Tons
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		May-July07 as a % of Target TAC		May-July06 as a % of Target TAC		
	Metric Tons		Metric Tons		Metric Tons		Metric Tons	Percent of Area	Metric Tons		Metric Tons		
<b>GULF OF MAINE/ GB</b>	<b>30</b>	<b>7</b>	<b>3</b>	<b>40</b>	<b>75%</b>	<b>389</b>	<b>5%</b>	<b>389</b>	<b>5%</b>	<b>389</b>			
OTTER TRAWL	30	7	3	40	75%	389	5%	389	5%	389			
GILLNET	0	0	0	0	0%	0	0%	0	0%	0			
HOOK	0	0	0	0	0%	0	0%	0	0%	0			
OTHER GEARS	0	0	0	0	0%	0	0%	0	0%	0			
<b>SNE/ MID-ATLANTIC</b>	<b>10</b>	<b>2</b>	<b>1</b>	<b>13</b>	<b>25%</b>	<b>166</b>	<b>8%</b>	<b>166</b>	<b>9%</b>	<b>173</b>			
OTTER TRAWL	10	2	1	13	25%	166	8%	166	9%	173			
GILLNET	0	0	0	0	0%	0	0%	0	0%	0			
HOOK	0	0	0	0	0%	0	0%	0	0%	0			
OTHER GEARS	0	0	0	0	0%	0	0%	0	0%	0			
<b>ALL AREAS</b>	<b>40</b>	<b>9</b>	<b>4</b>	<b>53</b>	<b>100%</b>								
OTTER TRAWL	40	9	3	52	99%								
GILLNET	0	0	0	0	0%								
HOOK	0	0	0	0	0%								
OTHER GEARS	0	0	0	0	0%								
<b>LANDINGS - ALL AREAS</b>	<b>40</b>	<b>9</b>	<b>4</b>	<b>53</b>									
Fishing Year 2007	40	9	4	53									183
Fishing Year 2006	28	3	6	36									67
Fishing Year 2005	12	3	2	16									78
Fishing Year 2004	6	2	4	12									83
Fishing Year 2003	10	3	2	14									61
Fishing Year 2002	8	3	1	13									

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.  
 \* Fishing Year is May 1 through April 30.

**Table 10.B. - Preliminary Commercial Windowpane Flounder Landings by Major Ports and States, May - July 2007**

PORT/ STATE	MAY - JULY 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	2	100%	2	100%	0	0%	2	90%	0	0%	0	0%	0	0%
Boston, MA	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	34	99%	33	99%	0	0%	33	100%	0	0%	0	0%	0	0%
Point Judith, RI	4	84%	4	84%	1	0%	4	98%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>53</b>	<b>75%</b>	<b>40</b>	<b>75%</b>	<b>13</b>	<b>25%</b>	<b>52</b>	<b>99%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
MAINE	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	36	99%	36	99%	0	0%	36	99%	0	0%	0	0%	0	0%
RHODE ISLAND	4	84%	4	84%	1	0%	4	98%	0	0%	0	0%	0	0%
CONNECTICUT	1	0%	0	0%	1	0%	1	0%	0	0%	0	0%	0	0%
NEW YORK	10	0%	0	0%	10	100%	10	99%	0	0%	0	0%	0	0%
NEW JERSEY	1	0%	0	0%	1	100%	1	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562  
 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Commercial Silver Hake Landings by Stock Area

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		Fishing Year* Landings	
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons	
<b>GULF OF MAINE</b>	<b>0</b>		<b>2</b>		<b>114</b>		<b>116</b>	<b>7%</b>		
OTTER TRAWL	0		1		114		115	7%		
GILLNET	0		0		0		1	0%		
HOOK	0		0		0		0	0%		
OTHER GEARS	0		0		0		0	0%		
<b>SNE/ MID-ATLANTIC</b>	<b>569</b>		<b>545</b>		<b>363</b>		<b>1,477</b>	<b>93%</b>		
OTTER TRAWL	569		545		363		1,477	93%		
GILLNET	0		0		0		0	0%		
HOOK	0		0		0		0	0%		
OTHER GEARS	0		0		0		0	0%		
<b>ALL AREAS</b>	<b>569</b>		<b>547</b>		<b>477</b>		<b>1,593</b>	<b>100%</b>		
OTTER TRAWL	569		547		477		1,592	100%		
GILLNET	0		0		0		1	0%		
HOOK	0		0		0		0	0%		
OTHER GEARS	0		0		0		0	0%		
<b>LANDINGS - ALL AREAS</b>	<b>569</b>		<b>547</b>		<b>477</b>		<b>1,593</b>			
Fishing Year 2007	569		547		477		1,593		5,015	
Fishing Year 2006	547		499		531		1,578		6,811	
Fishing Year 2005	691		873		830		2,394		6,776	
Fishing Year 2004	600		716		754		2,070		7,828	
Fishing Year 2003	580		326		895		1,801		7,140	
Fishing Year 2002	814		616		767		2,198			

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562  
 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

**Table 11.B. - Preliminary Commercial Silver Hake Landings by Major Ports and States, May - July 2007**

PORT/ STATE	MAY- JULY 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	64	84%	10	16%	0	0%	64	100%	0	0%	0	0%	0	0%
Boston, MA	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	376	2%	368	98%	0	0%	376	100%	0	0%	0	0%	0	0%
Point Judith, RI	332	0%	332	100%	0	0%	332	100%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>1,593</b>		<b>116</b>	<b>7%</b>	<b>1,477</b>	<b>93%</b>	<b>1,592</b>	<b>100%</b>	<b>1</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>
MAINE	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	35	100%	0	0%	0	0%	35	100%	0	0%	0	0%	0	0%
MASSACHUSETTS	458	17%	378	83%	0	0%	458	100%	0	0%	0	0%	0	0%
RHODE ISLAND	333	1%	332	100%	0	0%	332	100%	0	0%	0	0%	0	0%
CONNECTICUT	101	0%	100	100%	0	0%	101	100%	0	0%	0	0%	0	0%
NEW YORK	320	0%	320	100%	0	0%	320	100%	0	0%	0	0%	0	0%
NEW JERSEY	347	0%	347	100%	0	0%	347	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561  
 Southern New England: 525-552, 562, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

**Table 12.A. - Preliminary Commercial Red Hake Landings by Stock Area**

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		Fishing Year* Landings	
	Metric Tons		Metric Tons		Metric Tons		Metric Tons	Percent of Area	Metric Tons	
<b>GULF OF MAINE</b>	<b>0</b>		<b>0</b>		<b>8</b>		<b>8</b>	<b>6%</b>		
OTTER TRAWL	0		0		8		8	6%		
GILLNET	0		0		0		0	0%		
HOOK	0		0		0		0	0%		
OTHER GEARS	0		0		0		0	0%		
<b>SNE/ MID-ATLANTIC</b>	<b>52</b>		<b>30</b>		<b>41</b>		<b>123</b>	<b>94%</b>		
OTTER TRAWL	52		29		41		121	93%		
GILLNET	0		0		0		0	0%		
HOOK	0		0		0		0	0%		
OTHER GEARS	1		0		1		2	1%		
<b>ALL AREAS</b>	<b>52</b>		<b>30</b>		<b>49</b>		<b>131</b>	<b>100%</b>		
OTTER TRAWL	52		29		48		129	99%		
GILLNET	0		0		0		0	0%		
HOOK	0		0		0		0	0%		
OTHER GEARS	1		0		1		2	1%		
<b>LANDINGS - ALL AREAS</b>										
Fishing Year 2007	52		30		49		131		408	
Fishing Year 2006	35		34		62		131		379	
Fishing Year 2005	28		40		51		119		572	
Fishing Year 2004	77		38		62		178		783	
Fishing Year 2003	61		54		80		195		888	
Fishing Year 2002	56		105		103		263			

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Red Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562  
 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

**Table 12.B. - Preliminary Commercial Red Hake Landings by Major Ports and States, May - July 2007**

PORT/ STATE	MAY - JULY 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	10	73%	3	27%	0	0%	10	97%	0	0%	0	0%	0	0%
Boston, MA	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	25	0%	1	96%	24	96%	25	100%	0	0%	0	0%	0	0%
Point Judith, RI	33	0%	0	100%	33	100%	33	99%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>131</b>		<b>8</b>	<b>6%</b>	<b>123</b>	<b>94%</b>	<b>129</b>	<b>99%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>2</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561  
 Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

**Table 13.A. - Preliminary Commercial Monkfish Landings by Stock Area**

	MAY - 2007		JUN - 2007		JUL - 2007		MAY - JULY 07		2007*		2006*		Fishing Year* Landings
	Metric Tons		Metric Tons		Metric Tons		Metric Tons	Percent of Area	May-July07 as a % of Target TAC	Target TAC Metric Tons	May-July06 as a % of Target TAC	Target TAC Metric Tons	Metric Tons
<b>NORTHERN</b>	<b>231</b>		<b>404</b>		<b>522</b>		<b>1,156</b>	<b>33%</b>	<b>23%</b>	<b>5,000</b>	<b>20%</b>	<b>7,737</b>	
OTTER TRAWL	217		263		239		719	20%	14%		10%		
GILLNET	12		140		264		417	12%	8%		10%		
HOOK	0		0		0		0	0%	0%		0%		
OTHER GEARS	1		1		18		20	1%	0%		0%		
<b>SOUTHERN</b>	<b>1,183</b>		<b>802</b>		<b>396</b>		<b>2,380</b>	<b>67%</b>	<b>65%</b>	<b>3,667</b>	<b>67%</b>	<b>3,667</b>	
OTTER TRAWL	133		111		123		367	10%	10%		11%		
GILLNET	908		577		195		1,680	47%	46%		46%		
HOOK	0		0		0		0	0%	0%		0%		
OTHER GEARS	142		115		77		334	9%	9%		10%		
<b>ALL AREAS</b>	<b>1,413</b>		<b>1,206</b>		<b>917</b>		<b>3,537</b>	<b>100%</b>					
OTTER TRAWL	350		374		363		1,086	31%					
GILLNET	920		716		460		2,096	59%					
HOOK	0		0		0		0	0%					
OTHER GEARS	143		116		95		354	10%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2007	1,413		1,206		917		3,537						12,586
Fishing Year 2006	1,314		1,490		1,181		3,985						19,189
Fishing Year 2005	2,040		3,040		1,862		6,943						17,927
Fishing Year 2004	1,806		1,979		1,581		5,366						26,273
Fishing Year 2003	2,681		3,199		1,913		7,793						21,807
Fishing Year 2002	1,574		2,093		1,489		5,156						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562  
 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.  
 3. Gear data are based on vessel trip reports.  
 \* Fishing Year is May 1 through April 30.

**Table 13.B. - Preliminary Monkfish Landings by Major Ports and States, May - July 2007**

PORT/ STATE	MAY -JULY 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	172	97%	166	3%	6	3%	152	89%	20	11%	0	0%	0	0%
Gloucester, MA	402	96%	384	4%	18	4%	225	56%	177	44%	0	0%	0	0%
Boston, MA	137	100%	137	0%	0	0%	137	100%	0	0%	0	0%	0	0%
New Bedford, MA	861	24%	205	76%	657	76%	366	42%	299	35%	0	0%	197	23%
Point Judith, RI	310	6%	17	94%	293	94%	92	30%	213	69%	0	0%	5	2%
<b>TOTAL</b>	<b>3,537</b>	<b>33%</b>	<b>1,156</b>	<b>67%</b>	<b>2,380</b>	<b>67%</b>	<b>1,086</b>	<b>31%</b>	<b>2,096</b>	<b>59%</b>	<b>0</b>	<b>0%</b>	<b>354</b>	<b>10%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562  
 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 14.A. - Preliminary Commercial Sea Scallop Landings by Stock Area

	MAR - 2007	APR - 2007	MAY - 2007	JUN - 2007	JUL - 2007	MARCH - JULY 2007		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent	Metric Tons
<b>GULF OF MAINE</b>	<b>16</b>	<b>14</b>	<b>16</b>	<b>11</b>	<b>20</b>	<b>78</b>	<b>0%</b>	
OTTER TRAWL	0	0	0	0	0	1	0%	
DREDGE	16	14	16	10	20	77	0%	
OTHER GEARS	0	0	0	0	0	0	0%	
<b>SOUTH CHANNEL</b>	<b>118</b>	<b>119</b>	<b>147</b>	<b>1,988</b>	<b>1,662</b>	<b>4,035</b>	<b>23%</b>	
OTTER TRAWL	0	0	0	1	1	3	0%	
DREDGE	118	110	147	1,718	1,565	3,658	21%	
OTHER GEARS	0	9	0	270	96	374	2%	
<b>GEORGES BANK NORTH</b>	<b>42</b>	<b>39</b>	<b>224</b>	<b>81</b>	<b>57</b>	<b>445</b>	<b>3%</b>	
OTTER TRAWL	0	0	0	1	0	1	0%	
DREDGE	42	39	203	81	57	422	2%	
OTHER GEARS	0	0	22	0	0	22	0%	
<b>GEORGES BANK SOUTH</b>	<b>38</b>	<b>80</b>	<b>111</b>	<b>554</b>	<b>660</b>	<b>1,443</b>	<b>8%</b>	
OTTER TRAWL	0	2	2	1	1	6	0%	
DREDGE	38	78	69	508	616	1,309	8%	
OTHER GEARS	0	0	40	45	43	128	1%	
<b>S. NEW ENGLAND</b>	<b>3</b>	<b>3</b>	<b>18</b>	<b>132</b>	<b>76</b>	<b>233</b>	<b>1%</b>	
OTTER TRAWL	0	0	0	0	1	1	0%	
DREDGE	3	3	18	131	75	231	1%	
OTHER GEARS	0	0	0	0	0	1	0%	
<b>NEW YORK BIGHT</b>	<b>529</b>	<b>822</b>	<b>1,674</b>	<b>1,122</b>	<b>587</b>	<b>4,735</b>	<b>27%</b>	
OTTER TRAWL	7	18	54	47	45	171	1%	
DREDGE	521	796	1,530	974	496	4,318	25%	
OTHER GEARS	1	8	90	102	46	246	1%	
<b>DE / MD / VA</b>	<b>2,523</b>	<b>1,784</b>	<b>1,054</b>	<b>654</b>	<b>285</b>	<b>6,300</b>	<b>36%</b>	
OTTER TRAWL	9	0	7	31	11	57	0%	
DREDGE	2,496	1,783	988	533	202	6,002	35%	
OTHER GEARS	18	0	59	91	72	241	1%	
<b>VA / NC</b>	<b>62</b>	<b>7</b>	<b>1</b>	<b>0</b>	<b>8</b>	<b>78</b>	<b>0%</b>	
OTTER TRAWL	0	0	0	0	0	0	0%	
DREDGE	62	7	0	0	8	77	0%	
OTHER GEARS	0	0	0	0	0	0	0%	
<b>ALL AREAS</b>	<b>3,332</b>	<b>2,869</b>	<b>3,246</b>	<b>4,543</b>	<b>3,355</b>	<b>17,345</b>	<b>100%</b>	
OTTER TRAWL	15	21	64	80	59	239	1%	
DREDGE	3,297	2,832	2,971	3,955	3,039	16,094	93%	
OTHER GEARS	19	17	211	508	257	1,012	6%	
<b>LANDINGS - ALL AREAS</b>								
Fishing Year 2007	3,332	2,869	3,246	4,543	3,355	17,345		
Fishing Year 2006	1,729	2,638	2,726	4,262	4,258	15,612		25,614
Fishing Year 2005	1,742	2,570	3,481	3,300	3,493	14,587		24,966
Fishing Year 2004	2,227	2,868	3,854	3,791	2,907	15,647		28,910
Fishing Year 2003	1,777	2,153	3,315	3,413	3,229	13,886		25,497
Fishing Year 2002	1,536	2,450	2,800	3,061	2,772	12,618		23,466

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526  
 Georges Bank North: 561-562; Georges Bank South: 525  
 Southern New England: 537-539; New York Bight: 611-616  
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.  
 3. Gear data are based on vessel trip reports.  
 \* Fishing Year is March 1 through February 29.

Table 14.B. - Preliminary Commercial Scallop Landings by Major Ports and States, March - July 2007

PORT/ STATE	STOCK AREAS																	
	MAR - JULY 07		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
New Bedford, MA	9,184	14	0%	3,104	34%	421	5%	1,153	13%	128	1%	1,771	19%	2,553	28%	42	0%	
Cape May, NJ	2,061	0	0%	122	6%	0	0%	43	2%	56	3%	608	29%	1,233	60%	0	0%	
Norfolk, VA	3,076	0	0%	224	7%	10	0%	156	5%	3	0%	1,001	33%	1,656	54%	26	1%	
MAINE	15	14	92%	0	0%	0	0%	0	0%	0	0%	1	7%	0	0%	0	0%	
NEW HAMPSHIRE	1	1	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
MASSACHUSETTS	9,426	64	1%	3,281	35%	421	4%	1,164	12%	129	1%	1,771	19%	2,555	27%	42	0%	
RHODE ISLAND	392	0	0%	195	50%	14	3%	55	14%	24	6%	83	21%	22	6%	0	0%	
CONNECTICUT	377	0	0%	101	27%	0	0%	0	0%	1	0%	132	35%	143	38%	0	0%	
NEW JERSEY	3,597	0	0%	225	6%	0	0%	68	2%	56	2%	1,560	43%	1,677	47%	10	0%	
VIRGINIA	3,131	0	0%	224	7%	10	0%	156	5%	3	0%	1,018	33%	1,694	54%	26	1%	
OTHER NORTHEAST	406	0	0%	8	2%	0	0%	0	0%	19	5%	170	42%	208	51%	0	0%	
<b>TOTAL</b>	<b>17,345</b>	<b>78</b>	<b>0%</b>	<b>4,035</b>	<b>23%</b>	<b>445</b>	<b>3%</b>	<b>1,443</b>	<b>8%</b>	<b>233</b>	<b>1%</b>	<b>4,735</b>	<b>27%</b>	<b>6,300</b>	<b>36%</b>	<b>78</b>	<b>0%</b>	

PORT/ STATE	GEAR TYPES									
	MAR - JULY 07		OTTER TRAWL		DREDGE		OTHER GEARS			
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		
New Bedford, MA	9,184	56	1%	8,192	89%	936	10%			
Cape May, NJ	2,061	41	2%	2,006	97%	14	1%			
Norfolk, VA	3,076	5	0%	3,072	100%	0	0%			
MAINE	15	0	0%	15	100%	0	0%			
NEW HAMPSHIRE	1	0	0%	1	0%	0	0%			
MASSACHUSETTS	9,426	57	1%	8,433	89%	936	10%			
RHODE ISLAND	392	2	1%	373	95%	17	4%			
CONNECTICUT	377	0	0%	377	100%	1	0%			
NEW JERSEY	3,597	105	3%	3,435	95%	57	2%			
VIRGINIA	3,131	26	1%	3,105	99%	0	0%			
OTHER NORTHEAST	406	49	12%	357	88%	0	0%			
<b>TOTAL</b>	<b>17,345</b>	<b>239</b>	<b>1%</b>	<b>16,094</b>	<b>93%</b>	<b>1,012</b>	<b>6%</b>			

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

