

Table 1.A. - Preliminary Commercial Cod Landings by Stock Area

	MAY - 2006		JUN - 2006		JUL - 2006		AUG - 2006		SEP - 2006		OCT - 2006		NOV - 2006		DEC - 2006		JAN - 2007		FEB - 2007		MAR - 2007		APR - 2007		MAY 06 - APR 07		2006*		2005*		Fishing Year*				
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons				
GULF OF MAINE	23	321	447	258	176	181	252	573	319	217	375	66	3,206	52%																					
OTTER TRAWL	20	176	251	94	52	51	95	255	91	74	192	54	1,404	23%																					
GILLNET	3	143	194	162	123	129	155	306	183	77	85	6	1,567	25%																					
HOOK	0	0	0	0	1	1	1	3	29	58	89	5	186	3%																					
OTHER GEARS	0	1	2	2	0	0	1	8	16	9	9	0	49	1%																					
GEORGES BANK	184	372	144	182	209	246	278	342	138	94	317	451	2,957	48%																					
OTTER TRAWL	172	331	105	100	171	222	228	310	106	85	313	429	2,571	42%																					
GILLNET	5	29	34	69	13	10	41	26	17	8	4	0	261	4%																					
HOOK	8	7	0	5	21	10	3	1	3	1	3	12	75	1%																					
OTHER GEARS	0	5	5	8	4	5	6	4	12	1	0	0	50	1%																					
ALL AREAS	207	692	591	440	385	427	530	915	457	311	691	517	6,163	100%																					
OTTER TRAWL	191	507	355	194	224	273	323	565	197	159	505	483	3,976	65%																					
GILLNET	8	173	228	231	135	139	196	333	200	84	85	16	1,828	30%																					
HOOK	8	7	0	5	22	10	4	4	32	59	92	17	261	4%																					
OTHER GEARS	0	6	7	10	4	5	7	13	28	9	9	1	98	2%																					
LANDINGS - ALL AREAS	207	692	591	440	385	427	530	915	457	311	691	517	6,163	100%																					
Fishing Year 2006	207	692	591	440	385	427	530	915	457	311	691	517	6,163																						
Fishing Year 2005	327	881	829	521	358	308	320	608	446	316	445	341	5,699																						
Fishing Year 2004	375	726	828	443	461	406	562	714	538	390	544	679	6,667																						
Fishing Year 2003	567	1,373	875	830	533	601	651	914	499	476	756	1,033	9,110																						
Fishing Year 2002	913	1,343	1,114	821	605	557	674	1,125	752	562	1,444	1,578	11,488																						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards, and recreational landings.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY06 is 7,458 metric tons (16,442 thousand lbs.)

Table 1.B. - Preliminary Commercial Cod Landings by Major Ports and States, May 2006-April 2007

PORT/ STATE	MAY06 - APR 07		STOCK AREAS						GEAR TYPES					
	GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS			
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		
Portland, ME	422	65%	147	35%	295	70%	122	29%	5	1%	0	0%		
Gloucester, MA	2,143	87%	269	13%	1,021	48%	919	43%	172	8%	31	1%		
Boston, MA	293	21%	231	79%	293	100%	0	0%	0	0%	0	0%		
New Bedford, MA	1,755	0%	1,749	100%	1,752	100%	3	0%	0	0%	0	0%		
Point Judith, RI	128	0%	127	100%	127	100%	0	0%	0	0%	0	0%		
MAINE	547	73%	147	27%	317	58%	225	41%	5	1%	1	0%		
NEW HAMPSHIRE	438	100%	1	0%	134	31%	303	69%	0	0%	2	0%		
MASSACHUSETTS	4,998	47%	2,631	53%	3,364	67%	1,284	26%	257	5%	94	2%		
RHODE ISLAND	169	0%	169	100%	152	90%	16	10%	0	0%	1	0%		
CONNECTICUT	2	0%	2	96%	2	96%	0	0%	0	0%	0	0%		
NEW YORK	8	0%	8	100%	7	87%	0	0%	0	0%	1	13%		
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
TOTAL	6,163	52%	2,957	48%	3,976	65%	1,828	30%	261	4%	98	2%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515
Georges Bank: 521-637

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 2.A. - Preliminary Commercial Haddock Landings by Stock Area

	MAY - 2006		JUN - 2006		JUL - 2006		AUG - 2006		SEP - 2006		OCT - 2006		NOV - 2006		DEC - 2006		JAN - 2007		FEB - 2007		MAR - 2007		APR - 2007		MAY 06 - APR 07		2006*		2005*		Fishing Year* Landings Metric Tons					
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons		Metric Tons				
GULF OF MAINE	9	51	36	21	34	22	24	32	41	76	277	17	639	22%	50%	1,279	17%	4,735																		
OTTER TRAWL	8	45	32	19	30	17	21	22	19	26	147	10	398	14%	31%																					
GILLNET	0	6	4	2	2	4	3	4	2	7	26	1	62	2%	5%																					
HOOK	0	0	0	0	0	1	1	6	20	31	104	5	167	6%	13%																					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	11	0	13	0%	1%																					
GEORGES BANK	415	349	59	149	186	281	144	125	75	28	75	332	2,218	78%	6%	35,309	42%	12,282																		
OTTER TRAWL	408	304	56	142	180	146	80	51	74	28	72	321	1,863	65%	5%																					
GILLNET	0	0	1	1	1	1	0	2	1	0	0	0	8	0%	0%																					
HOOK	7	44	2	5	2	134	61	27	1	0	3	11	299	10%	1%																					
OTHER GEARS	0	0	0	0	0	2	1	0	0	0	0	0	49	2%	0%																					
SNE/ MID-ATLANTIC	0	0	0	0	0	0	0	0	0	0	1	0	1	0%	0%																					
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%																					
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%																					
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%																					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%																					
ALL AREAS	424	400	95	171	219	303	168	157	116	104	353	349	2,858	100%																						
OTTER TRAWL	417	349	89	161	211	163	101	73	93	54	220	331	2,261	79%																						
GILLNET	0	6	4	4	3	4	5	5	3	7	26	1	69	2%																						
HOOK	7	44	2	5	3	135	61	33	20	31	107	16	466	16%																						
OTHER GEARS	0	0	0	0	0	2	1	0	0	0	11	0	62	2%																						
LANDINGS - ALL AREAS	424	400	95	171	219	303	168	157	116	104	353	349	2,858																							
Fishing Year 2006	424	400	95	171	219	303	168	157	116	104	353	349	2,858																							
Fishing Year 2005	675	1,367	422	340	387	603	529	310	161	248	336	590	5,969																							
Fishing Year 2004	464	1,126	673	459	489	425	545	740	367	937	930	670	7,826																							
Fishing Year 2003	803	783	346	257	274	430	427	454	454	746	812	1,279	7,065																							
Fishing Year 2002	718	817	731	435	521	597	248	275	451	688	762	1,103	7,347																							

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY06 is 49,828 metric tons (109,851 thousand lbs.)

Table 2.B. - Preliminary Commercial Haddock Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 - APR 07		STOCK AREAS						GEAR TYPES					
	GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	295	18%	242	82%	0	0%	277	94%	3	1%	14	5%	1	0%
Gloucester, MA	950	47%	508	53%	0	0%	675	71%	45	5%	218	23%	12	1%
Boston, MA	201	15%	170	85%	0	0%	201	100%	0	0%	0	0%	0	0%
New Bedford, MA	994	0%	989	100%	0	0%	946	95%	0	0%	0	0%	48	5%
Point Judith, RI	43	0%	43	100%	0	0%	43	100%	0	0%	0	0%	0	0%
MAINE	299	19%	242	81%	0	0%	280	94%	4	1%	14	5%	1	0%
NEW HAMPSHIRE	41	100%	0	0%	0	0%	33	80%	8	20%	0	0%	0	0%
MASSACHUSETTS	2,448	22%	1,906	78%	0	0%	1,879	77%	57	2%	452	18%	60	2%
RHODE ISLAND	69	0%	68	99%	1	0%	69	100%	0	0%	0	0%	0	0%
CONNECTICUT	1	0%	1	100%	0	0%	1	100%	0	0%	0	0%	0	0%
NEW YORK	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,858	22%	2,218	78%	1	0%	2,261	79%	69	2%	466	16%	62	2%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 3.A. - Preliminary Commercial Yellowtail Landings by Stock Area

	MAY - 2006		JUN - 2006		JUL - 2006		AUG - 2006		SEP - 2006		OCT - 2006		NOV - 2006		DEC - 2006		JAN - 2007		FEB - 2007		MAR - 2007		APR - 2007		MAY 06- APR 07		2006*		2005*		Fishing Year* Landings Metric Tons				
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons						
	0	2	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	
GULF OF MAINE																																			
OTTER TRAWL	0	2	0	2	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
CAPE COD																																			
OTTER TRAWL	1	58	50	40	55	40	55	11	11	8	37	28	31	65	10	395	20%																		
GILLNET	1	46	48	40	55	11	8	36	23	17	36	10	330	17%																					
HOOK	0	12	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
GULF OF MAINE & CAPE COD																																			
OTTER TRAWL	13	5	26	18	11	11	1	1	1	2	11	13	10	13	18	144	7%																		
GILLNET	13	5	26	18	11	11	1	1	1	2	11	13	10	13	18	144	7%																		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ALL AREAS																																			
OTTER TRAWL	235	211	176	130	87	87	59	84	203	173	211	237	156	100%																					
GILLNET	235	198	173	125	85	84	202	167	196	208	156	156	96%																						
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
LANDINGS - ALL AREAS																																			
Fishing Year 2006	235	211	176	130	87	87	59	84	203	173	211	237	156	100%																					
Fishing Year 2005	442	542	628	435	174	131	348	540	221	326	207	26	4,021																						
Fishing Year 2004	700	1,455	1,573	1,299	358	74	27	160	376	220	64	6,522																							
Fishing Year 2003	591	422	311	245	133	231	585	765	387	285	454	4,846																							
Fishing Year 2002	616	525	262	220	309	322	166	657	519	674	540	5,341																							

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.
 3. Gear data are based on vessel trip reports.
 * Fishing Year is May 1 through April 30.
 ** TAC includes commercial landings and discards.
 + US portion of the Georges Bank target TAC. Total GB TAC for FY06 is 2,070 metric tons (4,563 thousand lbs.)

Table 3.B. - Preliminary Commercial Yellowtail Flounder Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 - APR 07		STOCK AREAS										GEAR TYPES					
	GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS			
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		
Portland, ME	15	0%	2	10%	14	89%	0	0%	15	100%	0	0%	0	0%	0	0%		
Gloucester, MA	202	4%	163	81%	30	15%	0	0%	169	84%	32	16%	0	0%	0	0%		
Boston, MA	49	0%	25	50%	23	48%	0	0%	49	100%	0	0%	0	0%	0	0%		
New Bedford, MA	1,349	3%	60	4%	1,263	94%	22	2%	1,343	100%	0	0%	0	0%	5	0%		
Point Judith, RI	132	0%	0	0%	48	36%	84	64%	132	100%	0	0%	0	0%	0	0%		
MAINE	15	0%	2	10%	14	89%	0	0%	15	100%	0	0%	0	0%	0	0%		
NEW HAMPSHIRE	16	69%	5	31%	0	0%	0	0%	15	99%	0	0%	0	0%	0	0%		
MASSACHUSETTS	1,753	1%	388	22%	1,325	76%	26	2%	1,682	96%	65	4%	0	0%	5	0%		
RHODE ISLAND	150	0%	1	1%	58	38%	91	61%	149	100%	0	0%	0	0%	0	0%		
CONNECTICUT	9	0%	0	0%	0	0%	9	98%	9	100%	0	0%	0	0%	0	0%		
NEW YORK	18	0%	0	0%	0	0%	18	100%	18	100%	0	0%	0	0%	0	0%		
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
TOTAL	1,960	1%	395	20%	1,396	71%	144	7%	1,889	96%	65	3%	0	0%	6	0%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515
 Cape Cod: 514, 521
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 4.A. - Preliminary Commercial Atlantic Pollock Landings

	MAY 06- APR 07												2006*		2005*		Fishing Year**		
	MAY 06- APR 07												2006*		2005*		Fishing Year**		
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	
400's & 500's	159	443	515	456	453	460	1,021	721	556	649	730	314	6,478	N/A	12,005**	60%	10,584		
OTTER TRAWL	149	358	294	191	205	165	180	190	454	617	652	231	3,687						
GILLNET	11	84	219	254	246	294	839	530	100	31	78	83	2,771			35%			
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	3			25%			
OTHER GEAR	0	1	2	10	1	0	1	0	1	0	0	0	17			0%			
600's	1	0	0	0	0	0	0	0	0	0	0	0	1						
OTTER TRAWL	1	0	0	0	0	0	0	0	0	0	0	0	1						
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0						
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0						
OTHER GEAR	0	0	0	0	0	0	0	0	0	0	0	0	0						
ALL AREAS	160	443	515	456	453	460	1,021	721	556	649	730	314	6,480		12,005**	60%	10,584		
OTTER TRAWL	150	358	294	191	205	165	180	190	454	617	652	231	3,688						
GILLNET	11	84	219	254	246	294	839	530	100	31	78	83	2,771			35%			
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	3			25%			
OTHER GEAR	0	1	2	10	1	0	1	0	1	0	0	0	17			0%			
LANDINGS - ALL AREAS	160	443	515	456	453	460	1,021	721	556	649	730	314	6,480		12,005**	60%	10,584		
Fishing Year 2006	337	460	787	515	496	693	643	537	525	375	670	289	6,327						
Fishing Year 2005	309	465	405	371	369	472	549	478	501	506	710	321	5,456						
Fishing Year 2004	256	403	409	364	332	348	471	493	466	421	437	281	4,683						
Fishing Year 2003	194	238	268	254	221	193	277	369	411	397	591	312	3,726						
Fishing Year 2002																			

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Years May 1 through April 30.
- ** TAC includes US and Canadian landings.

Table 4.B. - Preliminary Commercial Pollock Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 - APR 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		400's & 500's		600's		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	1,314	100%	0	0%	0	0%	754	57%	560	43%	0	0%	0	0%
Gloucester, MA	2,704	100%	1	0%	0	0%	1,863	69%	839	31%	1	0%	0	0%
Boston, MA	508	100%	0	0%	0	0%	508	100%	0	0%	0	0%	0	0%
New Bedford, MA	444	100%	0	0%	0	0%	427	96%	10	2%	0	0%	7	2%
Point Judith, RI	5	100%	0	0%	0	0%	5	100%	0	0%	0	0%	0	0%
MAINE	1,587	100%	0	0%	0	0%	776	49%	810	51%	0	0%	1	0%
NEW HAMPSHIRE	1,031	100%	0	0%	0	0%	59	6%	971	94%	0	0%	1	0%
MASSACHUSETTS	3,853	100%	1	0%	1	0%	2,845	74%	990	26%	3	0%	16	0%
RHODE ISLAND	8	100%	0	0%	0	0%	8	98%	0	0%	0	0%	0	0%
CONNECTICUT	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	6,480	100%	6,478	100%	1	0%	3,688	57%	2,771	43%	3	0%	17	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Atlantic Pollock Stock Areas: 400's and 500's = 464 & 465 & 500's

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 5.A. - Preliminary Commercial Redfish Landings

	MAY - 2006		JUN - 2006		JUL - 2006		AUG - 2006		SEP - 2006		OCT - 2006		NOV - 2006		DEC - 2006		JAN - 2007		FEB - 2007		MAR - 2007		APR - 2007		MAY 06 - APR 07		2006* May06 - Apr07 as a % of Target TAC		2005* May 05-Apr06 as a % of Target TAC		Fishing Year* Landings			
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons			
400's	0		0		0		0		0		0		0		0		0		0		0		0		0		0		0					
500's	11	31	27	34	37	34	28	51	65	72	75	46	511	100%	26%	1,946	34%	1,725																
OTTER TRAWL	10	27	22	31	31	30	23	47	59	70	70	37	456	89%	23%		29%																	
GILLNET	1	3	4	5	5	6	4	5	4	2	4	9	54	10%	3%		4%																	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
OTHER GEAR	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
600's	0	0	0	0	0	1	1	0	0	0	0	0	2	0%																				
OTTER TRAWL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
OTHER GEAR	0	0	0	0	0	1	1	0	0	0	0	0	1	0%																				
ALL AREAS	11	31	27	34	37	35	29	52	65	72	75	46	513	100%																				
OTTER TRAWL	10	27	22	31	31	30	24	47	59	70	70	37	457	89%																				
GILLNET	1	3	4	5	5	6	4	5	4	2	4	9	54	10%																				
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
OTHER GEAR	0	0	0	0	0	0	1	0	0	0	0	0	1	0%																				
LANDINGS - ALL AREAS	11	31	27	34	37	35	29	52	65	72	75	46	513	100%																				
Fishing Year 2006	11	31	27	34	37	35	29	52	65	72	75	46	513																					513
Fishing Year 2005	32	44	32	42	47	42	46	47	60	71	89	33	582																					582
Fishing Year 2004	15	19	25	33	47	46	37	36	34	48	92	53	485																					485
Fishing Year 2003	28	29	22	21	98	39	27	17	32	37	34	32	415																					415
Fishing Year 2002	28	28	14	17	22	18	17	20	32	26	67	18	307																					307

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.
- * Fishing Year is May 1 through April 30.

Table 5.B. - Preliminary Commercial Redfish Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 - APR 07			STOCK AREAS						GEAR TYPES								
				400s		500s		600s		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS		
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		
Portland, ME	128	0	0	0%	128	100%	0	0%	0	0%	105	82%	23	18%	0	0%	0	0%
Gloucester, MA	170	0	0	0%	169	100%	0	0%	0	0%	155	91%	15	9%	0	0%	0	0%
Boston, MA	150	0	0	0%	150	100%	0	0%	0	0%	150	100%	0	0%	0	0%	0	0%
New Bedford, MA	34	0	0	0%	34	100%	0	0%	0	0%	34	99%	0	0%	0	0%	0	0%
Point Judith, RI	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	513	0	0	0%	511	100%	2	0%	457	89%	54	10%	1	0%	1	0%	1	0%
MAINE	138	0	0	0%	138	100%	0	0%	0	0%	110	79%	28	20%	0	0%	0	0%
NEW HAMPSHIRE	8	0	0	0%	8	100%	0	0%	0	0%	2	21%	6	78%	0	0%	0	0%
MASSACHUSETTS	365	0	0	0%	364	100%	0	0%	0	0%	344	94%	19	5%	1	0%	0	0%
RHODE ISLAND	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	1	0	0	0%	0	0%	1	100%	1	100%	1	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	1	0	0	0%	0	0%	1	100%	1	100%	0	0%	0	0%	0	0%	1	100%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Redfish Stock Areas: 500-562

- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 6.A. - Preliminary Commercial White Hake Landings

	MAY - 2006		JUN - 2006		JUL - 2006		AUG - 2006		SEP - 2006		OCT - 2006		NOV - 2006		DEC - 2006		JAN - 2007		FEB - 2007		MAR - 2007		APR - 2007		MAY 06 - APR 07		2006*		2005*		Fishing Year Landings Metric Tons			
	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area	Metric Tons	Percent of Area		Metric Tons	Percent of Area	
SNE/NORTH	57		112		167		148		114		129		125		117		114		102		109		61		1,355	98%								
OTTER TRAWL	55		72		72		80		81		109		99		106		104		100		108		53		1,036	75%								
GILLNET	1		40		95		68		33		16		22		10		10		2		1		7		306	22%								
HOOK	0		0		0		0		0		0		3		1		0		0		0		0		10	1%								
OTHER GEARS	0		0		0		0		0		0		1		0		0		0		0		0		3	0%								
MID-ATLANTIC	8		1		0		2		1		1		2		4		4		0		0		4		26	2%								
OTTER TRAWL	5		1		0		2		1		1		2		4		4		0		0		4		23	2%								
GILLNET	3		0		0		0		0		0		0		0		0		0		0		0		0	0%								
HOOK	0		0		0		0		0		0		0		0		0		0		0		0		0	0%								
OTHER GEARS	0		0		0		0		0		0		0		0		0		0		0		0		0	0%								
ALL AREAS	65		113		167		150		116		130		126		121		118		102		109		65		1,381	100%								
OTTER TRAWL	61		72		72		82		82		110		100		110		107		100		108		56		1,059	77%								
GILLNET	4		40		95		68		33		16		22		10		10		2		1		7		309	22%								
HOOK	0		0		0		0		0		0		3		1		0		0		0		0		10	1%								
OTHER GEARS	0		0		0		0		0		0		1		0		0		0		0		0		3	0%								
LANDINGS - ALL AREAS	65		113		167		150		116		130		126		121		118		102		109		65		1,381	100%								
Fishing Year 2006	192		283		240		297		207		174		176		148		219		213		184		85		1,381									
Fishing Year 2005	229		337		365		393		285		212		215		238		252		269		240		128		2,417									
Fishing Year 2004	465		379		470		457		365		356		311		248		277		353		377		212		3,163									
Fishing Year 2003	173		228		311		320		302		272		241		262		363		289		458		267		3,486									
Fishing Year 2002																																		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.
** TAC only includes lengths greater than 60 cm. Landings data include all lengths.

Table 6.B. - Preliminary Commercial White Hake Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 - APR 07		STOCK AREAS						GEAR TYPES					
	SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS			
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent		
Portland, ME	553	100%	0	0%	410	74%	140	25%	3	1%	0	0%		
Gloucester, MA	429	100%	2	0%	347	81%	79	19%	2	0%	0	0%		
Boston, MA	184	100%	0	0%	184	100%	0	0%	0	0%	0	0%		
New Bedford, MA	64	100%	0	0%	57	89%	7	11%	0	0%	0	0%		
Point Judith, RI	2	68%	0	0%	2	100%	0	0%	0	0%	0	0%		
MAINE	600	100%	0	0%	435	73%	161	27%	3	1%	0	0%		
NEW HAMPSHIRE	54	100%	0	0%	3	5%	52	95%	0	0%	0	0%		
MASSACHUSETTS	695	100%	2	0%	594	86%	93	13%	7	1%	1	0%		
RHODE ISLAND	5	27%	3	73%	2	38%	3	62%	0	0%	0	0%		
CONNECTICUT	2	0%	1	61%	1	86%	0	0%	0	0%	0	0%		
NEW YORK	25	21%	20	79%	24	94%	0	0%	0	0%	1	6%		
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%		
TOTAL	1,381	98%	26	2%	1,059	77%	309	22%	10	1%	3	0%		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562
Mid-Atlantic: 600-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 7.A. - Preliminary Commercial American Plaice Landings

	MAY - 2006		JUN - 2006		JUL - 2006		AUG - 2006		SEP - 2006		OCT - 2006		NOV - 2006		DEC - 2006		JAN - 2007		FEB - 2007		MAR - 2007		APR - 2007		MAY 06- APR 07		2006*		2005*		Fishing Year* Landings Metric Tons								
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons										
	39	157	80	156	157	80	93	126	84	100	82	76	55	62	47	1,001	100%	76	55	62	47	1,001	100%	988	98%	988	98%	988	98%	988		98%							
GULF OF MAINE/ GB																																							
OTTER TRAWL	38	156	79	117	84	100	82	76	55	61	47	1,001	100%	988	98%	988	98%	988	98%	988	98%	988	98%	988	98%	988	98%	988	98%	988	98%	988	98%						
GILLNET	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
SNE / MID-ATLANTIC																																							
OTTER TRAWL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
GILLNET	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
ALL AREAS																																							
OTTER TRAWL	40	157	80	126	84	100	82	76	55	62	47	1,005	100%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%		
GILLNET	39	156	80	117	84	100	82	76	55	61	47	1,005	100%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%		
HOOK	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
LANDINGS - ALL AREAS																																							
Fishing Year 2006	40	157	80	126	84	100	82	76	55	62	47	1,005	100%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%	992	99%		
Fishing Year 2005	86	171	115	123	95	116	105	121	102	76	49	1,005	100%	1,287	99%	1,287	99%	1,287	99%	1,287	99%	1,287	99%	1,287	99%	1,287	99%	1,287	99%	1,287	99%	1,287	99%	1,287	99%	1,287	99%		
Fishing Year 2004	59	205	179	221	108	140	132	141	100	82	74	1,005	100%	1,656	99%	1,656	99%	1,656	99%	1,656	99%	1,656	99%	1,656	99%	1,656	99%	1,656	99%	1,656	99%	1,656	99%	1,656	99%	1,656	99%	1,656	99%
Fishing Year 2003	125	359	240	246	199	180	147	124	111	118	95	1,005	100%	2,220	99%	2,220	99%	2,220	99%	2,220	99%	2,220	99%	2,220	99%	2,220	99%	2,220	99%	2,220	99%	2,220	99%	2,220	99%	2,220	99%	2,220	99%
Fishing Year 2002	214	302	343	322	252	213	218	208	119	194	135	1,005	100%	2,829	99%	2,829	99%	2,829	99%	2,829	99%	2,829	99%	2,829	99%	2,829	99%	2,829	99%	2,829	99%	2,829	99%	2,829	99%	2,829	99%	2,829	99%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 484-465, 467, 511-526, 551-552, 561-562
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

** TAC includes commercial landings and discards.

Table 7.B. - Preliminary Commercial American Plaice Landings by Major Ports and States, May 2006 - April 2007

PORT/STATE	MAY 06 -APR 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	295	100%	294	100%	1	0%	293	99%	2	1%	0	0%	0	0%
Gloucester, MA	223	99%	222	99%	1	1%	221	99%	2	1%	0	0%	0	0%
Boston, MA	175	100%	175	100%	0	0%	175	100%	0	0%	0	0%	0	0%
New Bedford, MA	261	100%	261	100%	0	0%	253	97%	0	0%	0	0%	8	3%
Point Judith, RI	17	97%	17	97%	1	0%	17	100%	0	0%	0	0%	0	0%
MAINE	302	100%	301	100%	1	0%	300	99%	2	1%	0	0%	0	0%
NEW HAMPSHIRE	6	100%	6	100%	0	0%	5	91%	1	0%	0	0%	0	0%
MASSACHUSETTS	670	100%	668	100%	2	0%	659	98%	2	0%	0	0%	8	1%
RHODE ISLAND	27	96%	26	96%	1	4%	27	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,005	100%	1,001	100%	4	0%	992	99%	5	0%	0	0%	8	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 8.B. - Preliminary Commercial Winter Flounder Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 - APR 07		STOCK AREAS						GEAR TYPES							
	Metric Tons		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	31	0%	11	36%	20	63%	31	100%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	104	73%	25	24%	2	2%	89	86%	15	14%	0	0%	0	0%	0	0%
Boston, MA	27	6%	17	64%	4	13%	27	100%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	1,457	2%	871	60%	584	40%	1,450	100%	0	0%	0	0%	0	0%	6	0%
Point Judith, RI	490	0%	15	3%	475	97%	490	100%	0	0%	0	0%	0	0%	0	0%
MAINE	31	0%	11	36%	20	63%	31	100%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	5	100%	0	0%	0	0%	3	72%	1	28%	0	0%	0	0%	0	0%
MASSACHUSETTS	1,733	12%	924	53%	603	35%	1,696	98%	31	2%	0	0%	0	0%	6	0%
RHODE ISLAND	546	1%	33	6%	513	94%	538	98%	8	2%	0	0%	0	0%	0	0%
CONNECTICUT	50	0%	1	0%	50	99%	50	100%	0	0%	0	0%	0	0%	0	0%
NEW YORK	190	1%	0	0%	189	100%	188	99%	0	0%	0	0%	0	0%	1	1%
NEW JERSEY	182	0%	0	0%	182	100%	182	100%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
TOTAL	2,738		213	8%	968	35%	1,557	57%	2,689	98%	41	2%	0	0%	8	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515
 Georges Bank: 522, 525, 542-543, 551-552, 561-562
 Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 9.B. - Preliminary Commercial Witch Flounder Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 -APR 07		STOCK AREAS						GEAR TYPES					
			GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	292	100%	0	0%	292	100%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	337	100%	1	0%	322	96%	15	4%	0	0%	0	0%	0	0%
Boston, MA	206	100%	0	0%	206	100%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	392	100%	0	0%	389	99%	0	0%	0	0%	0	0%	3	1%
Point Judith, RI	43	65%	15	35%	43	100%	0	0%	0	0%	0	0%	0	0%
TOTAL	1,370	98%	24	2%	1,349	98%	18	1%	0	0%	4	0%	0	0%
MAINE	298	100%	0	0%	297	100%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	17	100%	0	0%	16	95%	1	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	995	100%	1	0%	975	98%	16	2%	0	0%	3	0%	0	0%
RHODE ISLAND	53	70%	16	30%	53	100%	0	0%	0	0%	0	0%	0	0%
CONNECTICUT	1	0%	1	0%	1	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	3	0%	2	86%	2	87%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	4	0%	4	100%	4	98%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 10.A. - Preliminary Commercial Windowpane Flounder Landings

	MAY - 2006		JUN - 2006		JUL - 2006		AUG - 2006		SEP - 2006		OCT - 2006		NOV - 2006		DEC - 2006		JAN - 2007		FEB - 2007		MAR - 2007		APR - 2007		MAY 06 - APR 07		2006*		2005*		Fishing Year*		
	Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		Metric Tons		
GULF OF MAINE/GB	16	2	2	4	1	1	1	1	1	1	1	1	2	7	5	14	32	21	107	59%	28%	389	5%	534									
OTTER TRAWL	16	2	2	4	1	1	1	1	1	1	1	2	7	5	14	32	21	107	59%	28%	389	5%	534										
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	0	0%	0									
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	0	0%	0									
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	0	0%	0									
SNE/MID-ATLANTIC	12	1	3	4	1	1	1	1	1	1	1	1	1	12	10	4	24	76	41%	44%	173	15%	273										
OTTER TRAWL	12	1	3	4	1	1	1	1	1	1	1	1	1	12	10	4	24	76	41%	44%	173	15%	273										
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	0	0%	0										
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	0	0%	0										
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	0	0%	0										
ALL AREAS	28	3	6	9	2	2	2	2	2	2	2	3	3	18	15	17	36	183	100%	100%	45												
OTTER TRAWL	27	3	6	9	2	2	2	2	2	2	2	3	3	18	15	17	36	182	100%	100%	45												
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	0	0%	0										
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	0	0%	0										
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%	0	0%	0										
LANDINGS - ALL AREAS	28	3	6	9	2	2	2	2	2	2	2	3	3	18	15	17	36	183	100%	100%	45												
Fishing Year 2006	28	3	6	9	2	2	2	2	2	2	2	3	3	18	15	17	36	183	100%	100%	45												
Fishing Year 2005	12	3	2	4	3	1	1	1	1	1	1	4	4	7	3	5	9	67			13												
Fishing Year 2004	6	2	4	2	3	1	1	3	4	6	17	5	5	4	6	10	18	78			18												
Fishing Year 2003	10	3	2	3	<1	1	1	3	6	9	14	1	2	6	8	23	82	83			23												
Fishing Year 2002	8	3	1	1	1	1	1	1	1	1	1	2	2	9	8	7	61	61			13												

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 10.B. - Preliminary Commercial Windowpane Flounder Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 -APR 07			STOCK AREAS						GEAR TYPES					
	SOUTHERN NEW ENGLAND			GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	
Portland, ME	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
Gloucester, MA	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
Boston, MA	2	100%	0	0%	2	100%	0	0%	2	100%	0	0%	0	0%	
New Bedford, MA	95	97%	3	3%	92	97%	3	3%	95	100%	0	0%	0	0%	
Point Judith, RI	15	63%	6	37%	9	63%	6	37%	15	100%	0	0%	0	0%	
TOTAL	183	59%	76	41%	107	59%	76	41%	182	100%	0	0%	0	0%	
MAINE	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
NEW HAMPSHIRE	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	
MASSACHUSETTS	101	97%	3	3%	97	97%	3	3%	101	100%	0	0%	0	0%	
RHODE ISLAND	15	63%	6	37%	9	63%	6	37%	15	100%	0	0%	0	0%	
CONNECTICUT	3	0%	2	95%	0	0%	2	95%	3	100%	0	0%	0	0%	
NEW YORK	43	0%	43	100%	0	0%	43	100%	43	99%	0	0%	0	0%	
NEW JERSEY	21	0%	21	100%	0	0%	21	100%	21	100%	0	0%	0	0%	
OTHER NORTHEAST	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562
 Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

- Landings in live weight.
- Gear data are based on vessel trip reports.

Table 11.A. - Preliminary Commercial Silver Hake Landings by Stock Area

	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06 - APR 07	Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons
GULF OF MAINE	9	2	39	337	291	4	11	1	13	3	2	3	716	14%
OTTER TRAWL	9	0	38	333	290	4	11	1	13	3	2	3	706	14%
GILLNET	0	2	1	4	1	0	0	0	0	0	0	0	10	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
SNE/ MID-ATLANTIC	538	497	493	295	233	290	264	267	350	292	418	363	4,300	86%
OTTER TRAWL	538	497	493	295	233	287	264	267	350	292	418	363	4,296	86%
GILLNET	0	0	0	0	0	3	0	0	0	0	0	0	3	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
ALL AREAS	547	499	531	632	524	294	276	268	363	295	420	366	5,015	100%
OTTER TRAWL	547	497	530	628	523	291	275	268	362	295	419	366	5,002	100%
GILLNET	0	2	1	4	1	4	0	0	0	0	0	0	13	0%
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%
LANDINGS - ALL AREAS	547	499	531	632	524	294	276	268	363	295	420	366	5,015	100%
Fishing Year 2006	547	499	531	632	524	294	276	268	363	295	420	366	5,015	100%
Fishing Year 2005	691	873	830	973	827	382	271	352	255	375	576	404	6,811	6,776
Fishing Year 2004	600	716	754	856	763	446	416	235	404	413	701	471	6,776	6,776
Fishing Year 2003	580	326	895	544	1,197	774	595	699	522	557	848	292	7,828	7,828
Fishing Year 2002	814	616	767	764	826	644	520	418	497	496	566	212	7,140	7,140

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

* Fishing Year is May 1 through April 30.

Table 11.B. - Preliminary Commercial Silver Hake Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 - APR 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	144	89%	128	11%	15	11%	141	98%	2	2%	0	0%	0	0%
Boston, MA	9	22%	2	78%	7	78%	9	100%	0	0%	0	0%	0	0%
New Bedford, MA	1,392	15%	215	85%	1,177	85%	1,386	100%	7	0%	0	0%	0	0%
Point Judith, RI	1,403	10%	134	90%	1,269	90%	1,403	100%	0	0%	0	0%	0	0%
TOTAL	5,015	14%	716	86%	4,300	86%	5,002	100%	13	0%	0	0%	0	0%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
 Southern New England: 525-552, 562, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 12.A. - Preliminary Commercial Red Hake Landings by Stock Area

	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06- APR 07		Fishing Year* Landings
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	Metric Tons
GULF OF MAINE	0	0	16	28	13	0	0	0	0	0	0	0	59	14%	
OTTER TRAWL	0	0	16	28	13	0	0	0	0	0	0	0	58	14%	
GILLNET	0	0	0	1	0	0	0	0	0	0	0	0	2	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
SNE/MID-ATLANTIC	34	34	46	48	19	22	14	23	25	26	32	26	349	86%	
OTTER TRAWL	34	33	45	47	18	21	14	23	25	25	32	26	344	84%	
GILLNET	0	0	0	0	0	0	0	0	0	0	0	0	1	0%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	1	1	0	0	0	0	0	0	0	1	5	1%	
ALL AREAS	35	34	62	76	31	22	14	23	25	26	33	27	408	100%	
OTTER TRAWL	34	33	61	74	31	21	14	23	25	25	32	26	401	98%	
GILLNET	0	0	0	1	0	0	0	0	0	0	0	0	2	1%	
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	
OTHER GEARS	0	0	1	1	0	0	0	0	0	0	0	1	5	1%	
LANDINGS - ALL AREAS	35	34	62	76	31	22	14	23	25	26	33	27	408		408
Fishing Year 2006	28	40	51	72	33	17	18	19	16	21	34	29	379		379
Fishing Year 2005	77	38	62	92	82	55	44	20	26	15	21	40	572		572
Fishing Year 2004	61	54	80	69	94	87	76	65	37	48	54	59	783		198
Fishing Year 2003	56	105	103	81	124	96	54	47	58	51	61	53	888		888

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Red Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561-562
Southern New England: 525-552, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 12.B. - Preliminary Commercial Red Hake Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 - APR 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	41	97%	39	3%	1	3%	39	96%	2	4%	0	0%	0	0%
Boston, MA	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	59	11%	7	89%	52	89%	59	100%	0	0%	0	0%	0	0%
Point Judith, RI	189	3%	6	97%	183	97%	189	100%	0	0%	0	0%	0	0%
TOTAL	408		59	14%	349	86%	401	98%	2	1%	0	0%	5	1%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561
Southern New England: 525-552, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

Table 13.A. - Preliminary Commercial Monkfish Landings by Stock Area

	MAY - 2006	JUN - 2006	JUL - 2006	AUG - 2006	SEP - 2006	OCT - 2006	NOV - 2006	DEC - 2006	JAN - 2007	FEB - 2007	MAR - 2007	APR - 2007	MAY 06 - APR 07		2006*		2005*		Fishing Year*	
	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Metric Tons	Percent of Area	Apror as a % of Target TAC	May05- Apror as a % of Target TAC	Target TAC	Target TAC	Metric Tons	
NORTHERN	201	627	717	678	669	735	509	576	482	413	678	393	6,677	53%	86%	7,737	13,160	69%		
OTTER TRAWL	134	356	261	343	434	601	378	425	457	389	658	373	4,908	38%	62%			51%		
GILLNET	64	256	453	332	182	109	111	147	22	24	19	19	1,738	14%	22%			18%		
HOOK	0	0	0	0	0	1	0	0	0	0	0	0	2	0%	0%			0%		
OTHER GEARS	3	15	4	4	53	25	20	4	3	0	0	0	130	1%	2%			0%		
SOUTHERN	1,114	863	464	230	212	370	631	554	485	258	273	455	5,909	47%	16%	3,667	9,673	91%		
OTTER TRAWL	90	76	239	173	163	200	209	105	183	75	129	92	1,734	14%	47%			25%		
GILLNET	873	657	146	16	6	115	349	417	269	149	87	282	3,365	27%	92%			58%		
HOOK	0	0	0	0	0	0	0	0	0	0	0	0	0	0%	0%			0%		
OTHER GEARS	151	130	79	42	43	54	73	32	33	34	58	81	810	6%	22%			8%		
ALL AREAS	1,314	1,490	1,181	909	880	1,104	1,140	1,130	967	671	951	848	12,586	100%						
OTTER TRAWL	223	431	499	515	597	801	588	531	640	464	787	465	6,542	52%						
GILLNET	937	914	598	348	187	224	459	564	292	173	106	301	5,103	41%						
HOOK	0	0	0	0	0	1	0	0	0	0	0	0	2	0%						
OTHER GEARS	154	145	83	46	96	79	93	35	35	34	58	81	940	7%						
LANDINGS - ALL AREAS	1,314	1,490	1,181	909	880	1,104	1,140	1,130	967	671	951	848	12,586							
Fishing Year 2006	2,040	3,040	1,862	1,487	1,343	1,100	1,616	1,413	1,523	1,143	1,309	1,313	19,189						12,586	
Fishing Year 2005	1,806	1,979	1,581	1,380	1,304	1,243	1,803	1,681	1,264	1,173	1,235	1,478	17,927						19,189	
Fishing Year 2004	2,681	3,199	1,913	1,746	1,420	2,253	2,823	1,907	1,976	2,386	2,172	1,797	26,273						17,927	
Fishing Year 2003	1,574	2,093	1,489	1,382	1,524	1,643	1,937	2,203	2,015	1,762	2,631	1,553	21,807						26,273	
Fishing Year 2002																				21,807

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
* Fishing Year is May 1 through April 30.

Table 13.B. - Preliminary Monkfish Landings by Major Ports and States, May 2006 - April 2007

PORT/ STATE	MAY 06 - APR 07		STOCK AREAS						GEAR TYPES					
	Metric Tons		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent	Metric Tons	Percent
Portland, ME	1,318	100%	1,314	100%	3	0%	1,269	96%	48	4%	0	0%	0	0%
Gloucester, MA	1,704	99%	1,692	99%	12	1%	1,001	59%	702	41%	0	0%	0	0%
Boston, MA	1,030	99%	1,023	99%	7	1%	1,030	100%	0	0%	0	0%	0	0%
New Bedford, MA	3,530	49%	1,734	49%	1,796	51%	2,232	63%	739	21%	0	0%	559	16%
Point Judith, RI	867	7%	58	7%	809	93%	456	53%	395	46%	0	0%	16	2%
TOTAL	12,586	53%	6,677	53%	5,909	47%	6,542	52%	5,103	41%	2	0%	940	7%

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562
 Southern: 525-526, 533-534, 537-539, 541-543, 611-639

- 2. Landings in live weight.
- 3. Gear data are based on vessel trip reports.

